

PVDeg: a python package for modeling degradation on solar photovoltaic systems

Rajiv Daxini¹, Silvana Ovaatt¹, Martin Springer¹, Tobin Ford¹, and Michael Kempe¹

¹ National Laboratory of the Rockies (NLR)

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Adam R. Jensen](#) 

Reviewers:

- [@kandersolar](#)
- [@FlorianK13](#)

Submitted: 05 December 2025

Published: unpublished

License

Authors of papers retain copyright and release the work under a

Creative Commons Attribution 4.0 International License ([CC BY 4.0](#))

Summary

PVDeg is an open-source Python package for modeling degradation of photovoltaic (PV) modules. It provides modular functions, materials databases, and calculation workflows for simulating degradation mechanisms (e.g., LeTID, hydrolysis, UV exposure) using weather data from the National Solar Radiation Database (NSRDB) and the Photovoltaic Geographical Information System (PVGIS). By integrating Monte Carlo uncertainty propagation and geospatial processing, PVDeg enables field-relevant predictions and uncertainty quantification of module reliability and lifetime.

PVDeg is developed openly on GitHub and releases are distributed via the Python Package Index (PyPi). The source code is freely available under the BSD 3-Clause license, and copyrighted by the Alliance for Sustainable Energy allowing permissive use with attribution. PVDeg follows best practices for open-source python software, with a robust testing framework across Python 3.x environments, semantic versioning, and supporting documentation available at pvdegradationtools.readthedocs.io. The package is developed at the National Laboratory of the Rockies (NLR), previously known as the National Renewable Energy Laboratory (NREL), and supported by the Durable Module Materials (DuraMAT) consortium.

As an open-source project, PVDeg welcomes community contributions through GitHub issues and pull requests that support improvements to the codebase, documentation, and material-property databases.

Statement of Need

As PV deployment expands, especially into new and demanding operational environments, material degradation poses a challenge to the lifetime of PV modules. Modeling degradation is crucial for anticipating performance losses, guiding material selection, and enabling proactive maintenance strategies that extend the operational lifetime of PV modules in diverse environments. Currently, no open-source software combines physics-based degradation mechanism modeling with uncertainty quantification and geospatial scaling. This repository offers a powerful set of tools for PV reliability researchers, materials scientists, and engineers in both laboratories.

State of the Field

Existing PV modeling tools such as `pvlb-python` (William F. Holmgren et al., 2018a) (Anderson et al., 2023) and SAM (?) can simulate system energy yield, but not degradation. Degradation rates and performance loss rates may be extracted from PV performance data using packages such as `RdTools` (Deceglie et al., 2026) and `PVplir` (Curran et al., 2020). However, these

39 packages adopt a top-down approach whereby temporally-resolved system performance is known
40 and degradation rates are extracted. In this case, the cause of degradation is not always clear.
41 PVDeg addresses this gap with a bottom-up approach, which starts with the known physics of
42 a degradation mechanism and evaluates the associated impact on the performance of a PV
43 system. PVDeg provides modular degradation models, material databases, and uncertainty
44 quantification workflows. PVDeg supports both research and industry use by automating
45 degradation modeling, and enabling reproducible studies of module lifetime and performance
46 worldwide. It also supports ongoing standardization work, including contributions to IEC TS
47 63126 (International Electrotechnical Commission, 2020) through the geospatial mapping of
48 optimal PV panel standoff distance. Defined as the distance between the module underside and
49 the roof surface, the standoff distance is a critical characteristic of roof-mounted PV systems in
50 particular, and must be optimized for cooling, fire safety, and structural clearance for safe and
51 practical system mounting. The relevance of PVDeg for both research and industry renders it
52 an important component of a growing ecosystem of open-source tools for solar energy, several
53 of which are reviewed in Ref. (William F. Holmgren et al., 2018b).




Figure 1: Example of geospatial degradation modeling in PVDeg: (a) calculated standoff distances for IEC TS 63126 across the continental U.S.

54 Software Design

55 PVDeg is organized as a layered architecture built around a common data convention. At its
56 foundation is a library of modular *core functions*, each modeling a single environmental stressor
57 (e.g., temperature, irradiance, relative humidity) or degradation mechanism for one location
58 from a standardized weather DataFrame and location metadata. The core functions share
59 this input convention and return either a timeseries or a summary numeric, therefore a user
60 may call one in isolation or chain the output of one (e.g., module temperature) into another
61 (e.g., a moisture-ingress or LeTID model) to assemble a bottom-up lifetime prediction. Three
62 higher-level layers then orchestrate these same functions without re-implementing their physics:
63 the Scenario class sequences them into reproducible, multi-step pipelines; the geospatial
64 layer vectorizes them across latitude-longitude grids; and the Monte Carlo engine propagates
65 parameter uncertainty through them. This reuse is enabled by a lightweight internal decorator
66 (@geospatial_quick_shape) that records each function's output structure, so code written for
67 a single location can be automatically templated and scaled to continental or global analyses
68 without modification. The subsections below describe these layers in turn, together with the
69 tutorials and open datasets that support them.

70 Core Functions

71 The core API provides dedicated functions for calculating physical degradation
72 mechanisms, accessing material properties and environmental stressors. Examples
73 include `pvdeg.humidity.module()` for moisture ingress modeling (Pickett & Coyle, 2013), and
74 `pvdeg.letid.calc_letid_outdoors()` for modeling light and elevated temperature induced
75 degradation (LeTID) (Joseph Karas et al., 2022; Repins et al., 2023). These functions rely on
76 standardized environmental stressors such as temperature, irradiance, and humidity, and can
77 be chained to produce lifetime predictions under realistic field conditions.

78 Scenario Class

79 To simplify complex workflows, PVDeg wraps its core functions into a `Scenario` class that
80 defines locations, module configurations, and degradation mechanisms. This enables user-
81 friendly workflows, simplifying the setup and execution of complex multi-parameter degradation
82 studies. This layer provides an intuitive interface for multiple analyses of different degradation
83 modes, climates, and configurations.

84 Geospatial Analysis

85 The geospatial analysis layer enables large-scale spatial analyses by automatically distributing
86 degradation calculations across geographic regions using parallel processing and advanced data
87 structures. It integrates environmental data from NSRDB and PVGIS and automates sampling
88 across latitude-longitude grids to produce maps, such as standoff distance distribution used
89 in IEC TS 63126 compliance studies (International Electrotechnical Commission, 2020). The
90 geospatial layer includes visualization functions for mapping results and supports both uniform
91 and stochastic spatial sampling strategies to balance computational efficiency with geographic
92 coverage. Parallelization routines are compatible with NREL's open-source *GeoGridFusion*
93 framework (Ford et al., 2025; Ford, 2025), allowing users to down-select meteorological datasets
94 efficiently and strategically, and execute computations without high-performance computing
95 access. This capability supports national- and global-scale analyses of degradation phenomena.

96 Monte Carlo Framework

97 Laboratory-to-field extrapolation carries significant uncertainty in kinetic parameters. PVDeg's
98 Monte Carlo engine samples parameter distributions and their correlations to generate
99 thousands of realizations, producing confidence intervals on degradation rates rather than
100 single deterministic values. This capability, described in (Springer et al., 2022), can help
101 quantify uncertainty in complex and non-linear module lifetime predictions, and identify which
102 parameters most strongly affect reliability risk.

103 Tutorials and Tools

104 The tutorials and tools component of PVDeg consists of a comprehensive suite of Jupyter
105 notebooks that demonstrate practical workflows for modeling PV degradation. These notebooks
106 cover core degradation mechanisms, scenario setup, geospatial analysis, and uncertainty
107 quantification, providing step-by-step guidance for both new and advanced users. Each tutorial
108 is designed to be interactive and reproducible, enabling users to explore real-world datasets,
109 customize parameters, and visualize results. The notebooks support comparative studies and
110 integration with external meteorological data sources such as NSRDB and PVGIS.

111 Open datasets

112 A growing component of PVDeg is its compilation of community-driven open datasets for PV
113 degradation modeling. These databases include curated degradation parameters and material
114 property data, such as kinetic coefficients for common degradation mechanisms, UV-albedo

data, and permeation properties for materials (e.g., H₂O, O₂, acetic acid). The datasets are continuously expanded and updated, serving as a growing resource for users to access validated values for modeling and analysis. Users are encouraged to contribute their own data, enhancing the collective knowledge base and supporting reproducible research. The core PVDeg API also provides users with a means to seamlessly query these datasets and use them in their own modeling workflows, analysis, and investigations. The development and maintenance of these degradation databases and associated API calls also support reproducible, reliable, and field-relevant degradation modeling for the PV community.

Research Impact Statement

Since its first release as PV Degradation Tools (Holsapple et al., 2020), PVDeg has been adopted in multiple studies across the PV reliability community:

- Thermal Stability and IEC TS 63126 Compliance: Used to calculate effective standoff distances and generate public maps supporting the IEC TS 63126 standard (International Electrotechnical Commission, 2020).
- Light and Elevated Temperature Induced Degradation (LeTID): Integrated into the international interlaboratory comparison study of LeTID effects in crystalline-silicon modules (Joseph Karas et al., 2022) and follow-up analyses of field-aged arrays (Joe Karas, 2024; Repins et al., 2023).
- Geospatial Performance Modeling: Coupled with GeoGridFusion (Ford, 2025) to streamline weather-data storage and spatial queries for large-scale degradation simulations.
- Agrivoltaics and System-Level Modeling: Combined with PySAM (Blair et al., 2018) to assess degradation-driven yield losses and ground-irradiance patterns in dual-use agrivoltaic systems. (Ovatt et al., 2023)
- Material-Property Parameterization: Leveraged in studies of UV-induced polymer degradation (Kempe et al., 2023) and moisture-related failures in encapsulants and backsheets (Coyle, 2011).

These applications highlight PVDeg's versatility as the "PV Library of degradation phenomena" — an open, community-driven platform linking materials science, environmental modeling, and field performance.

Ongoing Development

Version 0.7.2 is the latest stable release, incorporating support for NSRDB PSM v4 weather data and a major restructuring of the Jupyter notebook tutorials for improved usability and clarity.

DuraMAT-funded projects will expand the degradation and material parameter databases using literature searches driven by large language models. In addition, the Scenario class is being developed to support multi-material modules and chained job dependencies, allowing coupled multiphysics modeling of interrelated degradation and transport mechanisms within a single reproducible workflow. This will mitigate the need for users to design and execute multiple individual Scenarios for different degradation pathways and materials.

AI usage disclosure

Generative AI was used to support the creation of docstrings in the software, and changelogs published in release notes. No generative AI tools were used in the writing of this manuscript or preparation of supporting materials. All outputs created using generative AI were thoroughly vetted by the contributor(s) for accuracy.

Acknowledgements

The authors gratefully acknowledge Derek Holsapple, Matthew Brown, and Aidan Wesley for their foundational contributions to the PVDeg project, as well as the broader open-source community for their continued support and contributions

This work was authored by the National Laboratory of the Rockies for the U.S. Department of Energy (DOE), operated under Contract No. DE-AC36-08GO28308. Funding provided as part of the Durable Module Materials Consortium 2 (DuraMAT 2), funded by the U.S. Department of Energy Office of Critical Minerals and Energy Innovation Integrated Energy Systems Office, agreement number 38259. The views expressed in the article do not necessarily represent the views of the DOE or the U.S. Government. The U.S. Government retains and the publisher, by accepting the article for publication, acknowledges that the U.S. Government retains a nonexclusive, paid-up, irrevocable, worldwide license to publish or reproduce the published form of this work, or allow others to do so, for U.S. Government purposes.

References

- Anderson, K. S., Hansen, C. W., Holmgren, W. F., Jensen, A. R., Mikofski, M. A., & Driesse, A. (2023). Pvlb python: 2023 project update. *Journal of Open Source Software*, 8(92), 5994. <https://doi.org/10.21105/joss.05994>
- Blair, N., DiOrio, N., Freeman, J., Gilman, P., Janzou, S., Neises, T., & Wagner, M. (2018). *System Advisor Model (SAM) general description (version 2017.9.5)*. 1–19. <https://doi.org/10.2172/1440404>
- Coyle, D. J. (2011). Life prediction for CIGS solar modules part 1: Modeling moisture ingress and degradation. *Progress in Photovoltaics: Research and Applications*. <https://doi.org/10.1002/pip.1172>
- Curran, A. J., Burleyson, T. L., Rath, K., Xin, A. S., Lindig, S., Moser, D., Stein, J., Bruckman, L. S., & French, R. H. (2020). Pvlpr: R package implementation of multiple filters and algorithms for time-series performance loss rate analysis. *2020 47th IEEE Photovoltaic Specialists Conference (PVSC)*, 2086–2090. <https://doi.org/10.1109/PVSC45281.2020.9300807>
- Deceglie, M. G., Anderson, K., Shinn, A., Nag, A., Mikofski, M., Springer, M., Yan, J., Perry, K., Villamar, S., Vining, W., Kimball, G., Ruth, D., Moyer, N., Nguyen, Q., Jordan, D., Muller, M., & Deline, C. (2026). *RdTools* (Version v3.1.0). National Renewable Energy Laboratory (NREL). <https://doi.org/10.5281/zenodo.1210316>
- Ford, T. (2025). *GeoGridFusion (open-source geospatial toolkit for solar data integration) [SWR-25-19]*. National Renewable Energy Laboratory (NREL), Golden, CO, United States; National Renewable Energy Laboratory (NREL) GitHub Repository. <https://doi.org/10.11578/dc.20250311.1>
- Ford, T., Ovaitt, S., Springer, M., Musleh, Y. J. K., & Kempe, M. (2025). Simplifying geospatial workflows for PV modeling with GeoGridFusion. *2025 IEEE 53rd Photovoltaic Specialists Conference (PVSC)*, 1572–1574. <https://doi.org/10.1109/PVSC59419.2025.11132420>
- Holmgren, William F., Hansen, C. W., & Mikofski, M. M. (2018a). pvlb python: a python package for modeling solar energy systems. *Journal of Open Source Software*, 3(29), 884. <https://doi.org/10.21105/joss.00884>
- Holmgren, William F., Hansen, C. W., Stein, J. S., & Mikofski, M. A. (2018b). Review of open source tools for PV modeling. *2018 IEEE 45th Photovoltaic Specialists Conference*. <https://doi.org/10.5281/zenodo.1401378>
- Holsapple, D., Kempe, M., Ovaitt, S., Springer, M., Brown, M., & Ford, T. (2020). *PV*

- 206 degradation tools [SWR-20-71]. National Renewable Energy Laboratory (NREL), Golden,
207 CO, United States; National Renewable Energy Laboratory (NREL) GitHub Repository.
208 <https://doi.org/10.11578/dc.20200714.1>
- 209 International Electrotechnical Commission. (2020). *IEC TS 63126: Guidelines for assessing the*
210 *lifetime of photovoltaic modules* [Technical Specification]. International Electrotechnical
211 Commission.
- 212 Karas, Joe. (2024). Energy yield loss due to LETID. *Proceedings of the 14th SiliconPV*
213 *Conference*. <https://www.osti.gov/biblio/2406177>
- 214 Karas, Joseph, Repins, I. L., Berger, K. A., Kubicek, B., Jiang, F., Zhang, D., Jaubert, J.-N.,
215 Cueli, A. B., Sample, T., Jaeckel, B., Pander, M., Fokuhl, E., Koentopp, M. B., Kersten,
216 F., Choi, J.-H., Bora, B., Banerjee, C., Wendlandt, S., Erion-Lorico, T., ... Maaroufi,
217 H. (2022). Results from an international interlaboratory study on light- and elevated
218 temperature-induced degradation in solar modules. *Progress in Photovoltaics: Research*
219 *and Applications*. <https://doi.org/10.1002/pip.3573>
- 220 Kempe, M. D., Hacke, P., Morse, J., Owen-Bellini, M., Holsapple, D., Lockman, T., Hoang,
221 S., Okawa, D., Lance, T., & Ng, H. H. (2023). Highly accelerated UV stress testing
222 for transparent flexible frontsheets. *IEEE Journal of Photovoltaics*, 13(3), 1823–1823.
223 <https://doi.org/10.1109/JPHOTOV.2023.3249407>
- 224 Ovaite, S., Kinzer, A., Boyd, M., Jones, J., Deline, C., & Macknick, J. (2023). Validating view-
225 factor approach and spatial albedo models for bifacial and AgriPV modeling. *Proceedings*
226 *of the 2023 IEEE 50th Photovoltaic Specialists Conference (PVSC)*. <https://doi.org/10.1109/PVSC48320.2023.10359773>
- 227
- 228 Pickett, J. E., & Coyle, D. J. (2013). Hydrolysis kinetics of condensation polymers under
229 humidity aging conditions. *Polymer Degradation and Stability*, 98(7), 1311–1320. <https://doi.org/10.1016/j.polymdegradstab.2013.04.001>
- 230
- 231 Repins, I. L., Jordan, D. C., Woodhouse, M., Theristis, M., Stein, J. S., Seigneur, H. P., Colvin,
232 D. J., Karas, J. F., McPherson, A. N., & Deline, C. (2023). Long-term impact of light-
233 and elevated temperature-induced degradation on photovoltaic arrays. *MRS Bulletin*, 48,
234 589–601. <https://doi.org/10.1557/s43577-022-00438-8>
- 235 Springer, M., Jordan, D. C., & Barnes, T. M. (2022). Future-proofing photovoltaics module
236 reliability through a unifying predictive modeling framework. *Progress in Photovoltaics:*
237 *Research and Applications*, 1–8. <https://doi.org/10.1002/pip.3645>