

HUSTLE-tools: A One Stop Shop For Hubble WFC3-UVIS/G280 Spectral Reduction

Abby Boehm^{1¶}, Carlos Gascon^{2¶}, David Grant³, Hannah R
Wakeford³, Nikole K Lewis¹, and Ailsa M Campbell³

¹ Department of Astronomy and Carl Sagan Institute, Cornell University, 122 Sciences Drive, Ithaca, NY, 14853, USA ² Center for Astrophysics | Harvard & Smithsonian, 60 Garden Street, Cambridge MA 02138, USA ³ HH Wills Physics Laboratory, University of Bristol, Tyndall Avenue, Bristol, BS8 1TL, UK
¶ Corresponding author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Ivelina Momcheva](#)

Reviewers:

- [@radicamc](#)
- [@mberg3](#)

Submitted: 25 June 2025

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#))

Summary

Fully understanding the complex physical and chemical processes that shape exoplanet atmospheres requires the complete spectrum from the ultraviolet (UV) to the mid-infrared (IR). In particular, UV-optical observations have proven vital for identifying UV-absorbing atmospheric species (e.g. [Lothringer et al., 2022](#)), detecting atmospheric escape (e.g. [Bourrier et al., 2018](#)), and constraining the presence of aerosols through their opacity and enhanced scattering of UV-optical light ([Ohno & Kawashima, 2020](#)).

The Hubble Space Telescope Wide Field Camera 3 UV Imaging Spectrograph (HST WFC3-UVIS) G280 grism is the only low-resolution spectrograph that gives us access to UV-optical wavelengths (0.2–0.8 microns) simultaneously. With most current instrumentation operating in near- and mid-IR wavelengths, and UV successors to HST still many years away, HST WFC3-UVIS/G280 emerges as the only instrument capable of unveiling the physics and chemistry that takes place in the upper atmospheric layers of exoplanets. Developed in the context of the Hubble Ultraviolet-optical Survey of Transiting Legacy Exoplanets (HUSTLE, GO-17183 PI: Wakeford), HUSTLE-tools is an open-source package of modules designed to easily download, organize, analyze, clean, and extract the target spectra from HST WFC3-UVIS/G280 spectral images.

Statement of Need

While the Hubble Space Telescope (HST) Wide Field Camera 3 (WFC3) has been operating since 2009, the WFC3-UVIS/G280 mode saw limited use until the recent surge of applications to transmission spectroscopy of exoplanets ([Lewis et al., 2020](#); [Wakeford et al., 2020](#)). Most current HST WFC3 pipelines (e.g. [Bell et al., 2022](#); [Brammer, 2023](#); [Zieba & Kreidberg, 2022](#)) only service WFC-IR spectroscopy. Existing software tools for WFC3-UVIS data reduction are many years out of date (e.g. [Sosey et al., 2023](#)), restricted by licensed softwares such as IDL ([Lusso et al., 2018](#); e.g. [O'Meara et al., 2011](#)), or not specialized for use with this detector (e.g. [Radica, 2024](#)). HST WFC3-UVIS/G280 observations offer unique challenges in extracting spectral information: a curved spectral trace with a varied width, overlapping spectral orders, and high cosmic ray counts. These are in addition to potential variations in spectral extraction based on the use of different sub-array sizes and positions on the detector for each observation. Such challenges make current HST pipelines not suitable for reducing UVIS/G280 observations, and therefore a specialized, up-to-date, and fully open source pipeline is needed.

Design and Features

Similar to other HST and JWST pipelines (Bell et al., 2022; Radica, 2024), HUSTLE-tools is built in a modular fashion consisting of three stages. These stages encompass the different steps and subroutines necessary for data quality assessment, reduction, and spectral extraction:

- Stage 0: allows the user to download and organize the files included as part of a specific GTO program number and visit number within that program. The user is also prompted to examine their observation's direct photometric image (typically taken through the F300X filter) and locate the target star, which is necessary for accurate wavelength calibration in Stage 2. This stage can produce a "quick look" .gif file displaying all the downloaded G280 frames, intended to be used to diagnose potential errors during the observation.
- Stage 1: allows the user to perform a suite of cleaning operations on the data to treat cosmic rays, hot pixels, and background signal, as well as track the motion of the trace across the detector between frames. Cosmic ray rejection is handled through iterative rejection of outliers in pixel time series. Hot pixels can be removed through spatial median filters or by Laplacian Edge Detection (van Dokkum, 2001). Background treatments range from simple uniform corrections to subtraction of a scaled empirical G280 sky image (Pagul et al., 2023). Trace motion is tracked by proxy through measurement of the 0th order X-Y position as well as background stars if available. The output of this stage contains the cleaned frames together with several auxiliary variables such as the image displacement in X and Y detector axes.
- Stage 2: allows the user to extract spectra from each image. The data are calibrated using the GRISMCONF package (Pirzkal, 2020), which offers wavelength solutions and trace positions for orders up to ± 4 , although orders beyond ± 1 are usually negligible unless the target star is of spectral type A or earlier. Calibration accuracy for all orders is dependent only on the S/N and correct APT configuration of the direct photometric image of the target star. Spectral extraction can be performed using a standard unweighted aperture of uniform size, or via the optimal weighting method described in Horne (1986) and Marsh (1989). Cross-correlation can then be applied to the output spectra to correct for telescope drift. The output of this stage is the extracted 1D spectral timeseries, with a separate output provided for each order extracted.

Each run for each stage is defined through a ".hustle" configuration file, where all the parameters and variables needed to perform the stage subroutines are defined. For reproducibility, a copy of each configuration file is saved within the run's output directory. These files ensure that the user can always recreate a past result and facilitate comparing different runs.

Included tutorials and example scripts ensure HUSTLE-tools can be run with minimal prior experience in pipeline development and operation. The modular and user-friendly design of HUSTLE-tools permits users to fine-tune their reduction to obtain optimal results. Users can toggle and tweak their desired processes within each stage and can easily rerun stages to explore different reduction techniques.

HUSTLE-tools is built from the 'Hazelnut' pipeline presented in (Boehm et al., 2025) and the 'Iluvia' pipeline presented in (Gascón et al., 2025).

Acknowledgments

We acknowledge contributions from the full HUSTLE team, and specifically testing by Ailsa Campbell. V.A.B was funded through program number HST-GO-17183 provided through a grant from the STScI under NASA contract NAS5-26555. C.G. was funded by La Caixa Fellowship and the Agency for Management of University and Research Grants from the Government of Catalonia (FI AGAUR). D.G. and H.R.W were funded by UK

Research and Innovation (UKRI) under the UK government's Horizon Europe funding guarantee as part of an ERC Starter Grant [grant number EP/Y006313/1]. This work benefited from the 2024 Exoplanet Summer Program in the Other Worlds Laboratory (OWL) at the University of California, Santa Cruz, a program funded by the Heising-Simons Foundation and NASA. HUSTLE-tools makes use of the following software dependencies: - scipy: (Virtanen et al., 2020) - numpy: (Harris et al., 2020) - xarray: (Hoyer & Hamman, 2017) - astroquery: (Ginsburg et al., 2019) - astropy: (Astropy Collaboration et al., 2013, 2018, 2022) - photutils: (Bradley et al., 2024) - matplotlib: (Hunter, 2007) - tqdm: (Da Costa-Luis et al., 2021) - grismconf: <https://github.com/npirzkal/GRISMCONF> - wfc3tools: <https://github.com/spacetelescope/wfc3tools> - jwst: (Bushouse et al., 2025)

References

- Astropy Collaboration, Price-Whelan, A. M., Lim, P. L., Earl, N., Starkman, N., Bradley, L., Shupe, D. L., Patil, A. A., Corrales, L., Brasseur, C. E., N'otche, M., Donath, A., Tollerud, E., Morris, B. M., Ginsburg, A., Vaher, E., Weaver, B. A., Tocknell, J., Jamieson, W., ... Astropy Project Contributors. (2022). The Astropy Project: Sustaining and Growing a Community-oriented Open-source Project and the Latest Major Release (v5.0) of the Core Package. *The Astrophysical Journal*, 935(2), 167. <https://doi.org/10.3847/1538-4357/ac7c74>
- Astropy Collaboration, Price-Whelan, A. M., Sipőcz, B. M., Günther, H. M., Lim, P. L., Crawford, S. M., Conseil, S., Shupe, D. L., Craig, M. W., Dencheva, N., Ginsburg, A., VanderPlas, J. T., Bradley, L. D., Pérez-Suárez, D., de Val-Borro, M., Aldcroft, T. L., Cruz, K. L., Robitaille, T. P., Tollerud, E. J., ... Astropy Contributors. (2018). The Astropy Project: Building an Open-science Project and Status of the v2.0 Core Package. *The Astronomical Journal*, 156(3), 123. <https://doi.org/10.3847/1538-3881/aabc4f>
- Astropy Collaboration, Robitaille, T. P., Tollerud, E. J., Greenfield, P., Droettboom, M., Bray, E., Aldcroft, T., Davis, M., Ginsburg, A., Price-Whelan, A. M., Kerzendorf, W. E., Conley, A., Crighton, N., Barbary, K., Muna, D., Ferguson, H., Grollier, F., Parikh, M. M., Nair, P. H., ... Streicher, O. (2013). Astropy: A community Python package for astronomy. *Astronomy & Astrophysics*, 558, A33. <https://doi.org/10.1051/0004-6361/201322068>
- Bell, T., Ahner, E.-M., Brande, J., Carter, A., Feinstein, A., Caloca, G., Mansfield, M., Zieba, S., Piaulet, C., Benneke, B., Filippazzo, J., May, E., Roy, P.-A., Kreidberg, L., & Stevenson, K. (2022). Eureka!: An End-to-End Pipeline for JWST Time-Series Observations. *The Journal of Open Source Software*, 7(79), 4503. <https://doi.org/10.21105/joss.04503>
- Boehm, V. A., Lewis, N. K., Fairman, C. E., Moran, S. E., Gascón, C., Wakeford, H. R., Alam, M. K., Alderson, L., Barstow, J., Batalha, N. E., Grant, D., López-Morales, M., MacDonald, R. J., Marley, M. S., & Ohno, K. (2025). The HUSTLE Program: The UV to Near-infrared HST WFC3/UVIS G280 Transmission Spectrum of WASP-127b. *The Astronomical Journal*, 169(1), 23. <https://doi.org/10.3847/1538-3881/ad8dde>
- Bourrier, V., Lecavelier des Etangs, A., Ehrenreich, D., Sanz-Forcada, J., Allart, R., Ballester, G. E., Buchhave, L. A., Cohen, O., Deming, D., Evans, T. M., García Muñoz, A., Henry, G. W., Kataria, T., Lavvas, P., Lewis, N., López-Morales, M., Marley, M., Sing, D. K., & Wakeford, H. R. (2018). Hubble PanCET: an extended upper atmosphere of neutral hydrogen around the warm Neptune GJ 3470b. *Astronomy & Astrophysics*, 620, A147. <https://doi.org/10.1051/0004-6361/201833675>
- Bradley, L., Sipőcz, B., Robitaille, T., Tollerud, E., Vinícius, Z., Deil, C., Barbary, K., Wilson, T. J., Busko, I., Donath, A., Günther, H. M., Cara, M., Lim, P. L., Meßlinger, S., Burnett, Z., Conseil, S., Droettboom, M., Bostroem, A., Bray, E. M., ... Perren, G. (2024). *Astropy/photutils: 1.13.0* (Version 1.13.0). Zenodo. <https://doi.org/10.5281/zenodo.12585239>
- Brammer, G. (2023). *grizli* (Version 1.9.11). Zenodo. <https://doi.org/10.5281/zenodo.>

137 8370018

- 138 Bushouse, H., Eisenhamer, J., Dencheva, N., Davies, J., Greenfield, P., Morrison, J., Hodge,
139 P., Simon, B., Grumm, D., Droettboom, M., Slavich, E., Sosey, M., Pauly, T., Miller, T.,
140 Jedrzejewski, R., Hack, W., Davis, D., Crawford, S., Law, D., ... Filippazzo, J. (2025). *JWST*
141 *calibration pipeline* (Version 1.19.1). Zenodo. <https://doi.org/10.5281/zenodo.16280965>
- 142 Da Costa-Luis, C., Larroque, S. K., Altendorf, K., Mary, H., Richardsheridan, Korobov, M.,
143 Yorav-Raphael, N., Ivanov, I., Bargull, M., Rodrigues, N., CHEN, G., Lee, A., Newey, C.,
144 James, Coales, J., Zugnoni, M., Pagel, M. D., Mjstevens777, Dektyarev, M., ... Nordlund,
145 M. (2021). *tqdm: A fast, Extensible Progress Bar for Python and CLI* (Version v4.62.3).
146 Zenodo. <https://doi.org/10.5281/zenodo.5517697>
- 147 Gascón, C., López-Morales, M., MacDonald, R. J., Barstow, J. K., Boehm, V. A., Wakeford,
148 H. R., Alam, M. K., Alderson, L., Batalha, N. E., Fairman, C. E., Grant, D., Lewis, N.
149 K., Marley, M. S., Moran, S. E., Ohno, K., Anglada-Escudé, G., & Ribas, I. (2025). The
150 HUSTLE Program: The UV to Near-IR Transmission Spectrum of the Hot Jupiter KELT-7b.
151 *The Astronomical Journal*, 170(3), 178. <https://doi.org/10.3847/1538-3881/ade67e>
- 152 Ginsburg, A., Sipőcz, B. M., Brasseur, C. E., Cowperthwaite, P. S., Craig, M. W., Deil,
153 C., Guillochon, J., Guzman, G., Liedtke, S., Lian Lim, P., Lockhart, K. E., Mommert,
154 M., Morris, B. M., Norman, H., Parikh, M., Persson, M. V., Robitaille, T. P., Segovia,
155 J.-C., Singer, L. P., ... a subset of the astropy collaboration. (2019). *astroquery: An*
156 *Astronomical Web-querying Package in Python*. *The Astronomical Journal*, 157, 98.
157 <https://doi.org/10.3847/1538-3881/aafc33>
- 158 Harris, C. R., Millman, K. J., Walt, S. J. van der, Gommers, R., Virtanen, P., Cournapeau, D.,
159 Wieser, E., Taylor, J., Berg, S., Smith, N. J., Kern, R., Picus, M., Hoyer, S., Kerkwijk,
160 M. H. van, Brett, M., Haldane, A., Río, J. F. del, Wiebe, M., Peterson, P., ... Oliphant,
161 T. E. (2020). Array programming with NumPy. *Nature*, 585(7825), 357–362. <https://doi.org/10.1038/s41586-020-2649-2>
- 162
- 163 Horne, K. (1986). An optimal extraction algorithm for CCD spectroscopy. *Publications of the*
164 *Astronomical Society of the Pacific*, 98, 609–617. <https://doi.org/10.1086/131801>
- 165 Hoyer, S., & Hamman, J. (2017). Xarray: N-D labeled arrays and datasets in Python. *The*
166 *Journal of Open Research Software*, 5(1). <https://doi.org/10.5334/jors.148>
- 167 Hunter, J. D. (2007). Matplotlib: A 2D graphics environment. *Computing in Science &*
168 *Engineering*, 9(3), 90–95. <https://doi.org/10.1109/MCSE.2007.55>
- 169 Lewis, N. K., Wakeford, H. R., MacDonald, R. J., Goyal, J. M., Sing, D. K., Barstow, J., Powell,
170 D., Kataria, T., Mishra, I., Marley, M. S., Batalha, N. E., Moses, J. I., Gao, P., Wilson,
171 T. J., Chubb, K. L., Mikal-Evans, T., Nikolov, N., Pirzkal, N., Spake, J. J., ... Zhang,
172 X. (2020). Into the UV: The Atmosphere of the Hot Jupiter HAT-P-41b Revealed. *The*
173 *Astrophysical Journal Letters*, 902(1), L19. <https://doi.org/10.3847/2041-8213/abb77f>
- 174 Lothringer, J. D., Sing, D. K., Rustamkulov, Z., Wakeford, H. R., Stevenson, K. B., Nikolov, N.,
175 Lavvas, P., Spake, J. J., & Winch, A. T. (2022). UV absorption by silicate cloud precursors in
176 ultra-hot Jupiter WASP-178b. *Nature*, 604(7904), 49–52. <https://doi.org/10.1038/s41586-022-04453-2>
- 177
- 178 Lusso, E., Fumagalli, M., Rafelski, M., Neeleman, M., Prochaska, J. X., Hennawi, J. F.,
179 O'Meara, J. M., & Theuns, T. (2018). The Spectral and Environment Properties of $z \sim 2.0$ -
180 2.5 Quasar Pairs. *The Astrophysical Journal*, 860(1), 41. <https://doi.org/10.3847/1538-4357/aac514>
- 181
- 182 Marsh, T. R. (1989). The Extraction of Highly Distorted Spectra. *Publications of the*
183 *Astronomical Society of the Pacific*, 101, 1032. <https://doi.org/10.1086/132570>
- 184 O'Meara, J. M., Prochaska, J. X., Chen, H.-W., & Madau, P. (2011). The Advanced

- 185 Camera for Surveys+Wide Field Camera 3 Survey for Lyman Limit Systems. I. The
186 Data. *The Astrophysical Journal Supplement*, 195(2), 16. [https://doi.org/10.1088/0067-](https://doi.org/10.1088/0067-0049/195/2/16)
187 [0049/195/2/16](https://doi.org/10.1088/0067-0049/195/2/16)
- 188 Ohno, K., & Kawashima, Y. (2020). Super-Rayleigh Slopes in Transmission Spectra of
189 Exoplanets Generated by Photochemical Haze. *The Astrophysical Journal Letters*, 895(2),
190 L47. <https://doi.org/10.3847/2041-8213/ab93d7>
- 191 Pagul, A., Ryan, R., Kuhn, B., & Som, D. (2023). *The WFC3/UVIS G280 Grism Sky* (p. 6).
192 Instrument Science Report WFC3 2023-06, 11 pages.
- 193 Pirzkal, N. (2020). *Updated Calibration of the UVIS G280 Grism* (p. 9). Instrument Science
194 Report WFC3 2020-9, 27 pages.
- 195 Radica, M. (2024). exoTEDRF: An EXOplanet Transit and Eclipse Data Reduction Framework.
196 *The Journal of Open Source Software*, 9(100), 6898. <https://doi.org/10.21105/joss.06898>
- 197 Sosey, M., Bjkuhn, O'Steen, R., Bradley, L., Tuong Nguyen, D., Som, D., Hunkeler, J.,
198 St-Apidgeon, Nphathi, Neuheisel, J., & Lim, P. L. (2023). *spacetelescope/hstaxe: v1.0.5*
199 (Version v1.0.5). Zenodo. <https://doi.org/10.5281/zenodo.8136948>
- 200 van Dokkum, P. G. (2001). Cosmic-Ray Rejection by Laplacian Edge Detection. *Publications*
201 *of the Astronomical Society of the Pacific*, 113(789), 1420–1427. [https://doi.org/10.1086/](https://doi.org/10.1086/323894)
202 [323894](https://doi.org/10.1086/323894)
- 203 Virtanen, P., Gommers, R., Oliphant, T. E., Haberland, M., Reddy, T., Cournapeau, D.,
204 Burovski, E., Peterson, P., Weckesser, W., Bright, J., van der Walt, S. J., Brett, M., Wilson,
205 J., Millman, K. J., Mayorov, N., Nelson, A. R. J., Jones, E., Kern, R., Larson, E., ... SciPy
206 1.0 Contributors. (2020). SciPy 1.0: Fundamental Algorithms for Scientific Computing in
207 Python. *Nature Methods*, 17, 261–272. <https://doi.org/10.1038/s41592-019-0686-2>
- 208 Wakeford, H. R., Sing, D. K., Stevenson, K. B., Lewis, N. K., Pirzkal, N., Wilson, T. J.,
209 Goyal, J., Kataria, T., Mikal-Evans, T., Nikolov, N., & Spake, J. (2020). Into the UV: A
210 Precise Transmission Spectrum of HAT-P-41b Using Hubble's WFC3/UVIS G280 Grism.
211 *The Astronomical Journal*, 159(5), 204. <https://doi.org/10.3847/1538-3881/ab7b78>
- 212 Zieba, S., & Kreidberg, L. (2022). PACMAN: A pipeline to reduce and analyze Hubble
213 Wide Field Camera 3 IR Grism data. *The Journal of Open Source Software*, 7(80), 4838.
214 <https://doi.org/10.21105/joss.04838>