The Journal of Open Source Software

spike: A tool to drizzle *HST*, *JWST*, and Roman PSFs for improved analyses

Ava Polzin [1¶]

1 Department of Astronomy and Astrophysics, The University of Chicago, USA ¶ Corresponding author

DOI: 10.xxxxxx/draft

Software

- Review
- Repository
- Archive

Editor: Ivelina Momcheva

Reviewers:

- @EdwardBerman
- @tobias-liaudat

Submitted: 03 March 2025
Published: unpublished

License
Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

DRAFT

Summary

Point spread functions (PSFs) describe the distribution of light for a pure point source in an astronomical image due to the instrument optics. For deconvolution, as for point source photometry and for source removal, it is key to have an accurate PSF for a particular image. Space-based telescopes can then pose a challenge as their PSFs are informed by their complex construction, and the myriad of pointings and rotations used to capture deep images. These telescopes also capture the highest resolution images of astronomical sources, resolving stars around even relatively distant galaxies. Proper co-addition of PSFs at a specific source position for space-based imaging is then both critical and challenging. This code, `spike`, generates model PSFs and runs them through the same processing pipeline used to derive deep, co-added images, providing correctly co-added and resampled PSFs for images from the *Hubble Space Telescope*, the *James Webb Space Telescope*, and the Nancy Grace Roman Space Telescope.

Statement of Need

The PSF of co-added images is of generic interest to both ground- and space-based instruments, as it can be impacted by differing co-addition schemes and may have an effect on the analysis of those data (Mandelbaum et al., 2023). The cumulative effect of the geometric distortions and offsets in angle and pixel location of space-based data are apparent in the effective PSF of the co-added and resampled (drizzled, Fruchter & Hook, 2002) image, making a PSF modeled on uncombined images insufficient for careful photometric analyses. This is a recognized limitation of existing PSF models, and `DrizzlePac` recently added functionality to use drizzled pre-computed model PSFs in their native photometric catalog generator (Hack et al., 2021). This drizzled PSF uses generic `TinyTim` (Krist et al., 2011) models, which do not account for source position on the chip and do not allow the user to set model parameters without overwriting the existing grid of model PSFs. Simultaneously, the resultant co-added PSF is not output, and there is not an existing, simple way to generate drizzled PSFs for use in other analyses. Instead, an empirical PSF may be taken from the data or unsaturated stars near the object of interest may be selected as a proxy for the PSF. For particularly crowded fields, or those where most stars are saturated, these alternatives pose a real problem.

For analyses to be consistent, mock PSFs may be used, but the proper treatment of them involves generating model PSFs and then co-adding and processing them in the same way as the parent images are co-added and processed. Workflows have been created for some instruments[1] and surveys (e.g., Ji et al., 2024), and individual packages have tried to address this in their own data handling, with e.g., `Grizli` (Brammer, 2024) returning drizzled standard empirical PSFs, but, similar to the drizzled PSFs computed by `DrizzlePac`, such solutions leave little room for users to define the method or specifics of model PSF generation. The

[1] https://github.com/spacetelescope/hst_notebooks/tree/main/notebooks/WFC3/point_spread_function; https://github.com/spacetelescope/wfc3_photometry

code presented here, `spike`, streamlines the potentially onerous process of "realistic" PSF generation, taking images and coordinates and directly outputting correctly co-added model PSFs for the *Hubble Space Telescope* (*HST*), the *James Webb Space Telescope* (*JWST*), and the upcoming Nancy Grace Roman Space Telescope. Model PSFs can be generated using different industry-standard packages, empirical PSFs can be computed from input images, or users can provide PSFs associated with the individual images. `spike` [2] is both easy to use and flexible.

Workflow

Given a directory containing reduced and calibrated, but not yet co-added, .fits files from *HST*, *JWST*, or Roman and the coordinates of an object of interest, detector/chip-specifc model PSFs are directly "drizzled" by `spike`. A model PSF is generated for each unique input image and coordinate combination. Instrument information, including camera, filter, and, if necessary, chip, is automatically read from the header of each .fits file.



Figure 1: Comparison of drizzled PSFs generated for *HST* images using the default parameters for different methods included in `spike`. All panels use the same ACS/WFC imaging of the COSMOS field in F475W. Note that the ePSF panel (second from right) shows some artifacts; the robustness of the effective PSF method is heavily dependent on the number of stars in the chosen field and may be changed by altering the star detection threshold.

`spike` works with both model and empirical PSFs. The built-in PSF generation options are `TinyTim` (Krist et al., 2011) and the B. R. Gillis et al. (2020) modification (B. Gillis, 2019), `STPSF`(M. Perrin et al., n.d.-a) – formerly `WebbPSF` (M. Perrin et al., n.d.-b; M. D. Perrin et al., 2012, 2014), `photutils` effective PSFs (Anderson, 2016; Anderson & King, 2000; Bradley et al., 2024), `PSFEx` (E. Bertin, 2011; Emmanuel Bertin, 2013), and Space Telescope Science Institute's library of empirical STDPSFs [3] (Anderson, 2016; Libralato et al., 2023, 2024), all of which are included for having the ability to generate a model PSF for an arbitrary detector location. Figure 1 compares output drizzled PSFs from the different methods for *HST* and Figure 2 compares output drizzled PSFs for *JWST*.

Figure 2: Same as Figure 1 for *JWST*/NIRCam imaging in F115W. Note that the ePSF model shown here was generated using a lower detection threshold and a different star selection algorithm due to a paucity of stars in this field.

[2] https://github.com/avapolzin/spike

[3] https://www.stsci.edu/~jayander/HST1PASS/LIB/PSFs/STDPSFs/; https://www.stsci.edu/~jayander/JWST1PASS/LIB/PSFs/STDPSFs/

In most cases, users will only ever interact with the top-level functions `spike.psf.hst`, `spike.psf.jwst`, and `spike.psf.roman`. However, PSF model creation can be accessed directly via the functions in `spike.psfgen`, and this may be of added value to users on its own, including for use with telescopes/instruments not explicitly mentioned here, as `spike` smoothes over some of the complication of individual tools as an all-in-one means of accessing model PSFs via simple Python functions.

Preparation for Future Observatories

When Roman is launched and data become available, `spike` will be updated to reflect the most current version of the pipeline and the detailed considerations of the real data. `spike.psf.roman` currently takes as input single detector images, which can be used with `spike.psfgen` – the working directory need not be local; it just needs to have read/write access. Since Roman is not yet collecting data, `spike.psf.roman` is based on the structure of simulated single detector data from (e.g., Troxel et al., 2023).

Managing Restrictive Dependencies

Since drizzled `spike` PSFs are intended for use with calibrated and resampled data products from the original pipelines, it is imperative that the processing done on the PSFs is the same as the processing of those data products. Both `jwst` (Bushouse et al., 2024) and `romancal` (Roman calibration pipeline developers, 2024) are complex packages that house the entire *JWST* and Roman pipelines. As such, they have complicated functionality that relies on modules with more stringent installation requirements. Using `jwst` and `romancal` out of the box places strict limitations on the allowed operating systems. To address this, there are stripped down versions of the necessary "tweak" and resample scripts included with `spike` as `spike.jwstcal`, `spike.romancal`, `spike.stcal`, and `spike.stpipe`. Each module is only subtly changed from `jwst`, `romancal`, and their underlying `STCAL` (STScI, 2024b) and `stpipe` (STScI, 2024d) to avoid unnecessary dependencies that restrict installation.

Software and Packages Used

- `asdf` (Graham et al., 2024)
- `astropy` (Astropy Collaboration et al., 2013, 2018, 2022)
- `crds` (STScI CRDS s/w developers, 2024)
- `drizzle` (Simon, Robitaille, Cara, et al., 2024)
- `drizzlepac` (Hoffmann et al., 2021)
- `gwcs` (Dencheva et al., 2024)
- `jsonschema` (Berman et al., 2024)
- `jwst` (Bushouse et al., 2024)
- `matplotlib` (Hunter, 2007)
- `numpy` (Harris et al., 2020)
- `photutils` (Bradley et al., 2024)
- `PSFEx` (E. Bertin, 2011; Emmanuel Bertin, 2013)
- `psutil` (Rodola, 2024)
- `PyYAML` (Simonov, 2024)
- `roman_datamodels` (STScI, 2024a)
- `romancal` (Roman calibration pipeline developers, 2024)
- `scipy` (Virtanen et al., 2020)
- `SExtractor` (E. Bertin & Arnouts, 1996)
- `spherical_geometry` (Simon, Robitaille, Droettboom, et al., 2024)
- `STCAL` (STScI, 2024b)
- `stdatamodels` (STScI, 2024c)

DRAFT

- `stpipe` (STScI, 2024d)
- `TinyTim` (Krist et al., 2011) – including the option to use the B. R. Gillis et al. (2020) parameters (B. Gillis, 2019)
- `tweakwcs` (Cara et al., 2024)
- `STPSF` (M. Perrin et al., n.d.-a), formerly `WebbPSF` (M. Perrin et al., n.d.-b; M. D. Perrin et al., 2012, 2014)

Acknowledgments

AP is supported by the Quad Fellowship administered by IIE and thanks Hsiao-Wen Chen and Juan Guerra for their comments. This work makes use of observations made with the NASA/ESA Hubble Space Telescope and the NASA/ESA/CSA James Webb Space Telescope obtained from the Mikulski Archive for Space Telescopes at the Space Telescope Science Institute, which is operated by the Association of Universities for Research in Astronomy, Inc., under NASA contracts NAS 5–26555 for HST and NAS 5-03127 for JWST.

References

Anderson, J. (2016). *Empirical Models for the WFC3/IR PSF* (p. 12). Instrument Science Report WFC3 2016-12, 42 pages.

Anderson, J., & King, I. R. (2000). Toward High-Precision Astrometry with WFPC2. I. Deriving an Accurate Point-Spread Function. *112*(776), 1360–1382. https://doi.org/10.1086/316632

Astropy Collaboration, Price-Whelan, A. M., Lim, P. L., Earl, N., Starkman, N., Bradley, L., Shupe, D. L., Patil, A. A., Corrales, L., Brasseur, C. E., Nöthe, M., Donath, A., Tollerud, E., Morris, B. M., Ginsburg, A., Vaher, E., Weaver, B. A., Tocknell, J., Jamieson, W., … Astropy Project Contributors. (2022). The Astropy Project: Sustaining and Growing a Community-oriented Open-source Project and the Latest Major Release (v5.0) of the Core Package. *935*(2), 167. https://doi.org/10.3847/1538-4357/ac7c74

Astropy Collaboration, Price-Whelan, A. M., Sipőcz, B. M., Günther, H. M., Lim, P. L., Crawford, S. M., Conseil, S., Shupe, D. L., Craig, M. W., Dencheva, N., Ginsburg, A., VanderPlas, J. T., Bradley, L. D., Pérez-Suárez, D., de Val-Borro, M., Aldcroft, T. L., Cruz, K. L., Robitaille, T. P., Tollerud, E. J., … Astropy Contributors. (2018). The Astropy Project: Building an Open-science Project and Status of the v2.0 Core Package. *156*(3), 123. https://doi.org/10.3847/1538-3881/aabc4f

Astropy Collaboration, Robitaille, T. P., Tollerud, E. J., Greenfield, P., Droettboom, M., Bray, E., Aldcroft, T., Davis, M., Ginsburg, A., Price-Whelan, A. M., Kerzendorf, W. E., Conley, A., Crighton, N., Barbary, K., Muna, D., Ferguson, H., Grollier, F., Parikh, M. M., Nair, P. H., … Streicher, O. (2013). Astropy: A community Python package for astronomy. *558*, A33. https://doi.org/10.1051/0004-6361/201322068

Berman, J., Sterling, C., Taprest, R., Nezbeda, H., chen, wilson, Rosen, S., DavidKorczynski, Opemipo, Maynard, G., Smithers, B., Zugnoni, M., Dunklau, C., Arnold, H., Nephin, D., Noord, D. van, Dygalo, D., ApamNapat, Lennart, Anderson, J., … Moorman, J. D. (2024). *Python-jsonschema/jsonschema: v4.23.0* (Version v4.23.0). Zenodo. https://doi.org/10.5281/zenodo.5539941

Bertin, E. (2011). Automated Morphometry with SExtractor and PSFEx. In I. N. Evans, A. Accomazzi, D. J. Mink, & A. H. Rots (Eds.), *Astronomical data analysis software and systems XX* (Vol. 442, p. 435).

Bertin, Emmanuel. (2013). *PSFEx: Point Spread Function Extractor*. Astrophysics Source Code Library, record ascl:1301.001.

DRAFT

Bertin, E., & Arnouts, S. (1996). SExtractor: Software for source extraction. *117*, 393–404. https://doi.org/10.1051/aas:1996164

Bradley, L., Sipőcz, B., Robitaille, T., Tollerud, E., Vinícius, Z., Deil, C., Barbary, K., Wilson, T. J., Busko, I., Donath, A., Günther, H. M., Cara, M., Lim, P. L., Meßlinger, S., Conseil, S., Burnett, Z., Bostroem, A., Droettboom, M., Bray, E. M., … Georgiev, I. Y. (2024). *Astropy/photutils*. Zenodo. https://doi.org/10.5281/zenodo.596036

Brammer, G. (2024). *grizli*. https://doi.org/10.5281/zenodo.1146904

Bushouse, H., Eisenhamer, J., Dencheva, N., Davies, J., Greenfield, P., Morrison, J., Hodge, P., Simon, B., Grumm, D., Droettboom, M., Slavich, E., Sosey, M., Pauly, T., Miller, T., Jedrzejewski, R., Hack, W., Davis, D., Crawford, S., Law, D., … Clarke, M. (2024). *JWST Calibration Pipeline* (Version 1.16.0). https://doi.org/10.5281/zenodo.7038885

Cara, M., Hunkeler, J., Burnett, Z., Bradley, L., Graham, B., Lim, P. L., Dencheva, N., Schlafly, E., Rendina, M., Jamieson, W., & Geiger, Z. (2024). *spacetelescope/tweakwcs: A maintenance release* (Version 0.8.9). Zenodo. https://doi.org/10.5281/zenodo.4018234

Dencheva, N., Mumford, S., Cara, M., perrygreenfield, Bradley, L., Graham, B., Burnett, Z., D'Avella, D., Sipőcz, B., Lim, P. L., Jamieson, W., Shanahan, C., Davies, J., Earl, N., Simon, B., Tollerud, E., Slavich, E., Simpson, C., Deil, C., … Geiger, Z. (2024). *Spacetelescope/gwcs: GWCS v 0.21.0* (Version 0.21.0). Zenodo. https://doi.org/10.5281/zenodo.1041789

Fruchter, A. S., & Hook, R. N. (2002). Drizzle: A Method for the Linear Reconstruction of Undersampled Images. *114*(792), 144–152. https://doi.org/10.1086/338393

Gillis, B. (2019). TinyTim_PSFs: Public repository for code to assist in generating PSFs with TinyTim. In *BitBucket repository*. BitBucket. https://bitbucket.org/brgillis/tinytim_psfs/src/master/

Gillis, B. R., Schrabback, T., Marggraf, O., Mandelbaum, R., Massey, R., Rhodes, J., & Taylor, A. (2020). Validation of PSF models for HST and other space-based observations. *496*(4), 5017–5038. https://doi.org/10.1093/mnras/staa1818

Graham, B., D'Avella, D., Jamieson, W., Droettboom, M., Slavich, E., Robitaille, T., Dencheva, N., Burnett, Z., perrygreenfield, Simon, B., MacDonald, K., Bray, E. M., Davies, J., Mumford, S., Markovtsev, V., Tollerud, E., Sipőcz, B., Bradley, L., Fabry, Ç., … Kerzendorf, W. (2024). *asdf-format/asdf: 4.0.0* (Version 4.0.0). Zenodo. https://doi.org/10.5281/zenodo.6617556

Hack, W. J., Cara, M., Sosey, M., mdlpstsci, Dulude, M., Chris, Hunkeler, J., Dencheva, N., astropy-buildbot, kevinlindsay, Sienkiewicz, M., Bray, E. M., Simon, B., Lim, P. L., Rendina, M., Hanley, C., Bradley, L., D'Avella, D., Neuheisel, J., … system, S. S. C. I. (2021). *Spacetelescope/drizzlepac: Drizzlepac v3.3.0* (Version 3.3.0). Zenodo. https://doi.org/10.5281/zenodo.5426649

Harris, C. R., Millman, K. J., Walt, S. J. van der, Gommers, R., Virtanen, P., Cournapeau, D., Wieser, E., Taylor, J., Berg, S., Smith, N. J., Kern, R., Picus, M., Hoyer, S., Kerkwijk, M. H. van, Brett, M., Haldane, A., Río, J. F. del, Wiebe, M., Peterson, P., … Oliphant, T. E. (2020). Array programming with NumPy. *Nature*, *585*(7825), 357–362. https://doi.org/10.1038/s41586-020-2649-2

Hoffmann, S. L., Mack, J., Avila, R., Martlin, C., Cohen, Y., & Bajaj, V. (2021). New Drizzlepac Handbook Version 2.0 Released In Hdox: Updated Documentation For HST Image Analysis. *American Astronomical Society Meeting Abstracts*, *53*, 216.02.

Hunter, J. D. (2007). Matplotlib: A 2D graphics environment. *Computing in Science & Engineering*, *9*(3), 90–95. https://doi.org/10.1109/MCSE.2007.55

Ji, Z., Williams, C. C., Tacchella, S., Suess, K. A., Baker, W. M., Alberts, S., Bunker, A.

DRAFT

J., Johnson, B. D., Robertson, B., Sun, F., Eisenstein, D. J., Rieke, M., Maseda, M. V., Hainline, K., Hausen, R., Rieke, G., Willmer, C. N. A., Egami, E., Shivaei, I., … Sandles, L. (2024). JADES + JEMS: A Detailed Look at the Buildup of Central Stellar Cores and Suppression of Star Formation in Galaxies at Redshifts 3 < z < 4.5. *974*(1), 135. https://doi.org/10.3847/1538-4357/ad6e7f

Krist, J. E., Hook, R. N., & Stoehr, F. (2011). 20 years of Hubble Space Telescope optical modeling using Tiny Tim. In M. A. Kahan (Ed.), *Optical modeling and performance predictions v* (Vol. 8127, p. 81270J). https://doi.org/10.1117/12.892762

Libralato, M., Argyriou, I., Dicken, D., García Marín, M., Guillard, P., Hines, D. C., Kavanagh, P. J., Kendrew, S., Law, D. R., Noriega-Crespo, A., & Álvarez-Márquez, J. (2024). High-precision Astrometry and Photometry with the JWST/MIRI Imager. *136*(3), 034502. https://doi.org/10.1088/1538-3873/ad2551

Libralato, M., Bellini, A., van der Marel, R. P., Anderson, J., Sohn, S. T., Watkins, L. L., Alderson, L., Allen, N., Clampin, M., Glidden, A., Goyal, J., Hoch, K., Huang, J., Kammerer, J., Lewis, N. K., Lin, Z., Long, D., Louie, D., MacDonald, R. J., … Wakeford, H. R. (2023). JWST-TST Proper Motions. I. High-precision NIRISS Calibration and Large Magellanic Cloud Kinematics. *950*(2), 101. https://doi.org/10.3847/1538-4357/acd04f

Mandelbaum, R., Jarvis, M., Lupton, R. H., Bosch, J., Kannawadi, A., Murphy, M. D., Zhang, T., & the LSST Dark Energy Science Collaboration. (2023). PSFs of coadded images. *Open Journal of Astrophysics*, *6*. https://doi.org/10.21105/astro.2209.09253

Perrin, M. D., Sivaramakrishnan, A., Lajoie, C.-P., Elliott, E., Pueyo, L., Ravindranath, S., & Albert, Loïc. (2014). Updated point spread function simulations for JWST with WebbPSF. In Jr. Oschmann Jacobus M., M. Clampin, G. G. Fazio, & H. A. MacEwen (Eds.), *Space telescopes and instrumentation 2014: Optical, infrared, and millimeter wave* (Vol. 9143, p. 91433X). https://doi.org/10.1117/12.2056689

Perrin, M. D., Soummer, R., Elliott, E. M., Lallo, M. D., & Sivaramakrishnan, A. (2012). Simulating point spread functions for the James Webb Space Telescope with WebbPSF. In M. C. Clampin, G. G. Fazio, H. A. MacEwen, & Jr. Oschmann Jacobus M. (Eds.), *Space telescopes and instrumentation 2012: Optical, infrared, and millimeter wave* (Vol. 8442, p. 84423D). https://doi.org/10.1117/12.925230

Perrin, M., Melendez, M., Osborne, S., Geda, R., Sappington, B., Lajoie, C.-P., Long, J., & Otor, O. J. (n.d.-a). *STPSF* (Version 2.0.0). https://github.com/spacetelescope/stpsf

Perrin, M., Melendez, M., Osborne, S., Geda, R., Sappington, B., Lajoie, C.-P., Long, J., & Otor, O. J. (n.d.-b). *WebbPSF* (Version 1.4.0). https://github.com/spacetelescope/webbpsf

Rodola, G. (2024). Psutil: Cross-platform lib for process and system monitoring in python. In *GitHub repository*. GitHub. https://github.com/giampaolo/psutil

Roman calibration pipeline developers. (2024). Romancal: Python library to process science observations from the nancy grace roman space telescope. In *GitHub repository*. GitHub. https://github.com/spacetelescope/romancal

Simon, B., Robitaille, T., Cara, M., Burnett, Z., Lim, P. L., Davies, J., Droettboom, M., Tollerud, E., Bray, E. M., Bradley, L., Craig, M., Deil, C., Hunkeler, J., Ginsburg, A., Streicher, O., Barbary, K., Sipőcz, B., Graham, B., MacDonald, K., … Günther, H. M. (2024). *spacetelescope/drizzle: API redesign to make code I/O agnostic. Bug fixes.* (Version 2.0.0). Zenodo. https://doi.org/10.5281/zenodo.10672889

Simon, B., Robitaille, T., Droettboom, M., Lim, P. L., Cara, M., Hunkeler, J., Tollerud, E., MacDonald, K., Bray, E. M., Bradley, L., Rendina, M., Jamieson, W., Craig, M., Deil, C., perrygreenfield, Sipőcz, B., Barbary, K., Dencheva, N., Ginsburg, A., … wohenbushuang. (2024). *spacetelescope/spherical_geometry: Bug fixes: inner1d, degree arg removed. Build with numpy 2.0* (Version 1.3.2). Zenodo. https://doi.org/10.5281/zenodo.11636209

DRAFT

Simonov, K. (2024). PyYAML: YAML parser and emitter for python. In *GitHub repository*. GitHub. https://github.com/yaml/pyyaml

STScI. (2024a). Roman_datamodels: Data models supporting calibration of the nancy grace roman space telescope. In *GitHub repository*. GitHub. https://github.com/spacetelescope/roman_datamodels

STScI. (2024b). STCAL: STScI calibration algorithms and tools. In *GitHub repository*. GitHub. https://github.com/spacetelescope/stcal

STScI. (2024c). Stdatamodels: Core support for DataModel classes used in calibration pipelines. In *GitHub repository*. GitHub. https://github.com/spacetelescope/stdatamodels

STScI. (2024d). Stpipe: Framework for calibration pipeline software. In *GitHub repository*. GitHub. https://github.com/spacetelescope/stpipe

STScI CRDS s/w developers. (2024). Crds: Calibration reference data system, HST/JWST/roman reference file management. In *GitHub repository*. GitHub. https://github.com/spacetelescope/crds

Troxel, M. A., Lin, C., Park, A., Hirata, C., Mandelbaum, R., Jarvis, M., Choi, A., Givans, J., Higgins, M., Sanchez, B., Yamamoto, M., Awan, H., Chiang, J., Doré, O., Walter, C. W., Zhang, T., Cohen-Tanugi, J., Gawiser, E., Hearin, A., … LSST Dark Energy Science Collaboration. (2023). A joint Roman Space Telescope and Rubin Observatory synthetic wide-field imaging survey. *522*(2), 2801–2820. https://doi.org/10.1093/mnras/stad664

Virtanen, P., Gommers, R., Oliphant, T. E., Haberland, M., Reddy, T., Cournapeau, D., Burovski, E., Peterson, P., Weckesser, W., Bright, J., van der Walt, S. J., Brett, M., Wilson, J., Millman, K. J., Mayorov, N., Nelson, A. R. J., Jones, E., Kern, R., Larson, E., … SciPy 1.0 Contributors. (2020). SciPy 1.0: Fundamental Algorithms for Scientific Computing in Python. *Nature Methods*, *17*, 261–272. https://doi.org/10.1038/s41592-019-0686-2

DRAFT