

RAIMAD: Collaborative Development of On-Chip Astronomical Instruments

Nikita Soshnin¹, Akira Endo¹, Kenichi Karatsu², Louis Marting¹,
Arend Moerman¹, and Leon Olde Scholtenhuis¹

¹ Faculty of Electrical Engineering, Mathematics and Computer Science, Delft University of Technology,
Mekelweg 4, 2628 CD, Delft, The Netherlands ² SRON Netherlands Institute for Space Research, Niels
Bohrweg 4, 2333 CA Leiden, The Netherlands ¶ Corresponding author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: 

Submitted: 25 April 2025

Published: unpublished

License

Authors of papers retain copyright
and release the work under a
Creative Commons Attribution 4.0
International License ([CC BY 4.0](#))

Summary

RAIMAD is a parametric 2D computer aided design (CAD) program that is optimised for the creation of mask files for on-chip astronomical instruments, such as spectrometers and cameras.

RAIMAD comes with a library of built-in geometrical primitives, including rectangles, circles, and arcs. Users can combine these primitives into individual components, such as bandpass filters (Pascual Laguna et al., 2021), waveguides, and KIDs (kinetic inductance detectors) (Day et al., 2003). These components can then be assembled into a complete mask file for an astronomical instrument. This modular approach allows for streamlined collaboration and enables reuse of existing components among different instruments.

RAIMAD designs can be exported as a CIF (Caltech Intermediate Form) file (Sproull & Lyon, 1980), a format for storing mask files. Using these files, a process engineer is able to transfer the design onto the desired substrate using general lithography techniques.

RAIMAD components are created using Python ("Python: A dynamic, open source programming language," 2025) code, which allows for both simplicity and flexibility. RAIMAD itself is written in pure Python, making it easy to use on all major desktop operating systems. In order to allow users to share visual previews of their designs, a web-based component directory called RAIDEX has been developed. The name RAIMAD is a recursive acronym that stands for RAIMAD Astronomical Instrument MASK Designer.

Statement of Need

The development of RAIMAD was initiated in order to fulfill the needs of the TIFUUN (Terahertz Integral Field Units with Unified Nanotechnology) project (Endo, 2022; Nishimura et al., 2025), to quickly design integral field units (IFUs) that are tailored to each astronomical science question as open-hardware (Shammah et al., 2024). Previously, a small number of integrated superconducting spectrometer chips were designed for TIFUUN's precursor project, DESHIMA (Deep Spectroscopic High-redshift Mapper) (Endo et al., 2019; Taniguchi et al., 2022), using an internally developed script. While that script proved to be a capable solution for the task at hand, its narrow scope and reliance on the end-of-life Python 2 made it unsuitable for use in TIFUUN. RAIMAD aims to build on the success of the script used in DESHIMA while also adhering to standard Python practices, such as the PEP8 style guide and relevant packaging conventions. Furthermore, the Ruff linter ("Ruff: An extremely fast Python linter and code formatter, written in Rust.," 2025) and MyPy static checker ("MyPy: Optional static typing for Python," 2025) are employed to ensure code quality.

RAIMAD aims to be useful to the broader scientific community by enabling collaboration through

its modular approach to design. All RAIMAD components have a uniform Python interface, which streamlines the process of incorporating freely available components into a novel design. Existing components can be discovered in RAIDEX and installed trivially using `pip`, Python's standard package manager. This fosters an accessible environment with a low barrier of entry.

State of the field

RAIMAD seeks to enrich the growing ecosystem of analogue circuit CAD software by focusing on the specific niche of on-chip astronomical instrumentation. To this end, it draws key design inspirations from two existing programs with similar goals: Qiskit Metal and KLayout.

Qiskit Metal is a software platform for quantum device design (["Qiskit Metal | Quantum Device Design & Analysis \(Q-EDA\)," 2024](#)). Conceptually, it shares many similarities with RAIMAD, however its component library is geared towards quantum computing. We determined that developing RAIMAD from scratch would allow us more flexibility in implementation compared to retrofitting Qiskit for our specific use case.

KLayout is a mask file viewer and editor (["KLayout Package Manager \(Salt\)," 2024](#)). One notable strength of its Salt package manager is its support for a wide variety of package formats, including Ruby macros, fonts, and binary extensions. In RAIMAD, we instead decided to establish a single uniform interface for all components in order to reduce complexity.

Software design

One of the main design decisions of RAIMAD is its balanced approach to mutability. RAIMAD's Components, once instantiated, are immutable. Transformations, such as translation, rotations, duplication, and layer reassignment, are handled using Proxies, which offer a mutable view of a Component. Thus, the memory requirements of producing multiple instances of a particular structure – such as dozens of bridges on a coplanar waveguide – are lowered, since the underlying structure of the bridge is only stored once in the Component object, while the translations and rotations of each instance are stored in a lightweight Proxy object.

This approach also allows for potential optimisations in the CIF file produced by RAIMAD, such as re-using parts of the geometry using the Symbols feature of the CIF format. Such optimizations are critical for the future of the TIFUUN project, which will feature designs of a much higher complexity than DESHIMA.

A major design goal of RAIMAD was to make it feel idiomatic to Python developers. As such, we have adopted the concept of Python's Gradual Typing into a feature called Annotations. Annotations are a way to document the layers, options, and marked coordinate points of RAIMAD Components in a structured way. Annotations are parsed by RAIDEX to generate structured documentation and may, in the future, be used for static checking of Components, much like Python's MyPy.

Research Impact Statement

RAIMAD is being used in the development of preliminary chip designs for TIFUUN, including a novel type of KID ([Olde Scholtenhuis, Heeringa, et al., 2026](#)) and a testbed for measuring transmission line losses ([Abbink, 2026](#)) pictured in [Figure 1](#). These works have not only established RAIMAD as a versatile mask file creation tool, but have also enriched the RAIDEX component library with new devices. Moreover, recent developments in fabrication techniques ([Olde Scholtenhuis, Capelo, et al., 2026](#)) and high-efficiency filterbank designs ([Marting et al., 2026](#)) signal advances for the TIFUUN project as a whole, wherein RAIMAD will figure as the central mask file design tool.




Figure 1: An example of a chip (Abbink, 2026) designed in RAIMAD and rendered in KLayout. Left: the entire chip on a 10cm wafer; centre: an arrangement of four antennas, each one approximately 1mm across; right: 2µm wide microstrips connected to each half of an antenna.

AI usage disclosure

RAIMAD makes limited use of AI-generated code. Some coordinate transformation functions and test fixtures have been written using publically available gratis large language models, such as ChatGPT (“ChatGPT,” 2026) and Perplexity (“Perplexity,” 2026). Due to the software-as-a-service nature of these AI models, the exact versions cannot be ascertained. All AI-generated code is marked as such using comments, and has been proofread and edited by the author to ensure correct functionality and consistency with RAIMAD code style.

Availability

RAIMAD can be found on [GitHub](#) and is available for any platform that supports CPython, including Linux, Mac OS, and Windows. Documentation, installation instructions, and contributor guidelines can be found on the [RAIDOC site](#), which also includes tutorials and sample code. Existing RAIMAD components are tracked in [RAIDEX](#).

Acknowledgements

We would like to thank Christiaan Slieker, Dr. Ilke Ercan, and Martine van der Laag-Hoogendijk of Delft University of Technology for helping resolve administrative issues in the early stages of RAIMAD development.

We would also like to thank Pien Abbink for her work in designing the chip shown in [Figure 1](#).

Finally, we would like to thank the developers and maintainers of the typing-extensions package (“typing-extensions: Backported and Experimental Type Hints for Python 3.8+,” 2025), which is used in RAIMAD to maintain compatibility with Python 3.10.

This work is supported by the European Union (ERC Consolidator Grant No. 101043486 TIFUUN). Views and opinions expressed are however those of the authors only and do not necessarily reflect those of the European Union or the European Research Council Executive Agency. Neither the European Union nor the granting authority can be held responsible for them.

References

- Abbink, P. (2026). *Superconducting Vacuum-Gap Microstrips for Sub-Millimeter Wave Spectroscopy* [Master’s thesis]. Delft University of Technology.

- 113 ChatGPT. (2026). In *Website*. OpenAI. <https://chatgpt.com/>
- 114 Day, P. K., LeDuc, H. G., Mazin, B. A., Vayonakis, A., & Zmuidzinas, J. (2003). A broadband
115 superconducting detector suitable for use in large arrays . *Nature*, 425(6960), 817–821.
116 <https://doi.org/10.1038/nature02037>
- 117 Endo, A. (2022). *Terahertz Integral Field Unit with Universal Nanotechnology (TIFUUN)* .
118 <https://doi.org/10.3030/101043486>
- 119 Endo, A., Karatsu, K., Laguna, A. P., Mirzaei, B., Huiting, R., Thoen, D. J., Murugesan, V.,
120 Yates, S. J. C., Bueno, J., Marrewijk, N. van, Bosma, S., Yurduseven, O., Llombart, N.,
121 Suzuki, J., Naruse, M., Visser, P. J. de, van der Werf, P. P., Klapwijk, T. M., & Baselmans,
122 J. J. A. (2019). Wideband on-chip terahertz spectrometer based on a superconducting
123 filterbank . *Journal of Astronomical Telescopes, Instruments, and Systems*, 5(03), 1.
124 <https://doi.org/10.1117/1.jatis.5.3.035004>
- 125 KLayout Package Manager (Salt). (2024). In *GitHub repository*. GitHub. [https://github.com/KLayout/klayout/wiki/KLayout-Package-Manager-\(Salt\)](https://github.com/KLayout/klayout/wiki/KLayout-Package-Manager-(Salt))
- 127 Marting, L. H., Karatsu, K., Olde Scholtenhuis, L., Dabironezare, S. O., Laguna, A. P.,
128 Moerman, A., Thoen, D. J., van der Linden, A. J., Endo, A., & Baselmans, J. J. A.
129 (2026). *A High Efficiency Superconducting On-chip Filterbank with Directional Filters for*
130 *Integral Field Units in the Sub-millimeter Regime* . <https://arxiv.org/abs/2603.06334>
- 131 MyPy: Optional static typing for Python. (2025). In *GitHub repository*. GitHub. <https://github.com/python/mypy>
- 133 Nishimura, Y., Dabironezare, S. O., Marting, L. H., Moerman, A., Olde Scholtenhuis, L., Bakx,
134 T. J. L. C., Baselmans, J. J. A., Brandl, B. R., Calvo, M., Karatsu, K., Keijzer, N. de,
135 Huiting, R., Monfardini, A., Rybak, M., Simionescu, A., Soshnin, N. A., Steenvoorde, F.,
136 Thoen, D. J., Tamura, Y., ... Endo, A. (2025). TIFUUN: THz Integral Field Unit with
137 Universal Nanotechnology. *To Be Presented at the Low Temperature Detectors Conference*
138 *2025* .
- 139 Olde Scholtenhuis, L., Capelo, D. P., Karatsu, K., Thoen, D. J., van der Linden, A. J.,
140 Dabironezare, S. O., Marting, L. H., Baselmans, J. J. A., Vollebregt, S., & Endo, A.
141 (2026). *Advances in the Fabrication of On-chip Superconducting Integral Field Units for*
142 *CMB and Line-Intensity Astronomy* . <https://arxiv.org/abs/2603.16627>
- 143 Olde Scholtenhuis, L., Heeringa, J., Kyriakidou, A., Soshnin, N. A., Kouwenhoven, K., Thoen,
144 D. J., Baselmans, J. J. A., Vollebregt, S., & Endo, A. (2026). Optimizing deposition
145 conditions and dielectrics for parallel-plate capacitor KIDs in TIFUUN ifus . *Poster Abstract*
146 *to Be Presented at SPIE Astronomical Telescopes + Instrumentation, Paper 14156-*
147 *129* . [https://spie.org/astronomical-telescopes-instrumentation/presentation/Optimizing-](https://spie.org/astronomical-telescopes-instrumentation/presentation/Optimizing-deposition-conditions-and-dielectrics-for-parallel-plate-capacitor-KIDs/14156-129)
148 [deposition-conditions-and-dielectrics-for-parallel-plate-capacitor-KIDs/14156-129](https://spie.org/astronomical-telescopes-instrumentation/presentation/Optimizing-deposition-conditions-and-dielectrics-for-parallel-plate-capacitor-KIDs/14156-129)
- 149 Pascual Laguna, A., Karatsu, K., Thoen, D., Murugesan, V., Buijtenorp, B., Endo, A., &
150 Baselmans, J. (2021). Terahertz Band-Pass Filters for Wideband Superconducting On-Chip
151 Filter-Bank Spectrometers . *IEEE Transactions on Terahertz Science and Technology*,
152 11(6), 635–646. <https://doi.org/10.1109/tthz.2021.3095429>
- 153 Perplexity. (2026). In *Website*. Perplexity.ai. <https://perplexity.ai/>
- 154 Python: A dynamic, open source programming language. (2025). In *Python.org website*.
155 Python Software Foundation. <https://www.python.org/>
- 156 Qiskit Metal | Quantum Device Design & Analysis (Q-EDA). (2024). In *Qiskit website*. IBM.
157 <https://qiskit-community.github.io/qiskit-metal/>
- 158 Ruff: An extremely fast Python linter and code formatter, written in Rust. . (2025). In *GitHub*
159 *repository*. GitHub. <https://github.com/astral-sh/ruff>

- 160 Shammah, N., Saha Roy, A., Almudever, C. G., Bourdeauducq, S., Butko, A., Cancelo, G.,
161 Clark, S. M., Heinsoo, J., Henriët, L., Huang, G., Jurczak, C., Kotilahti, J., Landra, A.,
162 LaRose, R., Mari, A., Nowrouzi, K., Ockeloen-Korppi, C., Prawiroatmodjo, G., Siddiqi, I.,
163 & Zeng, W. J. (2024). Open hardware solutions in quantum technology. *APL Quantum*,
164 1(1), 011501. <https://doi.org/10.1063/5.0180987>
- 165 Sproull, R., & Lyon, R. (1980). *The Caltech Intermediate Form for LSI Layout Description*
166 (Technical Report No. 2686). California Institute of Technology, Computer Science
167 Department, Silicon Structures Project.
- 168 Taniguchi, A., Bakx, T. J. L. C., Baselmans, J. J. A., Huiting, R., Karatsu, K., Llombart,
169 N., Rybak, M., Takekoshi, T., Tamura, Y., Akamatsu, H., Brackenhoff, S., Bueno, J.,
170 Buijtdorp, B. T., Dabironezare, S. O., Doing, A.-K., Fujii, Y., Fujita, K., Gouwerok,
171 M., Hahnle, S., ... Endo, A. (2022). DESHIMA 2.0: Development of an Integrated
172 Superconducting Spectrometer for Science-Grade Astronomical Observations . *Journal of*
173 *Low Temperature Physics*, 209(3), 278–286. <https://doi.org/10.1007/s10909-022-02888-5>
- 174 typing-extensions: Backported and Experimental Type Hints for Python 3.8+ . (2025). In
175 *GitHub repository*. GitHub. https://github.com/python/typing_extensions

DRAFT