

GTFS4EV: A Python framework for electric bus planning using GTFS data

Jérémy Dumoulin¹, Cheikh Mouhamed Fadel Kebe^{1,3}, David Wannier⁴, David Gianadda⁴, Noémie Jeannin¹, Christophe Ballif¹, and Nicolas Wyrsh¹

¹ Photovoltaics and thin film electronics laboratory (PV-LAB), École Polytechnique Fédérale de Lausanne (EPFL), Institute of Electrical and Microengineering (IEM), Neuchâtel, Switzerland ² Centre de Test des Systèmes Solaires (CT2S) of Dakar, Senegal ³ Laboratoire Eau, Energie, Environnement et Procédés Industriels (LE3PI), Ecole Supérieure Polytechnique, Cheikh Anta Diop University of Dakar, Senegal ⁴ Institute of Informatics (II), HES-SO Valais/Wallis, Sierre, Switzerland ¶ Corresponding author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Marlin Arnz](#)  

Reviewers:

- [@paulremondeau](#)
- [@praneethd7](#)
- [@xoolive](#)

Submitted: 17 April 2026

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#))

Summary

Planning the electrification of public bus fleets is a complex task, that requires modelling multiple interacting components, including electric vehicle characteristics, travel patterns, available charging infrastructure, and context-specific operational constraints and objectives. However, this typically requires detailed operational data on bus movements, which are often unavailable or incomplete in many regions, creating a major barrier to public transport electrification.

To address this gap, we introduce GTFS4EV, an open-source tool that leverages the widely available General Transit Feed Specification (GTFS) data to support electric bus planning. Relying on GTFS as the primary data input, GTFS4EV enables the simulation of bus operations, the estimation of charging demand, and a feasibility assessment of various electrification pathways, while providing insights into key technical requirements such as battery sizing and charging infrastructure needs. The tool supports flexible exploration of context-specific scenarios, notably by enabling the user to implement custom charging strategies alongside predefined ones. As such, GTFS4EV serves as a powerful decision-support tool for identifying effective and tailored electrification pathways.

The tool is implemented as a modular Python library and provides a command-line interface for non-programming users. It enables rapid, data-driven exploration of realistic electrification scenarios, supporting bus operators and urban planners in assessing the requirements and benefits of different fleet electrification pathways. GTFS4EV also serves as a bridge between transport modelling and power system analysis by generating charging demand profiles that can be directly used in power system models (e.g., [pandapower](#) ([Thurner et al., 2018](#)) or [OpenTEPES](#) ([Ramos et al., 2022](#))), enabling grid impact assessments and integrated transport–power system analyses.

Statement of need

The electrification of public transport systems is a central pillar of the transition to sustainable transport. Compared to conventional diesel buses, electric buses offer reductions in greenhouse gas emissions, air pollution, noise, and operating costs ([Borén, 2019](#); [Ghotge et al., 2025](#); [Holland et al., 2020](#)). However, planning for bus electrification remains a complex task. It requires jointly considering bus operations, charging strategies, and investments in both charging infrastructure and electric buses ([Alyson da Luz Pereira Rodrigues & Seixas, 2021](#);

42 [Shyam Sundar Govinda Raja Perumal et al., 2021](#)). These factors, in turn, shape the broader
43 benefits and challenges for electrification, notably the potential impact on local electricity grids
44 ([Alyson da Luz Pereira Rodrigues & Seixas, 2021](#)).

45 In this context, GTFS4EV addresses the need for an open-source, GTFS-based framework
46 for electric bus planning. It is designed for data-light, scenario-based simulation of fleet
47 electrification pathways, supporting decision-making around fleet operations, charging strategies,
48 infrastructure requirements, PV integration potential, and broader economic and environmental
49 implications.

50 State of the field

51 A number of modelling tools and studies have been developed to support the electric bus
52 planning process. Many existing tools - often commercial and proprietary - provide detailed
53 operational simulations based on vehicle-level datasets such as high-resolution GPS traces and
54 detailed schedules (e.g., EVopt Planner ([Microgrid Labs, 2025](#)), eDepotPlanner ([ChargeSim,](#)
55 [2025](#)), eflips-X ([Heide et al., 2025](#))). While such data-rich models are well suited for advanced
56 planning and operational fine-tuning, they are less appropriate for exploratory assessments
57 that require a rapid evaluation of multiple electrification scenarios. Moreover, they rely on
58 vehicle-level data that are often unavailable, particularly in emerging economies. At the
59 other end of the spectrum, simplified tools based on generic operational assumptions (e.g.,
60 ([International Energy Agency \(IEA\), 2023](#))) enable quick first-order analyses but lack spatial
61 analysis and the ability to capture local operational specificities. Together, these limitations
62 reveal a gap for open modelling approaches that operate with limited data requirements while
63 retaining sufficient operational realism to deliver context-specific quantitative insights.

64 In parallel, the increasing availability of open public transport data has created new opportunities
65 for modelling bus electrification using openly accessible information. In particular, the General
66 Transit Feed Specification has emerged as a widely adopted open standard, providing harmonized
67 data on routes, stops, timetables, and service frequencies. Beyond the growing number of
68 transit agencies publishing GTFS feeds, data collection initiatives have further expanded
69 coverage ([DigitalTransport4Africa \(DT4A\), 2024](#)). As a result, a broad ecosystem of open-
70 source tools has emerged to generate, process, analyze, and visualize GTFS data ([GTFS.org,](#)
71 [2025](#)). However, only a limited number of these tools explicitly leverage GTFS data for bus
72 electrification planning, and these address only part of the functionality needed to support
73 informed decision-making:

- 74 ■ RouteZero ([Hendriks & Sturmberg, 2024](#)) focuses on depot charging optimization using
75 mixed-integer linear programming. While effective for depot-centric analyses, it does
76 not support opportunity or mixed charging strategies and is limited to charging demand
77 and power analyses, without considering broader implications such as greenhouse gas
78 emissions, air pollution, or integration with renewable energy sources.
- 79 ■ gtfs2emis ([Vieira et al., 2023](#)) estimates vehicle movements and emissions from GTFS
80 data and is primarily designed for environmental impact assessment. Hence, it does
81 not model charging behavior or infrastructure requirements, limiting its applicability for
82 electrification planning.
- 83 ■ GTFS_PowerTransNet ([Zhao et al., 2023](#)) generates coupled representations of transit
84 networks and simplified power grid topologies using GTFS data to identify candidate
85 charging locations. While valuable for co-planning studies, it offers limited other decision-
86 support capabilities for electrification planning.
- 87 ■ Eventually, some microtraffic simulation frameworks that integrate GTFS data import
88 (e.g., tools such as EV-Fleet-Sim ([Abraham et al., 2021](#))) can be used to model transport
89 operations and associated vehicle electric energy consumption. While useful to fine-tune
90 the charging demand and, in some cases, perform rerouting studies, they do not support

strategic planning of charging infrastructure or battery capacity which requires to simulate not only the energy consumption but also the charging behaviour.

Software design

GTFS4EV is a simulation framework that combines data-driven modelling of bus fleet operations with user-defined electrification scenarios to assess the feasibility and spatio-temporal charging demand of bus fleet electrification. The framework is designed for rapid exploration of scenarios rather than detailed operational optimisation. It assumes fixed, GTFS-defined bus operations, thereby isolating electrification analyses from service planning decisions.

The core functionality of GTFS4EV spans three main dimensions, which together form also the high-level simulation workflow as illustrated in Figure 1:

- GTFS data pre-processing:** The input GTFS feed is validated and cleaned, and can optionally be filtered (e.g. suppression of services) or enriched (e.g. addition of extra idle times at stops or terminals). The output is a consistent GTFS dataset.
- Fleet operation simulation:** Using the pre-processed GTFS data, GTFS4EV simulates bus fleet operations. The number of vehicles in operation and their movements are estimated to meet the GTFS schedule, enabling the simulation of individual vehicle travel patterns throughout the service day.
- Scenario-based charging:** Based on user-defined electrification scenarios (i.e., available charging powers, charging strategy, and electric bus energy consumption) the model estimates the charging schedules for each individual vehicle. This enables the assessment of electrification feasibility, spatio-temporal charging demand, and associated infrastructure requirements (required number of chargers at various locations, required battery capacities).




Figure 1: Overview of the three main steps of the simulation workflow

GTFS4EV also includes supporting features such as built-in visualization and basic GTFS feed analysis, as well as a flexible charging strategy logic (i.e., multiple charging strategies can be defined and applied sequentially). The framework provides default rule-based depot and opportunity charging strategies, while remaining explicitly designed to accommodate additional user-defined strategies. Beyond the core simulation, GTFS4EV supports a set of ex-post analyses derived from the simulated fleet operation and charging demand. In particular, it enables a preliminary assessment of PV integration potential by evaluating the temporal alignment between locally estimated PV generation and the aggregated charging demand. Additional ex-post analyses include the estimation of CO₂ emissions savings, reductions in air pollution exposure, and fuel cost savings relative to conventional diesel operations. Together, these

complementary analyses broaden the decision space addressed by GTFS4EV and support the needs of the various stakeholders involved in public bus fleet electrification.

The model is implemented as a modular Python package with an object-oriented design. Core classes correspond to the main workflow steps: GTFS data preprocessing, fleet operation simulation, and scenario-based charging demand estimation. Two additional classes support the assessment of local PV production and PV integration potential. Other classes provide ex-post impact analysis, including emissions and cost savings.

The package can be executed via a command-line interface, enabling rapid case studies and use by non-programmers. For greater flexibility and advanced usage, it can also be imported within Python scripts, allowing customized analyses and integration into other simulation workflows.

Research impact statement

GTFS4EV has been developed within the HORIZON OpenMod4Africa project, supporting energy and transport modelling in data-constrained regions. By relying on widely available GTFS inputs and transparent modelling assumptions, the framework enables reproducible and transferable analyses. The software is released as open source and designed for easy extension, with the aim of adoption by a wide community.

It has already been applied in several studies, including a published paper on the benefits and challenges of minibus electrification in African cities (Dumoulin et al., 2026), a master's thesis on bus electrification in Addis Ababa (Yifru, 2025), and ongoing work on the solarisation of bus rapid transit (BRT) systems in Dakar (OpenMod4Africa, 2025) and other transport modes.

Acknowledgements

This project was supported by the HORIZON OpenMod4Africa project (Grant number 101118123), with funding from the European Union and the State Secretariat for Education, Research and Innovation (SERI) for the Swiss partners. We gratefully acknowledge the support of all OpenMod4Africa partners for their contributions and collaboration. We also express our gratitude to the developers of the PVlib toolbox (Anderson et al., 2023), which is used to support the calculation of the local PV production.

AI usage disclosure

ChatGPT (OpenAI, GPT-3.5) was used to assist with language editing and structural refinement of the manuscript. In addition, it was used to improve software documentation (docstrings) and to assist in drafting unit tests.

No generative AI tools were used to make scientific or methodological decisions, nor to define the core model architecture or implementation logic of GTFS4EV. All software design choices, methodological developments, and validation steps were conducted by the authors. Any AI-generated suggestions were critically reviewed, modified where necessary, and validated by the authors prior to inclusion. The authors take full responsibility for all submitted content.

References

- Abraham, C., Rix, A., Ndibatya, I., & Booysen, M. J. (2021). Ray of hope for sub-Saharan Africa's paratransit: Solar charging of urban electric minibus taxis in South Africa. *Energy Sustainable Development/Energy for Sustainable Development*, 64, 118–127. <https://doi.org/10.1016/j.esd.2021.08.003>

- 165 Alyson da Luz Pereira Rodrigues, & Seixas, Sonia. R. C. (2021). Battery-electric buses and
 166 their implementation barriers: Analysis and prospects for sustainability. *Sustainable Energy*
 167 *Technologies and Assessments*, 51, 101896–101896. [https://doi.org/10.1016/j.seta.2021.](https://doi.org/10.1016/j.seta.2021.101896)
 168 [101896](https://doi.org/10.1016/j.seta.2021.101896)
- 169 Anderson, K., Hansen, C., Holmgren, W., Jensen, A., Mikofski, M., & Driesse, A. (2023).
 170 Pvlb python: 2023 project update. *Journal of Open Source Software*, 8(92), 5994.
 171 <https://doi.org/10.21105/joss.05994>
- 172 Borén, S. (2019). Electric buses' sustainability effects, noise, energy use, and
 173 costs. *International Journal of Sustainable Transportation*, 14(12), 956–971.
 174 <https://doi.org/10.1080/15568318.2019.1666324>
- 175 ChargeSim. (2025). *eDepotPlanner | electric bus depot charging simulation software*. <https://www.chargesim.com/edepotplanner>.
- 176 DigitalTransport4Africa (DT4A). (2024). *GTFS data*. [https://gitlab.com/digitaltransport/](https://gitlab.com/digitaltransport/data)
 177 [data](https://gitlab.com/digitaltransport/data).
- 178 Dumoulin, J., Pena-Bello, A., Jeannin, N., & others. (2026). Energy, environment, and
 179 economy implications of electrifying minibus taxis in african cities. *Scientific Reports*, 16,
 180 10661. <https://doi.org/10.1038/s41598-026-45790-w>
- 181 Ghotge, R., De Rooij, D. J., & Breukelen, S. van van. (2025). Total Cost of Ownership
 182 of Electric Buses in Europe. *World Electric Vehicle Journal*, 16(8), 464–464. <https://doi.org/10.3390/wevj16080464>
- 183 GTFS.org. (2025). *GTFS libraries*. GTFS.org — General Transit Feed Specification; <https://gtfs.org/resources/producing-data/#gtfs-libraries>.
- 184 Heide, L., Guo, S., & Göhlich, D. (2025). From Simulation to Implementation: A Systems
 185 Model for Electric Bus Fleet Deployment in Metropolitan Areas. *World Electric Vehicle*
 186 *Journal*, 16(7), 378–378. <https://doi.org/10.3390/wevj16070378>
- 187 Hendriks, J., & Sturmberg, B. (2024). An integrated model of electric bus energy consumption
 188 and optimised depot charging. *Npj Sustainable Mobility and Transport*, 1(1). <https://doi.org/10.1038/s44333-024-00008-2>
- 189 Holland, S. P., Mansur, E. T., Muller, N. Z., & Yates, A. J. (2020). The environmental
 190 benefits of transportation electrification: Urban buses. *Energy Policy*, 148, 111921–111921.
 191 <https://doi.org/10.1016/j.enpol.2020.111921>
- 192 International Energy Agency (IEA). (2023). *Electric vehicle charging and grid*
 193 *integration tool: Technical note* [Technical Report]. International Energy Agency.
 194 [https://iea.blob.core.windows.net/assets/466c3c59-f020-45a1-8ba4-8d6016488959/](https://iea.blob.core.windows.net/assets/466c3c59-f020-45a1-8ba4-8d6016488959/EVChargingandGridIntegrationTool_TechnicalNote.pdf)
 195 [EVChargingandGridIntegrationTool_TechnicalNote.pdf](https://iea.blob.core.windows.net/assets/466c3c59-f020-45a1-8ba4-8d6016488959/EVChargingandGridIntegrationTool_TechnicalNote.pdf)
- 196 Microgrid Labs. (2025). *EVopt planner | fleet electrification project planning software*.
 197 <https://myevopt.com/evopt-planner/>.
- 198 OpenMod4Africa. (2025). *OpenMod4Africa contributes to WACRE 2025 with keynote on*
 199 *energy modelling for west africa*. [https://openmod4africa.eu/openmod4africa-contributes-](https://openmod4africa.eu/openmod4africa-contributes-to-wacre-2025-with-keynote-on-energy-modelling-for-west-africa)
 200 [to-wacre-2025-with-keynote-on-energy-modelling-for-west-africa](https://openmod4africa.eu/openmod4africa-contributes-to-wacre-2025-with-keynote-on-energy-modelling-for-west-africa).
- 201 Ramos, A., Alvarez, E. F., & Lumbreras, S. (2022). OpenTEPES: Open-source transmission
 202 and generation expansion planning. *SoftwareX*, 18, 101070. [https://doi.org/10.1016/j.](https://doi.org/10.1016/j.softx.2022.101070)
 203 [softx.2022.101070](https://doi.org/10.1016/j.softx.2022.101070)
- 204 Shyam Sundar Govinda Raja Perumal, Lusby, R. M., & Larsen, J. (2021). *Electric bus*
 205 *planning & scheduling: A review of related problems and methodologies*. 301, 395–413.
 206 <https://doi.org/10.1016/j.ejor.2021.10.058>
- 207 Thurner, L., Scheidler, A., Schäfer, F., Menke, J., Dollichon, J., Meier, F., Meinecke, S., &

- 212 Braun, M. (2018). Pandapower — an open-source python tool for convenient modeling,
213 analysis, and optimization of electric power systems. *IEEE Transactions on Power Systems*,
214 33(6), 6510–6521. <https://doi.org/10.1109/TPWRS.2018.2829021>
- 215 Vieira, J. P. B., Pereira, R. H. M., & Andrade, P. R. (2023). Estimating public transport
216 emissions from General Transit Feed Specification data. *Transportation Research Part D*
217 *Transport and Environment*, 119, 103757–103757. [https://doi.org/10.1016/j.trd.2023.](https://doi.org/10.1016/j.trd.2023.103757)
218 [103757](https://doi.org/10.1016/j.trd.2023.103757)
- 219 Yifru, M. (2025). *Strategic scenario-based modeling for optimal electric bus charging station*
220 *deployment in addis ababa* [Master's thesis, Addis Ababa University; Addis Ababa University].
221 <https://etd.aau.edu.et/items/107b4ad1-1026-4e24-9df8-f57f66f5afa3>
- 222 Zhao, X., Zhao, C., & Jia, G. (2023). Grid-aware on-route fast-charging infrastructure planning
223 for battery electric bus with equity considerations: A case study in south king county. *arXiv*
224 *Preprint arXiv:2309.07422*.

DRAFT