

pylhe: A Lightweight Python interface to Les Houches Event files

Alexander Puck Neuwirth^{1,2}, Matthew Feickert³, Lukas Heinrich⁴,
and Eduardo Rodrigues⁵

¹ University of Milan Bicocca ² INFN Milan Bicocca ³ University of Wisconsin-Madison ⁴ Technical
⁵ University of Munich ⁶ University of Liverpool ¶ Corresponding author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [✉](#)

Submitted: 15 December 2025

Published: unpublished

License

Authors of papers retain copyright
and release the work under a
Creative Commons Attribution 4.0
International License ([CC BY 4.0](#)).

Summary

pylhe is a lightweight Python library that provides a simple and efficient interface for reading and writing Les Houches Event (LHE) files, a standard format used by Monte Carlo event generators in high-energy physics (Alwall & others, 2007). The library enables memory-efficient streaming of events from .lhe and compressed .lhe.gz files through a pythonic iterator interface, allowing researchers to process arbitrarily large event files without loading all events into memory simultaneously.

Historically, the first standards for event representation in high-energy physics were the HEPEVT and HEPUP common blocks (Boos & others, 2001), which provided a Fortran-based structure for storing event information. As the complexity of Monte Carlo event generators increased, the need for a more flexible and extensible format led to the development of the LHE file format. LHE introduced an XML structure that allowed for better organization of event data and facilitated interoperability between different tools. Typically, LHE files are used to describe parton-level events generated by matrix element generators that are passed to parton shower and hadronization programs producing HepMC files (Dembinski et al., 2022; Dobbs & Hansen, 2001; Verbytskyi et al., 2020), or directly to analysis frameworks such as Rivet (Bierlich et al., 2024; Bierlich & others, 2020; Buckley et al., 2013). In contrast to LHE files, HepMC stores fewer details about the particles, but also contains many more particles per event. Both files are plain text-based formats, making them human-readable but potentially large. Consequently, compression using gzip is common practice for both formats. In the future a binary format such as HDF5 (The HDF Group, 1998) could be considered for event storage to improve read/write performance and reduce file sizes further.

The LHE format stores information within <init> and multiple <event> blocks consisting of whitespace-separated values designed historically for straightforward parsing in Fortran. Further details can be found in the original definition of the Les Houches Event file standard (Alwall & others, 2007). Following the original publication there were two extensions to the LHE format, version 2.0 in 2009 (Butterworth & others, 2010) and version 3.0 in 2013 (Andersen & others, 2014). However, pylhe currently only implements the widely adopted extension on top of version 1.0, that is the addition of multiple weights via <initrwgt>, <rwgt>, <weight>, <weights>, <wgt>, and <weightgroup>. In the future, if there is a demand for <scales>, <generator>, <pdfinfo>, or <clustering>, support for these can be added as well.

Statement of need

The LHE format is used by all major Monte Carlo event generators such as MadGraph (Alwall et al., 2014), POWHEG-BOX (Alioli et al., 2010; Frixione et al., 2007; Nason, 2004), Sherpa (Bothmann & others, 2019; Gleisberg et al., 2009), HERWIG (Bahr & others, 2008; Bellm &

others, 2016, 2020; Bewick & others, 2024; Corcella et al., 2001), Pythia (Bierlich & others, 2022; Sjostrand et al., 2006, 2008; Sjöstrand et al., 2015), Whizard (Kilian et al., 2011; Moretti et al., 2001). While interfaces for C/C++/Fortran exist in the respective generators, a lightweight and easy-to-use Python interface was missing until the inception of pylhe in 2015. Additionally, pylhe can serve as a crucial interface for emerging machine learning applications in particle physics, allowing researchers to efficiently extract event data for training neural networks and other machine learning models used in event classification, anomaly detection, and physics analysis.

State of the field

Unlike the existing C/C++/Fortran interfaces provided by the Monte Carlo event generators, pylhe offers a pure Python interface that is more accessible and easier to use. When pylhe was first developed, there were no other Python libraries available for reading and writing LHE files. Nowadays, there are a few other smaller Python libraries with less adoption than pylhe, which provide only read functionality and are no longer actively maintained, such as lhereader (Albert, 2021; Biswas, 2017). For completeness, it should be mentioned that several LHE libraries exist in other programming languages, such as Go (go-hep (Binet et al., 2017)), Rust (lhe (Fukuda, 2018), lhef (Maier, 2024b; Weber, 2018), event_file_reader (Maier, 2024a)), Julia (LHEF.jl (Fischer & Ling, 2023)) and Haskell (lhe.hs (Lawrence, 2019)). These provide varying degrees of completeness.

Software design

pylhe allows for easy reading and writing of .lhe and .lhe.gz files in Python, enabling seamless integration into modern data analysis workflows in high-energy physics. The pythonic event yielding approach allows for memory-efficient processing of arbitrarily large LHE files by streaming events one at a time rather than loading all of them at once into memory. Internally, pylhe uses xml.etree.ElementTree to parse the XML structure, since using the lxml library did not provide a significant speed up.

The library facilitates quick validation of event files through programmatic access to event structure and particle properties, making it straightforward to perform sanity checks on generated events. This can be done for example via the integration with Awkward Array (Pivarski et al., 2018) through the to_awkward() function, which converts LHE events into columnar data structures optimized for vectorized operations and efficient analysis of large datasets.

Research impact statement

pylhe is regularly used in various research projects and publications within high-energy physics. Notably, it has been cited in Higgs studies (Brehmer et al., 2019; Feuerstake et al., 2025; Stylianou & Weiglein, 2024), in Supersymmetry (SUSY), Beyond the Standard Model (BSM) and dark matter searches (Anisha et al., 2023; Beresford et al., 2024; Beresford & Liu, 2019; Cheung et al., 2024; Kling, 2020; Zhou & Liu, 2022, 2025), and in forward physics studies (Kelly et al., 2022; Kling et al., 2023; Kling & Trojanowski, 2020). It is also employed in methodological studies involving machine learning techniques for event generation and analysis (Brehmer et al., 2020; Kofler et al., 2025).

AI usage disclosure

Generative AI tools have been used in the development of this software and writing of the manuscript:

- 86 ▪ Github's copilot has been used in reviewing pull requests.
- 87 ▪ VScode's copilot has been used as an advanced autocomplete.
- 88 ▪ ChatGPT has been used to identify the most pythonic solutions in case of ambiguity.

89 All the results generated by these tools have been reviewed by the authors and are correct to
90 the best of our knowledge.

91 Acknowledgements

92 We would additionally like to thank the contributors of pylhe and the Scikit-HEP community
93 for their support.

94 References

- 95 Albert, A. (2021). *Lhereader*. GitHub. <https://github.com/AndreasAlbert/lhereader>
- 96 Alioli, S., Nason, P., Oleari, C., & Re, E. (2010). A general framework for implementing
97 NLO calculations in shower Monte Carlo programs: the POWHEG BOX. *JHEP*, 06, 043.
98 [https://doi.org/10.1007/JHEP06\(2010\)043](https://doi.org/10.1007/JHEP06(2010)043)
- 99 Alwall, J., Frederix, R., Frixione, S., Hirschi, V., Maltoni, F., Mattelaer, O., Shao, H.-S.,
100 Stelzer, T., Torrielli, P., & Zaro, M. (2014). The automated computation of tree-level
101 and next-to-leading order differential cross sections, and their matching to parton shower
102 simulations. *JHEP*, 07, 079. [https://doi.org/10.1007/JHEP07\(2014\)079](https://doi.org/10.1007/JHEP07(2014)079)
- 103 Alwall, J., & others. (2007). A Standard format for Les Houches event files. *Comput. Phys.*
104 *Commun.*, 176, 300–304. <https://doi.org/10.1016/j.cpc.2006.11.010>
- 105 Andersen, J. R., & others. (2014). *Les Houches 2013: Physics at TeV Colliders: Standard*
106 *Model Working Group Report*. <https://doi.org/10.48550/arXiv.1405.1067>
- 107 Anisha, Atkinson, O., Bhardwaj, A., Englert, C., Naskar, W., & Stylianou, P. (2023). BSM
108 reach of four-top production at the LHC. *Phys. Rev. D*, 108(3), 035001. <https://doi.org/10.1103/PhysRevD.108.035001>
- 109 Bahr, M., & others. (2008). Herwig++ Physics and Manual. *Eur. Phys. J. C*, 58, 639–707.
110 <https://doi.org/10.1140/epjc/s10052-008-0798-9>
- 111 Bellm, J., & others. (2016). Herwig 7.0/Herwig++ 3.0 release note. *Eur. Phys. J. C*, 76(4),
112 196. <https://doi.org/10.1140/epjc/s10052-016-4018-8>
- 113 Bellm, J., & others. (2020). Herwig 7.2 release note. *Eur. Phys. J. C*, 80(5), 452.
114 <https://doi.org/10.1140/epjc/s10052-020-8011-x>
- 115 Beresford, L., Clawson, S., & Liu, J. (2024). Strategy to measure tau g-2 via photon fusion in
116 LHC proton collisions. *Phys. Rev. D*, 110(9), 092016. <https://doi.org/10.1103/PhysRevD.110.092016>
- 117 Beresford, L., & Liu, J. (2019). Search Strategy for Sleptons and Dark Matter Using the
118 LHC as a Photon Collider. *Phys. Rev. Lett.*, 123(14), 141801. <https://doi.org/10.1103/PhysRevLett.123.141801>
- 119 Bewick, G., & others. (2024). Herwig 7.3 release note. *Eur. Phys. J. C*, 84(10), 1053.
120 <https://doi.org/10.1140/epjc/s10052-024-13211-9>
- 121 Bierlich, C., Buckley, A., Butterworth, J. M., Gutsche, C., Lonnblad, L., Procter, T.,
122 Richardson, P., & Yeh, Y. (2024). Robust independent validation of experiment and theory:
123 Rivet version 4 release note. *SciPost Phys. Codeb.*, 36, 1. <https://doi.org/10.21468/SciPostPhysCodeb.36>
- 124 Bierlich, C., Buckley, A., Butterworth, J. M., Gutsche, C., Lonnblad, L., Procter, T.,
125 Richardson, P., & Yeh, Y. (2024). Robust independent validation of experiment and theory:
126 Rivet version 4 release note. *SciPost Phys. Codeb.*, 36, 1. <https://doi.org/10.21468/SciPostPhysCodeb.36>
- 127 Bierlich, C., Buckley, A., Butterworth, J. M., Gutsche, C., Lonnblad, L., Procter, T.,
128 Richardson, P., & Yeh, Y. (2024). Robust independent validation of experiment and theory:
129 Rivet version 4 release note. *SciPost Phys. Codeb.*, 36, 1. <https://doi.org/10.21468/SciPostPhysCodeb.36>

- 128 Bierlich, C., & others. (2020). Robust Independent Validation of Experiment and Theory:
129 Rivet version 3. *SciPost Phys.*, 8, 026. <https://doi.org/10.21468/SciPostPhys.8.2.026>
- 130 Bierlich, C., & others. (2022). A comprehensive guide to the physics and usage of PYTHIA
131 8.3. *SciPost Phys. Codeb.*, 2022, 8. <https://doi.org/10.21468/SciPostPhysCodeb.8>
- 132 Binet, S., Wieck, B., Blyth, D., Busato, E., Ughetto, M., & Waller, P. (2017). Go-HEP:
133 Libraries for high energy physics analyses in go. *Journal of Open Source Software*, 2(17),
134 372. <https://doi.org/10.21105/joss.00372>
- 135 Biswas, D. (2017). *Lhereader*. GitHub. <https://github.com/diptaparna/lhereader>
- 136 Boos, E., & others. (2001, September). Generic User Process Interface for Event Generators.
137 *2nd Les Houches Workshop on Physics at TeV Colliders*. <https://arxiv.org/abs/hep-ph/0109068>
- 138
- 139 Bothmann, E., & others. (2019). Event Generation with Sherpa 2.2. *SciPost Phys.*, 7(3), 034.
140 <https://doi.org/10.21468/SciPostPhys.7.3.034>
- 141 Brehmer, J., Dawson, S., Homiller, S., Kling, F., & Plehn, T. (2019). Benchmarking simplified
142 template cross sections in WH production. *JHEP*, 11, 034. [https://doi.org/10.1007/JHEP11\(2019\)034](https://doi.org/10.1007/JHEP11(2019)034)
- 143
- 144 Brehmer, J., Kling, F., Espejo, I., & Cranmer, K. (2020). MadMiner: Machine learning-based
145 inference for particle physics. *Comput. Softw. Big Sci.*, 4(1), 3. <https://doi.org/10.1007/s41781-020-0035-2>
- 146
- 147 Buckley, A., Butterworth, J., Grellscheid, D., Hoeth, H., Lonnblad, L., Monk, J., Schulz, H.,
148 & Siegert, F. (2013). Rivet user manual. *Comput. Phys. Commun.*, 184, 2803–2819.
149 <https://doi.org/10.1016/j.cpc.2013.05.021>
- 150 Butterworth, J. M., & others. (2010, March). THE TOOLS AND MONTE CARLO WORKING
151 GROUP Summary Report from the Les Houches 2009 Workshop on TeV Colliders. *6th*
152 *Les Houches Workshop on Physics at TeV Colliders*. <https://doi.org/10.48550/arXiv.1003.1643>
- 153
- 154 Cheung, K., Kim, Y., Kwon, Y., Ouseph, C. J., Soffer, A., & Wang, Z. S. (2024). Probing
155 dark photons from a light scalar at Belle II. *JHEP*, 05, 094. [https://doi.org/10.1007/JHEP05\(2024\)094](https://doi.org/10.1007/JHEP05(2024)094)
- 156
- 157 Corcella, G., Knowles, I. G., Marchesini, G., Moretti, S., Odagiri, K., Richardson, P., Seymour,
158 M. H., & Webber, B. R. (2001). HERWIG 6: An Event generator for hadron emission
159 reactions with interfering gluons (including supersymmetric processes). *JHEP*, 01, 010.
160 <https://doi.org/10.1088/1126-6708/2001/01/010>
- 161 Dembinski, H., Rodrigues, E., & Fedynitch, A. (2022). *Scikit-hep/pyhepmc: v2.1.1* (Version
162 v2.1.1). Zenodo. <https://doi.org/10.5281/zenodo.7013498>
- 163 Dobbs, M., & Hansen, J. B. (2001). The HepMC C++ Monte Carlo event record for High
164 Energy Physics. *Comput. Phys. Commun.*, 134, 41–46. [https://doi.org/10.1016/S0010-4655\(00\)00189-2](https://doi.org/10.1016/S0010-4655(00)00189-2)
- 165
- 166 Feuerstake, F., Fuchs, E., Robens, T., & Winterbottom, D. (2025). Interference effects in
167 resonant di-Higgs production at the LHC in the Higgs singlet extension. *JHEP*, 04, 094.
168 [https://doi.org/10.1007/JHEP04\(2025\)094](https://doi.org/10.1007/JHEP04(2025)094)
- 169 Fischer, K., & Ling, J. (2023). *LHEF.jl*. GitHub. <https://github.com/JuliaHEP/LHEF.jl>
- 170 Frixione, S., Nason, P., & Oleari, C. (2007). Matching NLO QCD computations with Parton
171 Shower simulations: the POWHEG method. *JHEP*, 11, 070. <https://doi.org/10.1088/1126-6708/2007/11/070>
- 172
- 173 Fukuda, H. (2018). *Lhe-rs*. GitHub. <https://github.com/hajifkd/lhe-rs>

- 174 Gleisberg, T., Hoeche, Stefan., Krauss, F., Schonherr, M., Schumann, S., Siegert, F., &
 175 Winter, J. (2009). Event generation with SHERPA 1.1. *JHEP*, 02, 007. <https://doi.org/10.1088/1126-6708/2009/02/007>
 176
- 177 Kelly, K. J., Kling, F., Tuckler, D., & Zhang, Y. (2022). Probing neutrino-portal dark matter
 178 at the Forward Physics Facility. *Phys. Rev. D*, 105(7), 075026. <https://doi.org/10.1103/PhysRevD.105.075026>
 179
- 180 Kilian, W., Ohl, T., & Reuter, J. (2011). WHIZARD: Simulating Multi-Particle Processes at
 181 LHC and ILC. *Eur. Phys. J. C*, 71, 1742. <https://doi.org/10.1140/epjc/s10052-011-1742-y>
- 182 Kling, F. (2020). Probing light gauge bosons in tau neutrino experiments. *Phys. Rev. D*,
 183 102(1), 015007. <https://doi.org/10.1103/PhysRevD.102.015007>
- 184 Kling, F., Kuo, J.-L., Trojanowski, S., & Tsai, Y.-D. (2023). FLArE up dark sectors with
 185 EM form factors at the LHC forward physics facility. *Nucl. Phys. B*, 987, 116103.
 186 <https://doi.org/10.1016/j.nuclphysb.2023.116103>
- 187 Kling, F., & Trojanowski, S. (2020). Looking forward to test the KOTO anomaly with FASER.
 188 *Phys. Rev. D*, 102(1), 015032. <https://doi.org/10.1103/PhysRevD.102.015032>
- 189 Kofler, A., Stumper, V., Mikhasenko, M., Kagan, M., & Heinrich, L. (2025). Flow annealed
 190 importance sampling bootstrap meets differentiable particle physics. *Mach. Learn. Sci.*
 191 *Tech.*, 6(2), 025061. <https://doi.org/10.1088/2632-2153/addbc1>
- 192 Lawrence, S. (2019). *Lhe.hs*. GitHub. <https://github.com/bytbox/lhe.hs>
- 193 Maier, A. (2024a). *Event-file-reader*. GitHub. <https://github.com/a-maier/event-file-reader>
- 194 Maier, A. (2024b). *Lhef*. GitHub. <https://github.com/a-maier/lhef>
- 195 Moretti, M., Ohl, T., & Reuter, J. (2001). *O'Mega: An Optimizing matrix element generator*.
 196 1981–2009. <https://doi.org/10.48550/arXiv.hep-ph/0102195>
- 197 Nason, P. (2004). A New method for combining NLO QCD with shower Monte Carlo algorithms.
 198 *JHEP*, 11, 040. <https://doi.org/10.1088/1126-6708/2004/11/040>
- 199 Pivarski, J., Osborne, I., Ifrim, I., Schreiner, H., Hollands, A., Biswas, A., Das, P., Roy
 200 Choudhury, S., Smith, N., Goyal, M., Fackeldey, P., & Krommydas, I. (2018). *Awkward*
 201 *Array*. <https://doi.org/10.5281/zenodo.4341376>
- 202 Sjostrand, T., Mrenna, S., & Skands, P. Z. (2006). PYTHIA 6.4 Physics and Manual. *JHEP*,
 203 05, 026. <https://doi.org/10.1088/1126-6708/2006/05/026>
- 204 Sjostrand, T., Mrenna, S., & Skands, P. Z. (2008). A Brief Introduction to PYTHIA 8.1.
 205 *Comput. Phys. Commun.*, 178, 852–867. <https://doi.org/10.1016/j.cpc.2008.01.036>
- 206 Sjöstrand, T., Ask, S., Christiansen, J. R., Corke, R., Desai, N., Ilten, P., Mrenna, S., Prestel,
 207 S., Rasmussen, C. O., & Skands, P. Z. (2015). An introduction to PYTHIA 8.2. *Comput.*
 208 *Phys. Commun.*, 191, 159–177. <https://doi.org/10.1016/j.cpc.2015.01.024>
- 209 Stylianou, P., & Weiglein, G. (2024). Constraints on the trilinear and quartic Higgs couplings
 210 from triple Higgs production at the LHC and beyond. *Eur. Phys. J. C*, 84(4), 366.
 211 <https://doi.org/10.1140/epjc/s10052-024-12722-9>
- 212 The HDF Group. (1998). *HDF5 – hierarchical data format version 5*. <https://www.hdfgroup.org/HDF5/>
 213
- 214 Verbytskyi, A., Buckley, A., Grellscheid, D., Konstantinov, D., William Monk, J., Lönnblad, L.,
 215 Przedzinski, T., & Pokorski, W. (2020). HepMC3 Event Record Library for Monte Carlo
 216 Event Generators. *J. Phys. Conf. Ser.*, 1525(1), 012017. <https://doi.org/10.1088/1742-6596/1525/1/012017>
 217
- 218 Weber, T. (2018). *Lhef-rs*. GitHub. <https://github.com/tweber12/lhef-rs>

- 219 Zhou, H., & Liu, N. (2022). Probing compressed higgsinos with forward protons at the LHC.
220 *JHEP*, 10, 092. [https://doi.org/10.1007/JHEP10\(2022\)092](https://doi.org/10.1007/JHEP10(2022)092)
- 221 Zhou, H., & Liu, N. (2025). Search for nearly degenerate higgsinos via photon fusion with the
222 semileptonic channel at the LHC. *Nucl. Phys. B*, 1010, 116752. [https://doi.org/10.1016/](https://doi.org/10.1016/j.nuclphysb.2024.116752)
223 [j.nuclphysb.2024.116752](https://doi.org/10.1016/j.nuclphysb.2024.116752)

DRAFT