

OMIO: A policy-driven Python library for reproducible microscopy image I/O

Fabrizio Musacchio¹, Henrike Antony¹, Arush Bajjal¹, Sophie Crux¹, Falko Fuhrmann¹, Nala Gockel¹, Denise Marie Hoffmann¹, Dilek Mercan¹, Felix Christopher Nebeling¹, Katharina Wolff¹, and Martin Fuhrmann¹

¹ German Center for Neurodegenerative Diseases (DZNE), Bonn, Germany  Corresponding author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: 

Submitted: 24 August 2026

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](https://creativecommons.org/licenses/by/4.0/))

Summary

OMIO (*Open Microscopy Image I/O*) is an open-source Python library that provides a semantic I/O layer for multidimensional microscopy data. It turns heterogeneous microscope outputs into a consistent, analysis-ready representation by enforcing canonical OME-compatible axes (TZCYX), preserving dimensionality, normalizing metadata, and writing deterministic OME-TIFF outputs. OMIO also supports large- and remote-file workflows through Zarr-backed lazy access, reusable disk caches, and memory-aware writing. By standardizing image data at the I/O boundary, OMIO supports FAIR-aligned data sharing and reproducible microscopy analysis, facilitates the development of interoperable community tools, and addresses the growing demand for scalable image-data handling in neuroscience and beyond.

Statement of need

Microscopy image analysis depends on correct interpretation of axes, voxel sizes, time increments, and provenance (Huisman et al., 2021). These quantities are encoded differently across vendor formats and reader libraries, and errors can be silent: arrays may remain numerically plausible while channels, time points, or spatial axes are semantically wrong. OME and OME-TIFF address this at the format level (Goldberg et al., 2005; Linkert et al., 2010), and open bioimage informatics has long emphasized interoperable image data access (Swedlow & Eliceiri, 2009). However, practical Python workflows often still require custom metadata heuristics and format-specific handling before image data can be analyzed reproducibly. OMIO targets microscopy researchers and tool developers who need heterogeneous image inputs to become standardized, OME-compatible, analysis-ready data without reimplementing these decisions in every downstream pipeline.

State of the field

Existing Python tools provide important but different layers of microscopy I/O functionality. `tifffile` (Gohlke, 2025) and `czifile` (Gohlke, 2026) expose format-specific pixel and metadata access, while Bio-Formats (CellProfiler developers, 2019) and `aicsimageio` (Brown et al., 2021) emphasize broad format coverage and framework-level abstraction. OMIO's contribution is complementary rather than duplicative: it builds on available readers where appropriate, but adds a lightweight, pure-Python semantic policy layer that enforces canonical axes, metadata normalization, explicit fallbacks, and deterministic OME-TIFF output. This design choice reflects OMIO's aim to standardize the interface between microscopy file access and reproducible downstream analysis rather than to replace existing reader libraries. Table 1 summarizes this scope across selected Python microscopy I/O packages.

41 **Table 1.** Comparison of selected Python microscopy I/O packages and capabilities.

Capability	tifffile	czifile	aicsimageio	Bio-Formats	OMIO
TIFF / OME-TIFF I/O	yes	no	yes	yes	yes
CZI I/O	no	yes	yes	yes	yes
LSM I/O	yes	no	yes	yes	yes
Thorlabs RAW I/O	no	no	no	no	yes
Canonical axes handling	no	no	no	no	yes
Missing axes handling	no	no	no	no	yes
Voxel-size units	partial	partial	yes	yes	yes
Zarr / lazy workflows	partial	no	partial	partial	yes
OME-TIFF write policy	partial	no	partial	yes	yes
BIDS-like batch processing	no	no	no	partial	yes

42 **Software design**

43 OMIO implements a constrained read-normalize-write pipeline exposed through a compact
44 public API:

- 45 ▪ `imread` for input normalization,
- 46 ▪ `imwrite` for deterministic OME-TIFF output,
- 47 ▪ `imconvert` for one-step conversion,
- 48 ▪ `open_in_napari` for visualization, and
- 49 ▪ `bids_batch_process` for project-level batch workflows.

50 Format-specific backends extract pixel data and available metadata, but semantic decisions are
51 centralized: axes are completed and reordered to TZCYX, singleton dimensions are preserved,
52 physical calibration fields are normalized, and provenance is stored in a structured metadata
53 dictionary. The same policy is used for single files, folders, and multi-file OME-TIFF series
54 (Linkert et al., 2010), and extends to folder stacks and BIDS-like project trees (Gorgolewski et
55 al., 2016; Musacchio, Antony, Crux, et al., 2026).




Figure 1: OMIO architecture. Format-specific readers perform low-level extraction, while OMIO enforces axis normalization, metadata standardization, fallback handling, and deterministic OME-TIFF output. Optional Zarr-backed caching supports memory-aware processing of large or remote files.

56 For large datasets, OMIO can return Zarr arrays (Miles et al., 2025) instead of dense NumPy

arrays (Harris et al., 2020). Disk-backed caches can be reused after validation, and Zarr-backed inputs can be written plane-wise to OME-TIFF to avoid full-store materialization. Beyond reading and writing, OMIO integrates with Napari (Sofroniew et al., 2025) for interactive image inspection, with optional Dask-backed (Dask Development Team, 2016; Rocklin, 2015) preparation for large or remote files.




Figure 2: BIDS-like batch processing in OMIO. Microscopy projects organized by subjects, experiments, or acquisition folders can be processed in one batch run, while each discovered image is converted through the same OMIO read-normalize-write pipeline.

Research impact statement

OMIO is intended for reproducible microscopy I/O in Python workflows, especially when heterogeneous inputs must become analysis-ready OME-TIFF with consistent axes and metadata. By making axis semantics, calibration metadata, provenance, software versions, and example data explicit, OMIO supports FAIR-aligned reuse of microscopy data and workflows (Poldrack et al., 2017; Wilkinson et al., 2016). Downstream processing and analysis pipelines can rely on OMIO's standardized axis order and metadata schema instead of guessing dimensions or reimplementing format-specific handling. This provides an auditable foundation for tools that need predictable image semantics across formats, software versions, and project layouts.

Pre-release and current OMIO workflows have supported published and preprint microscopy studies, datasets, and analysis tools (Crux et al., 2024; Fuhrmann et al., 2025; Gockel et al., 2025, 2026; Musacchio et al., 2025; Nebeling et al., 2026). OMIO is also used as an I/O layer in related open-source packages, including ZenReg, spectral-unmixing, and CellColoc (Musacchio, Antony, Baijal, et al., 2026; Musacchio & Fuhrmann, 2026a).

Extensibility

OMIO is modularized into focused reader, writer, cache, viewer, conversion, and batch-processing components. This structure makes it straightforward to add new format backends when pure-Python readers become available or community use cases arise. Contributions are welcome, especially additional readers, representative example files, metadata edge cases, and

81 documentation improvements.

82 Availability

83 OMIO is released under GPL-3.0. Source code, documentation, tutorials, and issue tracking
84 are available at <https://github.com/FabrizioMusacchio/OMIO>. The package is distributed via
85 PyPI, documented on Read the Docs (<https://omio.readthedocs.io>), and archived on Zenodo
86 together with example datasets (Musacchio, 2025b, 2025a).

87 AI usage disclosure

88 The authors used OpenAI ChatGPT (GPT-5) to assist with language editing and wording
89 refinement. GitHub Copilot was used for code autocompletion and commit-message assistance.
90 All AI-assisted text and code outputs were reviewed, verified, and edited by the authors, who
91 take full responsibility for the accuracy, integrity, and content of the submitted manuscript and
92 code.

93 Acknowledgements

94 We thank the open-source scientific Python and bioimaging communities, especially the
95 maintainers of NumPy (Harris et al., 2020), Zarr (Miles et al., 2025), tiff file (Gohlke, 2025),
96 czifile (Gohlke, 2026), napari (Sofroniew et al., 2025), and Dask (Dask Development Team,
97 2016; Rocklin, 2015). We also acknowledge the creators of openly licensed example datasets
98 used during OMIO development and testing (Musacchio, 2025a). This work was supported by
99 the DZNE and grants to MF from the ERC (MicroSynCom 865618) and the DFG (SFB1089
100 C01, B06; SPP2395).

101 References

- 102 Brown, J. M., Sherman, J., toloudis, Swain-Bowden, M., Chaudhuri, B., Johnson, G., Casero,
103 R., & Hürlimann, D. (2021). *AllenCellModeling/aicsimageio: Mosaics, xarray, and writers,*
104 *oh my!* (Version v4.0.0). Zenodo. <https://doi.org/10.5281/zenodo.4906609>
- 105 CellProfiler developers. (2019). *Python-bioformats* (Version 1.5.2). [https://github.com/](https://github.com/CellProfiler/python-bioformats)
106 [CellProfiler/python-bioformats](https://github.com/CellProfiler/python-bioformats)
- 107 Crux, S., Roggan, M. D., Poll, S., Nebeling, F. C., Schiweck, J., Mittag, M., Musacchio, F.,
108 Steffen, J., Wolff, K. M., Baral, A., Witke, W., Gurniak, C., Bradke, F., & Fuhrmann,
109 M. (2024). Deficiency of actin depolymerizing factors ADF/Cfl1 in microglia decreases
110 motility and impairs memory. *bioRxiv*. <https://doi.org/10.1101/2024.09.27.615114>
- 111 Dask Development Team. (2016). *Dask: Library for dynamic task scheduling*. [http://dask.](http://dask.pydata.org)
112 [pydata.org](http://dask.pydata.org)
- 113 Fuhrmann, F., Nebeling, F. C., Musacchio, F., Mittag, M., Poll, S., Müller, M., Giovannetti, E.
114 A., Maibach, M., Schaffran, B., Burnside, E., Chan, I. C. W., Lagurin, A. S., Reichenbach,
115 N., Kaushalya, S., Fried, H., Linden, S., Petzold, G. C., Tavosan, G., Bradke, F.,
116 & Fuhrmann, M. (2025). Three-photon in vivo imaging of neurons and glia in the
117 medial prefrontal cortex with sub-cellular resolution. *Communications Biology*, 8(1), 795.
118 <https://doi.org/10.1038/s42003-025-08079-8>
- 119 Gockel, N., Nieves-Rivera, N., Druart, M., Jaako, K., Fuhrmann, F., Musacchio, F., Antony,
120 H., Mittag, M., Crux-Daseking, S., Poll, S., Jansone, B., Fuhrmann, M., & Le Magueresse,
121 C. (2026). Schizophrenia-associated complement C4 impairs synaptic connectivity and
122 decreases microglia-synapse interactions through CR3 signaling. *Cell Reports*, 45(4),
123 117161. <https://doi.org/10.1016/j.celrep.2026.117161>

- 124 Gockel, N., Nieves-Rivera, N., Druart, M., Jaako, K., Fuhrmann, F., Rožkalne, R., Musacchio,
125 F., Poll, S., Jansone, B., Fuhrmann, M., & Mageresse, C. L. (2025). *Example datasets for*
126 *microglial motility analysis using the MotiA pipeline*. Zenodo. [https://doi.org/10.5281/](https://doi.org/10.5281/zenodo.15061566)
127 [zenodo.15061566](https://doi.org/10.5281/zenodo.15061566)
- 128 Gohlke, C. (2025). *Cgohlke/tifffile: v2025.12.20* (Version v2025.12.20). Zenodo. <https://doi.org/10.5281/zenodo.18005696>
129
- 130 Gohlke, C. (2026). *Cgohlke/czifile* (Version v2026.8.16). Zenodo. [https://doi.org/10.5281/](https://doi.org/10.5281/zenodo.21953612)
131 [zenodo.21953612](https://doi.org/10.5281/zenodo.21953612)
- 132 Goldberg, I. G., Allan, C., Burel, J.-M., Creager, D., Falconi, A., Hochheiser, H., Johnston, J.,
133 Mellen, J., Sorger, P. K., & Swedlow, J. R. (2005). The open microscopy environment
134 (OME) data model and XML file: Open tools for informatics and quantitative analysis in
135 biological imaging. *Genome Biology*, 6(5), R47. <https://doi.org/10.1186/gb-2005-6-5-r47>
- 136 Gorgolewski, K. J., Auer, T., Calhoun, V. D., Craddock, R. C., Das, S., Duff, E. P., Flandin,
137 G., Ghosh, S. S., Glatard, T., Halchenko, Y. O., Handwerker, D. A., Hanke, M., Keator,
138 D., Li, X., Michael, Z., Maumet, C., Nichols, B. N., Nichols, T. E., Pellman, J., ...
139 Poldrack, R. A. (2016). The brain imaging data structure, a format for organizing
140 and describing outputs of neuroimaging experiments. *Scientific Data*, 3(1), 160044.
141 <https://doi.org/10.1038/sdata.2016.44>
- 142 Harris, C. R., Millman, K. J., Walt, S. J. van der, Gommers, R., Virtanen, P., Cournapeau, D.,
143 Wieser, E., Taylor, J., Berg, S., Smith, N. J., Kern, R., Picus, M., Hoyer, S., Kerkwijk,
144 M. H. van, Brett, M., Haldane, A., Río, J. F. del, Wiebe, M., Peterson, P., ... Oliphant,
145 T. E. (2020). Array programming with NumPy. *Nature*, 585(7825), 357–362. <https://doi.org/10.1038/s41586-020-2649-2>
146
- 147 Huisman, M., Hammer, M., Rigano, A., Boehm, U., Chambers, J. J., Gaudreault, N., North,
148 A. J., Pimentel, J. A., Sudar, D., Bajcsy, P., Brown, C. M., Corbett, A. D., Faklaris, O.,
149 Lacoste, J., Laude, A., Nelson, G., Nitschke, R., Grunwald, D., & Strambio-De-Castillia,
150 C. (2021). *A perspective on microscopy metadata: Data provenance and quality control*.
151 <https://doi.org/10.48550/arXiv.1910.11370>
- 152 Linkert, M., Rueden, C. T., Allan, C., Burel, J.-M., Moore, W., Patterson, A., Lorange, B.,
153 Moore, J., Neves, C., MacDonald, D., Tarkowska, A., Sticco, C., Hill, E., Rossner, M.,
154 Eliceiri, K. W., & Swedlow, J. R. (2010). Metadata matters: Access to image data in the real
155 world. *Journal of Cell Biology*, 189(5), 777–782. <https://doi.org/10.1083/jcb.201004104>
- 156 Miles, A., Kirkham, J., Stansby, D., Papadopoulos Orfanos, D., Hamman, J., Bennett, D.,
157 Bussonnier, M., Moore, J., Augspurger, T., Cherian, D., Jones, M., Rzepka, N., Spitz,
158 H., Verma, S., Bourbeau, J., Fulton, A., Abernathey, R., Lee, G., Kristensen, M. R.
159 B., & Durant, M. (2025). *zarr-developers/zarr-python: v3.1.5* (Version 3.1.5). Zenodo.
160 <https://doi.org/10.5281/zenodo.17672242>
- 161 Musacchio, F. (2025a). *OMIO Example Datasets: Dummy Microscopy Files Plus Curated*
162 *Third-Party Samples for I/O Testing* [Data set]. Zenodo. [https://doi.org/10.5281/zenodo.](https://doi.org/10.5281/zenodo.18078231)
163 [18078231](https://doi.org/10.5281/zenodo.18078231)
- 164 Musacchio, F. (2025b). *OMIO: A policy-driven python library for reproducible microscopy*
165 *image i/o* (Version v0.3.0). <https://doi.org/10.5281/zenodo.22029020>
- 166 Musacchio, F., Antony, H., Baijal, A., Hoffmann, D. M., Nebeling, F. C., Crux, S., &
167 Fuhrmann, M. (2026). *CellColoc: A modular, open-source workflow for cell colocalization,*
168 *segmentation, and feature extraction in microscopy images*. Cold Spring Harbor Laboratory.
169 <https://doi.org/10.64898/2026.07.26.740771>
- 170 Musacchio, F., Antony, H., Crux, S., Fuhrmann, F., Gockel, N., Hoffmann, D. M., Mercan,
171 D., Nebeling, F. C., & Fuhrmann, M. (2026). *OMIO: A policy-driven python library for*
172 *reproducible microscopy image i/o*. Cold Spring Harbor Laboratory. <https://doi.org/10.64898/2026.07.26.740771>

173 [64898/2026.06.09.731118](https://doi.org/10.21105/joss.09267)

174 Musacchio, F., Crux, S., Nebeling, F., Gockel, N., Fuhrmann, F., & Fuhrmann, M. (2025).
175 MotilA – a python pipeline for the analysis of microglial fine process motility in 3D time-
176 lapse multiphoton microscopy data. *Journal of Open Source Software*, 10(116), 9267.
177 <https://doi.org/10.21105/joss.09267>

178 Musacchio, F., & Fuhrmann, M. (2026a). *Spectral unmixing: A modular and reproducible*
179 *python package for directed and blind spectral unmixing in multidimensional microscopy*
180 *stacks*. Cold Spring Harbor Laboratory. <https://doi.org/10.64898/2026.07.06.736825>

181 Musacchio, F., & Fuhrmann, M. (2026b). *ZenReg: A modular python platform for fast*
182 *and memory-efficient n-dimensional microscopy image registration*. Cold Spring Harbor
183 Laboratory. <https://doi.org/10.64898/2026.08.07.743572>

184 Nebeling, F. C., Fuhrmann, F., Mittag, M., Musacchio, F., Antony, H., Gockel, N., Friker,
185 L. L., Leonardelli, S., Filser, S., A., D., Stork, M., Bano, D., Pietsch, T., Giordano,
186 F. A., Zhou, Q., Parrinello, S., Hölzel, M., Herrlinger, U., Salomoni, P., & Fuhrmann,
187 M. (2026). Microglia-glioblastoma crosstalk mediates glioblastoma invasion at the far
188 infiltration zone [Doi: 10.1016/j.immuni.2026.03.010]. *Immunity*, 59(4), 1075–1091.e4.
189 <https://doi.org/10.1016/j.immuni.2026.03.010>

190 Poldrack, R. A., Baker, C. I., Durnez, J., Gorgolewski, K. J., Matthews, P. M., Munafò, M. R.,
191 Nichols, T. E., Poline, J.-B., Vul, E., & Yarkoni, T. (2017). Scanning the horizon: Towards
192 transparent and reproducible neuroimaging research. *Nature Reviews Neuroscience*, 18(2),
193 115–126. <https://doi.org/10.1038/nrn.2016.167>

194 Rocklin, M. (2015). Dask: Parallel computation with blocked algorithms and task scheduling.
195 In K. Huff & J. Bergstra (Eds.), *Proceedings of the 14th python in science conference* (pp.
196 130–136). <https://doi.org/10.25080/majora-7b98e3ed-013>

197 Sofroniew, N., Lambert, T., Bokota, G., Nunez-Iglesias, J., Sobolewski, P., Sweet, A., Gaifas,
198 L., Evans, K., Burt, A., Doncila Pop, D., Yamauchi, K., Weber Mendonça, M., Rodríguez-
199 Guerra, J., Liu, L., Buckley, G., Vierdag, W.-M., Anderson, A., Monko, T., Willing, C., &
200 Zhao, R. (2025). *Napari: A multi-dimensional image viewer for python* (Version v0.7.0a0).
201 <https://doi.org/10.5281/zenodo.18089604>

202 Swedlow, J. R., & Eliceiri, K. W. (2009). Open source bioimage informatics for cell biology.
203 *Trends in Cell Biology*, 19(11), 656–660. <https://doi.org/10.1016/j.tcb.2009.08.007>

204 Wilkinson, M. D., Dumontier, M., Aalbersberg, I. J., Appleton, G., Axton, M., Baak, A.,
205 Blomberg, N., Boiten, J.-W., da Silva Santos, L. B., Bourne, P. E., Bouwman, J., Brookes,
206 A. J., Clark, T., Crosas, M., Dillo, I., Dumon, O., Edmunds, S., Evelo, C. T., Finkers,
207 R., ... Mons, B. (2016). The FAIR guiding principles for scientific data management and
208 stewardship. *Scientific Data*, 3(1), 160018. <https://doi.org/10.1038/sdata.2016.18>