

pyunicorn v1.0: A versatile toolbox for complex system analysis across disciplines

Fritz Kühlein^{1,2,3,*}, Boyan Beronov^{4,*}, Max Bechthold^{1,2,3}, Reik V. Donner^{5,6}, and Jonathan F. Donges^{1,2,7}

¹ Earth Resilience Science Unit, Potsdam Institute for Climate Impact Research (PIK) – Member of the Leibniz Association, Germany ² Integrative Earth System Science, Max Planck Institute of Geoanthropology, Jena, Germany ³ Institute of Physics and Astronomy, University of Potsdam, Germany ⁴ Computer Science Department, University of British Columbia, Vancouver, Canada ⁵ Department of Water, Environment, Construction and Safety, Magdeburg-Stendal University of Applied Sciences, Germany ⁶ Research Department IV - Complexity Science, Potsdam Institute for Climate Impact Research (PIK) – Member of the Leibniz Association, Germany ⁷ Stockholm Resilience Center, Stockholm University, Sweden * These authors contributed equally to this work.

DOI: 10.xxxxxx/draft

Software

- Review
- Repository
- Archive

Editor: William Gearty

Reviewers:

- @jodemaey
- @aadinoyiibrahim
- @szhorvat
- @lars2015

Submitted: 17 July 2026

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

Summary

The pyunicorn (Unified Complex Network and Recurrence Analysis) toolbox provides a unique collection of data-driven assessment methods for complex system phenomena — including various aspects of dynamical complexity, spatio-temporal interrelations, extreme events and critical transitions. Its algorithms combine network theory and nonlinear time series analysis, with a focus on constructing and quantifying the following types of numerical objects:

- Time series networks** (e.g., recurrence networks, visibility graphs): Within a time series, a pairwise relation is computed over states/events/patterns, which are in turn defined by a predicate over time intervals.
- Functional networks** (e.g., climate networks): Within a collection of mutually dependent time series, members are linked according to some measure of statistical association.
- Surrogate networks/time series** (e.g., twin surrogates): Samples are drawn from a conditionally uniform distribution over networks/time series, under some structural constraints motivated by hypothesis testing purposes.




Figure 1: Example of a recurrence network in climatology (Marwan et al., 2021)¹. (A) Time series of January insolation at latitude 20 °N. (B) Delay coordinate embedding for A, with embedding dimension $m = 2$ and delay $\tau = 6$ ka. (C) Recurrence plot for B, with recurrence threshold $\epsilon = 10$ W/m². (D) Recurrence network for C, with nodes of darker colour representing later points in time.

pyunicorn is implemented in Python and C/Cython (Behnel et al., 2011), and was first published over a decade ago (Donges, Heitzig, et al., 2015). Since then, it has been maintained as an open source community project, benefitting from numerous user requests, new features, tutorials, corrections and refactorings. A growing interdisciplinary user base, as well as fluctuating levels of funding and development over the years, have warranted a recent concerted effort to consolidate the package. The present paper accompanies the resulting first major version release², and compiles applications published to date.

Statement of need

Network theory and dynamical system theory have long provided two complementary perspectives on complex systems: The former analyses the structure of interactions (links/edges) between subsystems (nodes/vertices), whereas the latter characterises systemic behaviour in time, such as predictability and chaos, bifurcations and regime shifts. When the development of pyunicorn began in 2008, these two fields had started growing together specifically along two strands of research.

On the one hand, once a time series observing a complex system has been represented as a **time series network**, dynamical properties of the system can be investigated using network theory methods. Various linking criteria have been proposed for the construction of time series networks, including recurrence relations within trajectories in phase space or embedding space (Donges et al., 2012; Marwan et al., 2007, 2009) (cf. Figure 1), and visibility relations within function graphs of scalar time series (Lacasa et al., 2008).

On the other hand, linear or nonlinear statistical association measures from the time series analysis literature can be used to construct a **functional network** from a collection of time series, which yields a topological description of functional interdependence. This methodology was especially put forward in neuroscience (Bullmore & Sporns, 2009; Zhou et al., 2006, 2007) and climatology (Donges et al., 2009; Donges, Petrova, et al., 2015), and has found further applications in fields such as economics and finance (Huang et al., 2009).

In addition to accompanying these syntheses, the pyunicorn library has also facilitated the development of a number of more specialised methods by affiliated research groups; and for many such methods, it remains the only actively maintained open source implementation to date. The emergence of many new interdisciplinary applications (cf. Section 5) has further affirmed the claim that, beyond its origin in climate and Earth system science, pyunicorn's network approach is "widely applicable in numerous fields" (Donges, Heitzig, et al., 2015).

State of the field

Long-established packages in the Python ecosystem, such as `networkx` (Hagberg et al., 2008), `python-igraph` (Csárdi & Nepusz, 2006) and `networkit` (Angriman et al., 2022), extensively cover graph algorithms. In addition, `graph-tool` (Peixoto, 2014, 2023) implements nonparametric Bayesian methods for hierarchical community detection. Libraries with a stronger methodological focus include: `PyRQA` (Rawald et al., 2017) and `AccRQA` (Adámek et al., 2026) for recurrence quantification analysis on large datasets, `ordpy` (Pessa & Ribeiro, 2021) for time series analysis with ordinal networks, `smt` (Saves et al., 2024) and `irreversibility` (Zanin, 2025) for surrogate modelling and for irreversibility tests of time series, and `dynamicalsys` (Sales et al., 2025) for dynamical system analysis. Siebert et al. (2021) provide a systematic review of Python packages for various time series analysis applications. Of course, comparable software also exists for other programming languages, including: `CRP Toolbox` (Marwan, 2024) and `NoLiTiA` (Weber & Oehrn, 2022) in Matlab, `DynamicalSystems.jl` (Datseris, 2018) in Julia, and `nonlinearTseries` (Garcia & Sawitzki, 2026) in R.

¹Reprinted from Marwan et al. (2021) with permission from Elsevier. Original under CC BY-NC-ND 4.0.

²Cf. Semantic Versioning specification.

Yet, pyunicorn has maintained its unique position, building on established graph packages to bridge and complement the above application areas. For instance, `pyunicorn.Network` is implemented by extending `python-igraph.Graph` with more advanced constructs, such as *coupled* or *multilayer* networks (Donges et al., 2011) and *node-weighted* or *node-splitting-invariant* network measures (Heitzig et al., 2012; Wiedermann et al., 2013; Zemp et al., 2014). Overall, pyunicorn's strength lies in its integration of methods from complex network theory and nonlinear time series analysis. Zou et al. (2019), Silva et al. (2021) and Marwan et al. (2021) provide thorough summaries of relevant concepts and algorithms.

Software design




Figure 2: Overview of pyunicorn's modules/classes, with an example class inheritance relation.

pyunicorn follows an object-oriented design, with module and class hierarchies that isolate core data structures and reflect relationships between analysis methods. For example, `RecurrenceNetwork` inherits much of its functionality from `RecurrencePlot` and `Network` (cf. Figure 2).

`pyunicorn.Network` is the central class, and it is backed both by a `python-igraph` graph (Csárdi & Nepusz, 2006) and by a `scipy.sparse` matrix (Virtanen et al., 2020). In addition to importing, constructing, querying, updating and exporting these internal data structures, `Network` also implements more specialised network annotations, network measures, and random graph models. Most other classes in the package derive from `Network`, extending it with dedicated logic for analyses. Many library methods are implemented by calling into pyunicorn's own C/Cython extension modules via array interfaces.

Overall, this design covers many common use cases in complex system science: It supports data imports from various formats, its analysis methods are easy to navigate, and it integrates naturally with the Python numerical computing ecosystem. While out-of-core and high-performance computing were not primary design goals, pyunicorn's graph algorithms achieve a performance level that is comparable to, or competitive with, many other general-purpose implementations.

The library has tracked changing standards in package management, extension compilation, linting, testing and continuous integration, and it is compatible with all officially supported Python versions on Windows, macOS and Linux. For improved maintainability, the Python/Cython interface was overhauled, and most extension modules were ported from C to Cython. Substantial additions to the test suite, as well as removal of experimental and untested code, have increased test coverage from less than 50% to nearly 80%.

pyunicorn has also grown by a range of new or improved functionality (cf. [Changelog](#)):

- Many measures in Network, and especially their node-splitting-invariant refinements, were generalised to support weighted and directed networks.
- Spatial and coupled network analyses were generalised, by adding SpatialNetwork, by adding a Watts-Strogatz model to Network, and by adding new measures to RecurrencePlot, CoupledClimateNetwork and InteractingNetwork.
- EventSeries was added along with EventSeriesClimateNetwork, and subsequently received several algorithmic improvements.
- MapPlot was refactored and simplified.
- State management and memoisation were consolidated via the new mix-in Cached.
- A collection of tutorial notebooks was added to the documentation.

Research impact statement

Since its initial release, pyunicorn has found numerous applications across the sciences³:

- Astrophysics, e.g., active galactic nuclei ([Phillipson et al., 2023](#)), black holes ([Broadbent & Phillipson, 2024](#)) and stars ([George et al., 2020](#)).
- Geophysics, e.g., crustal displacements ([Hobbs & Ord, 2018](#)), seismic tomography ([Talavera-Soza & Deuss, 2023](#)) and magnetospheric dynamics ([Donner et al., 2019](#)).
- Climate and paleoclimate science ([Caesar et al., 2020](#); [Donges, Donner, et al., 2015](#); [Franke et al., 2017](#); [Franke & Donner, 2017](#); [Haas et al., 2023](#); [Jiang et al., 2024](#); [Lekscha & Donner, 2020](#); [Li et al., 2026](#); [Marwan et al., 2021](#); [Moinat et al., 2024](#); [Nocke et al., 2015](#); [Sumit et al., 2026](#); [Sun et al., 2018](#); [Wiedermann et al., 2017](#); [Wolf, Ozturk, et al., 2021](#); [Wolf, Voigt, et al., 2021](#); [Wolf & Donner, 2021](#)), and in particular El Niño related phenomena ([Broni-Bedaiko et al., 2019](#); [Ekhtiari et al., 2021](#); [Feng & Dijkstra, 2017](#); [Oluwole, 2017](#); [Wiedermann, Radebach, et al., 2016](#)).
- Social science, e.g., societal clustering and marginalisation ([Schleussner et al., 2016](#)).
- Biological and medical research, e.g., mammal evolution ([Bekeraité et al., 2025](#)), cancer research ([Amemiya et al., 2025](#)), behavioural neuroscience ([Maksimenko et al., 2019](#)) and EEG data ([Frolov et al., 2023](#); [Lechner & Northoff, 2024](#)).
- Engineering, e.g., warning signals for thermoacoustic instabilities ([Waxenegger-Wilfing et al., 2021](#)) and functional dependence in coupled oscillators ([Geier et al., 2024](#)).
- Particle physics, e.g., collision event analysis ([Mullin et al., 2021](#)).
- Methodological advances in network theory and nonlinear dynamics ([Alberti et al., 2020](#); [Lekscha & Donner, 2018](#); [Medrano et al., 2021](#); [Odenweller & Donner, 2020](#); [Sales et al., 2023](#); [Silini & Masoller, 2021](#); [Subramaniam et al., 2015](#); [Wiedermann, Donges, et al., 2016](#); [Yuan & Shou, 2024](#)).

Furthermore, pyunicorn's tutorial notebooks provide introductions to various complex system analysis methodologies, and have been repeatedly employed in academic teaching.

AI usage disclosure

No generative AI was used in the development and maintenance of this software, or in the writing of this manuscript. The use of AI coding assistance is not prohibited for contributors.

Author contributions

Software: FK coordinated maintenance and releases in recent years. BB contributed to design and maintenance, provided technical guidance, and edited tutorials. MB contributed to maintenance and wrote tutorials. JFD and RVD organised funding and supervised development.

³26 out of the 46 surveyed publications are unaffiliated with the package authors.

149 *Manuscript*: FK and BB developed the full draft. MB drafted [Section 5](#). MB, JFD and RVD
150 provided reviews and edits.

151 Acknowledgements

152 We are thankful for all code contributions and bug reports since pyunicorn's initial release
153 (cf. [Contributions](#)), and especially for development and maintenance work by Wolfram Barfuss,
154 Guruprem Bishnoi, Nils Harmening, Ronja Hotz, Johannes Kassel, Jonathan Kroenke and
155 Lena Schmidt. Recent development was financially supported by the German Federal Ministry
156 of Education and Research (BMBF) within the scope of the projects GOTHAM (grant no.
157 01LP1611A) and ROADMAP (grant no. 01LP2002B). We are grateful to Jobst Heitzig and
158 Norbert Marwan for their availability for consultation. Lastly, FK would like to thank Jakob
159 Harteg and Lorenz Sieben for inspiration on scientific software development in Python.

160 References

- 161 Adámek, K., Novotný, J., Marwan, N., & Pánis, R. (2026). AccRQA library: Accelerating
162 recurrence quantification analysis. *The European Physical Journal Special Topics*. In press.
163 <https://doi.org/10.1140/epjs/s11734-026-02338-3>
- 164 Alberti, T., Lekscha, J., Consolini, G., Michelis, P. D., & Donner, R. V. (2020). Disentangling
165 nonlinear geomagnetic variability during magnetic storms and quiescence by timescale
166 dependent recurrence properties. *Journal of Space Weather and Space Climate*, 10, 25.
167 <https://doi.org/10.1051/swsc/2020026>
- 168 Amemiya, T., Shuto, S., Fujita, I., Shibata, K., Nakamura, K., Watanabe, M., & Yamaguchi,
169 T. (2025). Causal interaction of metabolic oscillations in monolayers of HeLa cervical
170 cancer cells: Emergence of complex networks. *Scientific Reports*, 15(1), 7423. <https://doi.org/10.1038/s41598-025-91711-8>
- 172 Angriman, E., Grinten, A. van der, Hamann, M., Meyerhenke, H., & Penschuck, M. (2022).
173 Algorithms for Large-Scale Network Analysis and the NetworKit Toolkit. In H. Bast, C.
174 Korzen, U. Meyer, & M. Penschuck (Eds.), *Algorithms for Big Data: DFG Priority Program*
175 *1736* (pp. 3–20). Springer Nature Switzerland. https://doi.org/10.1007/978-3-031-21534-6_1
- 177 Behnel, S., Bradshaw, R., Citro, C., Dalcin, L., Seljebotn, D. S., & Smith, K. (2011).
178 Cython: The Best of Both Worlds. *Computing in Science & Engineering*, 13(2), 31–39.
179 <https://doi.org/10.1109/MCSE.2010.118>
- 180 Bekeraitė, S., Stankevič, R., Juchnevičiūtė, I., Haaga, K. A., & Spiridonov, A. (2025).
181 Transitions and multistability in macroevolutionary dynamics of large mammals. *Acta*
182 *Palaeontologica Polonica*, 70(3), 479–494. <https://doi.org/10.4202/app.01145.2024>
- 183 Broadbent, E. M., & Phillipson, R. A. (2024). Correlated spectral and recurrence variations
184 of Cygnus X-1. *Monthly Notices of the Royal Astronomical Society*, 527(3), 7794–7809.
185 <https://doi.org/10.1093/mnras/stad3671>
- 186 Broni-Bedaiko, C., Katsriku, F. A., Unemi, T., Atsumi, M., Abdulai, J.-D., Shinomiya, N.,
187 & Owusu, E. (2019). El Niño–Southern Oscillation forecasting using complex networks
188 analysis of LSTM neural networks. *Artificial Life and Robotics*, 24(4), 445–451. <https://doi.org/10.1007/s10015-019-00540-2>
- 190 Bullmore, E., & Sporns, O. (2009). Complex brain networks: Graph theoretical analysis
191 of structural and functional systems. *Nature Reviews Neuroscience*, 10(3), 186–198.
192 <https://doi.org/10.1038/nrn2575>
- 193 Caesar, L., Rahmstorf, S., & Feulner, G. (2020). On the relationship between Atlantic

- meridional overturning circulation slowdown and global surface warming. *Environmental Research Letters*, 15(2), 024003. <https://doi.org/10.1088/1748-9326/ab63e3>
- Csárdi, G., & Nepusz, T. (2006). The igraph software package for complex network research. *InterJournal, Complex Systems*, 1695. <https://api.semanticscholar.org/CorpusID:16923281>
- Datseris, G. (2018). DynamicalSystems.jl: A Julia software library for chaos and nonlinear dynamics. *Journal of Open Source Software*, 3(23), 598. <https://doi.org/10.21105/joss.00598>
- Donges, J. F., Donner, R. V., Marwan, N., Breitenbach, S. F. M., Rehfeld, K., & Kurths, J. (2015). Non-linear regime shifts in Holocene Asian monsoon variability: Potential impacts on cultural change and migratory patterns. *Climate of the Past*, 11(5), 709–741. <https://doi.org/10.5194/cp-11-709-2015>
- Donges, J. F., Heitzig, J., Beronov, B., Wiedermann, M., Runge, J., Feng, Q. Y., Tupikina, L., Stolbova, V., Donner, R. V., Marwan, N., Dijkstra, H. A., & Kurths, J. (2015). Unified functional network and nonlinear time series analysis for complex systems science: The pyunicorn package. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 25(11), 113101. <https://doi.org/10.1063/1.4934554>
- Donges, J. F., Heitzig, J., Donner, R. V., & Kurths, J. (2012). Analytical framework for recurrence network analysis of time series. *Physical Review E*, 85(4), 046105. <https://doi.org/10.1103/PhysRevE.85.046105>
- Donges, J. F., Petrova, I., Loew, A., Marwan, N., & Kurths, J. (2015). How complex climate networks complement eigen techniques for the statistical analysis of climatological data. *Climate Dynamics*, 45(9), 2407–2424. <https://doi.org/10.1007/s00382-015-2479-3>
- Donges, J. F., Schultz, H. C. H., Marwan, N., Zou, Y., & Kurths, J. (2011). Investigating the topology of interacting networks: Theory and application to coupled climate subnetworks. *The European Physical Journal B*, 84(4), 635–651. <https://doi.org/10.1140/epjb/e2011-10795-8>
- Donges, J. F., Zou, Y., Marwan, N., & Kurths, J. (2009). Complex networks in climate dynamics: Comparing linear and nonlinear network construction methods. *The European Physical Journal Special Topics*, 174(1), 157–179. <https://doi.org/10.1140/epjst/e2009-01098-2>
- Donner, R. V., Balasis, G., Stolbova, V., Georgiou, M., Wiedermann, M., & Kurths, J. (2019). Recurrence-Based Quantification of Dynamical Complexity in the Earth's Magnetosphere at Geospace Storm Timescales. *Journal of Geophysical Research: Space Physics*, 124(1), 90–108. <https://doi.org/10.1029/2018JA025318>
- Ekhtiari, N., Ciemer, C., Kirsch, C., & Donner, R. V. (2021). Coupled network analysis revealing global monthly scale co-variability patterns between sea-surface temperatures and precipitation in dependence on the ENSO state. *The European Physical Journal Special Topics*, 230(14), 3019–3032. <https://doi.org/10.1140/epjs/s11734-021-00168-z>
- Feng, Q. Y., & Dijkstra, H. A. (2017). Climate network stability measures of El Niño variability. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 27(3), 035801. <https://doi.org/10.1063/1.4971784>
- Franke, J. G., & Donner, R. V. (2017). Dynamical anomalies in terrestrial proxies of North Atlantic climate variability during the last 2 ka. *Climatic Change*, 143(1), 87–100. <https://doi.org/10.1007/s10584-017-1979-z>
- Franke, J. G., Werner, J. P., & Donner, R. V. (2017). Reconstructing Late Holocene North Atlantic atmospheric circulation changes using functional paleoclimate networks. *Climate of the Past*, 13(11), 1593–1608. <https://doi.org/10.5194/cp-13-1593-2017>
- Frolov, N., Pitsik, E., Maksimenko, V., & Hramov, A. (2023). Applying recurrence time

- 242 entropy to identify changes in event-related potentials. *The European Physical Journal*
 243 *Special Topics*, 232(1), 161–168. <https://doi.org/10.1140/epjs/s11734-022-00743-y>
- 244 Garcia, C. A., & Sawitzki, G. (2026). *nonlinearTseries: Nonlinear Time Series Analysis*.
 245 <https://doi.org/10.32614/CRAN.package.nonlinearTseries>
- 246 Geier, C., Stender, M., & Hoffmann, N. (2024). Building functional networks for complex
 247 response analysis in systems of coupled nonlinear oscillators. *Journal of Sound and Vibration*,
 248 590, 118544. <https://doi.org/10.1016/j.jsv.2024.118544>
- 249 George, S. V., Kachhara, S., Misra, R., & Ambika, G. (2020). Early warning signals indicate a
 250 critical transition in Betelgeuse. *Astronomy & Astrophysics*, 640, L21. <https://doi.org/10.1051/0004-6361/202038785>
- 252 Haas, M., Goswami, B., & Luxburg, U. von. (2023). Pitfalls of Climate Network
 253 Construction—A Statistical Perspective. *Journal of Climate*, 36(10), 3321–3342.
 254 <https://doi.org/10.1175/JCLI-D-22-0549.1>
- 255 Hagberg, A. A., Schult, D. A., & Swart, P. J. (2008). Exploring network structure, dynamics,
 256 and function using NetworkX. *Python in Science Conference*. <https://doi.org/10.25080/TCWV9851>
- 258 Heitzig, J., Donges, J. F., Zou, Y., Marwan, N., & Kurths, J. (2012). Node-weighted measures
 259 for complex networks with spatially embedded, sampled, or differently sized nodes. *The*
 260 *European Physical Journal B*, 85(1), 38. <https://doi.org/10.1140/epjb/e2011-20678-7>
- 261 Hobbs, B., & Ord, A. (2018). Nonlinear dynamical analysis of GNSS data: Quantification,
 262 precursors and synchronisation. *Progress in Earth and Planetary Science*, 5(1), 36. <https://doi.org/10.1186/s40645-018-0193-6>
- 264 Huang, W.-Q., Zhuang, X.-T., & Yao, S. (2009). A network analysis of the Chinese stock
 265 market. *Physica A: Statistical Mechanics and Its Applications*, 388(14), 2956–2964.
 266 <https://doi.org/10.1016/j.physa.2009.03.028>
- 267 Jiang, J., Liu, Y., Meng, J., Wu, G., He, B., Ma, T., Bao, W., & Fan, J. (2024). Dry soil
 268 moisture on the Tibetan plateau drives synchronous extreme heatwaves in Europe and East
 269 Asia. *Npj Climate and Atmospheric Science*, 7(1), 281. <https://doi.org/10.1038/s41612-024-00831-x>
- 271 Lacasa, L., Luque, B., Ballesteros, F., Luque, J., & Nuño, J. C. (2008). From time series to
 272 complex networks: The visibility graph. *Proceedings of the National Academy of Sciences*,
 273 105(13), 4972–4975. <https://doi.org/10.1073/pnas.0709247105>
- 274 Lechner, S., & Northoff, G. (2024). Abnormal resting-state EEG phase dynamics distinguishes
 275 major depressive disorder and bipolar disorder. *Journal of Affective Disorders*, 359, 269–276.
 276 <https://doi.org/10.1016/j.jad.2024.05.095>
- 277 Lekscha, J., & Donner, R. V. (2018). Phase space reconstruction for non-uniformly sampled
 278 noisy time series. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 28(8), 085702.
 279 <https://doi.org/10.1063/1.5023860>
- 280 Lekscha, J., & Donner, R. V. (2020). Detecting dynamical anomalies in time series from
 281 different palaeoclimate proxy archives using windowed recurrence network analysis.
 282 *Nonlinear Processes in Geophysics*, 27(2), 261–275. <https://doi.org/10.5194/npg-27-261-2020>
- 284 Li, X., Zhang, L., Hu, C., Wang, G., Liu, L., Tang, Z., Zhao, L., Li, X., & Xia, J. (2026).
 285 Anthropogenic Forcing Amplifies Concurrent Risk of Pluvial Pakistan–Hot Yangtze. *Water*
 286 *Resources Research*, 62(4), e2025WR041185. <https://doi.org/10.1029/2025WR041185>
- 287 Maksimenko, V. A., Frolov, N. S., Hramov, A. E., Runnova, A. E., Grubov, V. V., Kurths,
 288 J., & Pisarchik, A. N. (2019). Neural Interactions in a Spatially-Distributed Cortical

- 289 Network During Perceptual Decision-Making. *Frontiers in Behavioral Neuroscience*, 13(220).
290 <https://doi.org/10.3389/fnbeh.2019.00220>
- 291 Marwan, N. (2024). *CRP Toolbox* (Version 5.29R38). [https://tocsy.pik-potsdam.de/](https://tocsy.pik-potsdam.de/CRPtoolbox)
292 [CRPtoolbox](https://tocsy.pik-potsdam.de/CRPtoolbox)
- 293 Marwan, N., Carmenromano, M., Thiel, M., & Kurths, J. (2007). Recurrence plots for the
294 analysis of complex systems. *Physics Reports*, 438(5-6), 237–329. [https://doi.org/10.](https://doi.org/10.1016/j.physrep.2006.11.001)
295 [1016/j.physrep.2006.11.001](https://doi.org/10.1016/j.physrep.2006.11.001)
- 296 Marwan, N., Donges, J. F., Donner, R. V., & Eroglu, D. (2021). Nonlinear time series
297 analysis of palaeoclimate proxy records. *Quaternary Science Reviews*, 274, 107245. <https://doi.org/10.1016/j.quascirev.2021.107245>
298 <https://doi.org/10.1016/j.quascirev.2021.107245>
- 299 Marwan, N., Donges, J. F., Zou, Y., Donner, R. V., & Kurths, J. (2009). Complex Network
300 Approach for Recurrence Analysis of Time Series. *Physics Letters A*, 373(46), 4246–4254.
301 <https://doi.org/10.1016/j.physleta.2009.09.042>
- 302 Medrano, J., Kheddar, A., Lesne, A., & Ramdani, S. (2021). Radius selection using kernel
303 density estimation for the computation of nonlinear measures. *Chaos: An Interdisciplinary*
304 *Journal of Nonlinear Science*, 31(8), 083131. <https://doi.org/10.1063/5.0055797>
- 305 Moinat, L., Kasparian, J., & Brunetti, M. (2024). Tipping detection using climate networks.
306 *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 34(12), 123161. <https://doi.org/10.1063/5.0230848>
307 <https://doi.org/10.1063/5.0230848>
- 308 Mullin, A., Nicholls, S., Pacey, H., Parker, M., White, M., & Williams, S. (2021). Does SUSY
309 have friends? A new approach for LHC event analysis. *Journal of High Energy Physics*,
310 2021(2), 160. [https://doi.org/10.1007/JHEP02\(2021\)160](https://doi.org/10.1007/JHEP02(2021)160)
- 311 Nocke, T., Buschmann, S., Donges, J. F., Marwan, N., Schulz, H.-J., & Tominski, C. (2015).
312 Review: Visual analytics of climate networks. *Nonlinear Processes in Geophysics*, 22(5),
313 545–570. <https://doi.org/10.5194/npg-22-545-2015>
- 314 Odenweller, A., & Donner, R. V. (2020). Disentangling synchrony from serial dependency in
315 paired-event time series. *Physical Review E*, 101(5), 052213. [https://doi.org/10.1103/](https://doi.org/10.1103/PhysRevE.101.052213)
316 [PhysRevE.101.052213](https://doi.org/10.1103/PhysRevE.101.052213)
- 317 Oluwole, O. S. A. (2017). Dynamic Regimes of El Niño Southern Oscillation and Influenza
318 Pandemic Timing. *Frontiers in Public Health*, 5(301). [https://doi.org/10.3389/fpubh.](https://doi.org/10.3389/fpubh.2017.00301)
319 [2017.00301](https://doi.org/10.3389/fpubh.2017.00301)
- 320 Peixoto, T. P. (2014). The graph-tool python library. *Figshare*. [https://doi.org/10.6084/m9.](https://doi.org/10.6084/m9.figshare.1164194)
321 [figshare.1164194](https://doi.org/10.6084/m9.figshare.1164194)
- 322 Peixoto, T. P. (2023). *Descriptive vs. Inferential community detection in networks: Pitfalls, myths and half-truths*. Cambridge University Press. [https://doi.org/10.1017/](https://doi.org/10.1017/9781009118897)
323 [9781009118897](https://doi.org/10.1017/9781009118897)
324 <https://doi.org/10.1017/9781009118897>
- 325 Pessa, A. A. B., & Ribeiro, H. V. (2021). Ordpy: A Python package for data analysis with
326 permutation entropy and ordinal network methods. *Chaos: An Interdisciplinary Journal of*
327 *Nonlinear Science*, 31(6), 063110. <https://doi.org/10.1063/5.0049901>
- 328 Phillipson, R. A., Vogeley, M. S., & Boyd, P. T. (2023). Investigating non-linear and stochastic
329 hard X-ray variability of active galactic nuclei using recurrence analysis. *Monthly Notices*
330 *of the Royal Astronomical Society*, 518(3), 4372–4390. [https://doi.org/10.1093/mnras/](https://doi.org/10.1093/mnras/stac3419)
331 [stac3419](https://doi.org/10.1093/mnras/stac3419)
- 332 Rawald, T., Sips, M., & Marwan, N. (2017). PyRQA—Conducting recurrence quantification
333 analysis on very long time series efficiently. *Computers & Geosciences*, 104, 101–108.
334 <https://doi.org/10.1016/j.cageo.2016.11.016>
- 335 Sales, M. R., Mugnaine, M., Szezech, J. D., Viana, R. L., Caldas, I. L., Marwan, N., &

- 336 Kurths, J. (2023). Stickiness and recurrence plots: An entropy-based approach. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 33(3), 033140. <https://doi.org/10.1063/5.0140613>
- 337
- 338
- 339 Sales, M. R., Souza, L. C. de, Borin, D., Mugnaine, M., Szezech, J. D., Viana, R. L.,
- 340 Caldas, I. L., Leonel, E. D., & Antonopoulos, C. G. (2025). Dynamicalsys: A Python
- 341 toolkit for the analysis of dynamical systems. *Chaos, Solitons & Fractals*, 201, 117269.
- 342 <https://doi.org/10.1016/j.chaos.2025.117269>
- 343 Saves, P., Lafage, R., Bartoli, N., Diouane, Y., Bussemaker, J., Lefebvre, T., Hwang, J. T.,
- 344 Morlier, J., & Martins, J. R. R. A. (2024). SMT 2.0: A Surrogate Modeling Toolbox with
- 345 a focus on Hierarchical and Mixed Variables Gaussian Processes. *Advances in Engineering*
- 346 *Software*, 188, 103571. <https://doi.org/10.1016/j.advengsoft.2023.103571>
- 347 Schleussner, C.-F., Donges, J. F., Engemann, D. A., & Levermann, A. (2016). Clustered
- 348 marginalization of minorities during social transitions induced by co-evolution of behaviour
- 349 and network structure. *Scientific Reports*, 6(1), 30790. <https://doi.org/10.1038/srep30790>
- 350 Siebert, J., Groß, J., & Schroth, C. (2021). A Systematic Review of Packages for Time Series
- 351 Analysis. *Engineering Proceedings*, 5(1), 22. <https://doi.org/10.3390/engproc2021005022>
- 352 Silini, R., & Masoller, C. (2021). Fast and effective pseudo transfer entropy for bivariate data-
- 353 driven causal inference. *Scientific Reports*, 11(1), 8423. <https://doi.org/10.1038/s41598-021-87818-3>
- 354
- 355 Silva, V. F., Silva, M. E., Ribeiro, P., & Silva, F. (2021). Time series analysis via network
- 356 science: Concepts and algorithms. *WIREs Data Mining and Knowledge Discovery*, 11(3),
- 357 e1404. <https://doi.org/10.1002/widm.1404>
- 358 Subramaniam, N. P., Donges, J. F., & Hyttinen, J. (2015). Signatures of chaotic and
- 359 stochastic dynamics uncovered with ϵ -recurrence networks. *Proceedings of the Royal*
- 360 *Society A: Mathematical, Physical and Engineering Sciences*, 471(2183), 20150349. <https://doi.org/10.1098/rspa.2015.0349>
- 361
- 362 Sumit, K. M., Ayantika, D. C., Krishnan, R., & Dey, D. (2026). On emerging circulation
- 363 patterns driving the continued rise in heavy rains across western India. *Environmental*
- 364 *Research: Climate*, 5(2), 025006. <https://doi.org/10.1088/2752-5295/ae4a41>
- 365 Sun, A. Y., Xia, Y., Caldwell, T. G., & Hao, Z. (2018). Patterns of precipitation and soil
- 366 moisture extremes in Texas, US: A complex network analysis. *Advances in Water Resources*,
- 367 112, 203–213. <https://doi.org/10.1016/j.advwatres.2017.12.019>
- 368 Talavera-Soza, S., & Deuss, A. (2023). Constraining 3-D variations in mantle attenuation using
- 369 normal modes: Forward modelling and sensitivity tests. *Geophysical Journal International*,
- 370 233(2), 1097–1112. <https://doi.org/10.1093/gji/ggac499>
- 371 Virtanen, P., Gommers, R., Oliphant, T. E., Haberland, M., Reddy, T., Cournapeau, D.,
- 372 Burovski, E., Peterson, P., Weckesser, W., Bright, J., Walt, S. J. van der, Brett, M.,
- 373 Wilson, J., Millman, K. J., Mayorov, N., Nelson, A. R. J., Jones, E., Kern, R., Larson, E.,
- 374 ... Mulbregt, P. van. (2020). SciPy 1.0: Fundamental algorithms for scientific computing
- 375 in Python. *Nature Methods*, 17(3), 261–272. <https://doi.org/10.1038/s41592-019-0686-2>
- 376 Waxenegger-Wilfing, G., Sengupta, U., Martin, J., Armbruster, W., Hardi, J., Juniper, M.,
- 377 & Oswald, M. (2021). Early detection of thermoacoustic instabilities in a cryogenic
- 378 rocket thrust chamber using combustion noise features and machine learning. *Chaos: An*
- 379 *Interdisciplinary Journal of Nonlinear Science*, 31(6), 063128. <https://doi.org/10.1063/5.0038817>
- 380
- 381 Weber, I., & Oehr, C. R. (2022). NoLiTiA: An Open-Source Toolbox for Non-linear Time
- 382 Series Analysis. *Frontiers in Neuroinformatics*, 16(876012). <https://doi.org/10.3389/fninf.2022.876012>
- 383

- Wiedermann, M., Donges, J. F., Handorf, D., Kurths, J., & Donner, R. V. (2017). Hierarchical structures in Northern Hemispheric extratropical winter ocean–atmosphere interactions. *International Journal of Climatology*, 37(10), 3821–3836. <https://doi.org/10.1002/joc.4956>
- Wiedermann, M., Donges, J. F., Heitzig, J., & Kurths, J. (2013). Node-weighted interacting network measures improve the representation of real-world complex systems. *EPL (Europhysics Letters)*, 102(2), 28007. <https://doi.org/10.1209/0295-5075/102/28007>
- Wiedermann, M., Donges, J. F., Kurths, J., & Donner, R. V. (2016). Spatial network surrogates for disentangling complex system structure from spatial embedding of nodes. *Physical Review E*, 93(4), 042308. <https://doi.org/10.1103/PhysRevE.93.042308>
- Wiedermann, M., Radebach, A., Donges, J. F., Kurths, J., & Donner, R. V. (2016). A climate network-based index to discriminate different types of El Niño and La Niña. *Geophysical Research Letters*, 43(13), 7176–7185. <https://doi.org/10.1002/2016GL069119>
- Wolf, F., & Donner, R. V. (2021). Spatial organization of connectivity in functional climate networks describing event synchrony of heavy precipitation. *The European Physical Journal Special Topics*, 230(14), 3045–3063. <https://doi.org/10.1140/epjs/s11734-021-00166-1>
- Wolf, F., Ozturk, U., Cheung, K., & Donner, R. V. (2021). Spatiotemporal patterns of synchronous heavy rainfall events in East Asia during the Baiu season. *Earth System Dynamics*, 12(1), 295–312. <https://doi.org/10.5194/esd-12-295-2021>
- Wolf, F., Voigt, A., & Donner, R. V. (2021). A climate network perspective on the intertropical convergence zone. *Earth System Dynamics*, 12(1), 353–366. <https://doi.org/10.5194/esd-12-353-2021>
- Yuan, A. E., & Shou, W. (2024). A rigorous and versatile statistical test for correlations between stationary time series. *PLOS Biology*, 22(8), e3002758. <https://doi.org/10.1371/journal.pbio.3002758>
- Zanin, M. (2025). Irreversibility: A Python Package for Assessing and Manipulating the Time Irreversibility of Real-World Time Series. *Entropy*, 27(11), 1146. <https://doi.org/10.3390/e27111146>
- Zemp, D. C., Wiedermann, M., Kurths, J., Rammig, A., & Donges, J. F. (2014). Node-weighted measures for complex networks with directed and weighted edges for studying continental moisture recycling. *Europhysics Letters*, 107(5), 58005. <https://doi.org/10.1209/0295-5075/107/58005>
- Zhou, C., Zemanová, L., Zamora, G., Hilgetag, C. C., & Kurths, J. (2006). Hierarchical Organization Unveiled by Functional Connectivity in Complex Brain Networks. *Physical Review Letters*, 97(23), 238103. <https://doi.org/10.1103/PhysRevLett.97.238103>
- Zhou, C., Zemanová, L., Zamora-López, G., Hilgetag, C. C., & Kurths, J. (2007). Structure–function relationship in complex brain networks expressed by hierarchical synchronization. *New Journal of Physics*, 9(6), 178. <https://doi.org/10.1088/1367-2630/9/6/178>
- Zou, Y., Donner, R. V., Marwan, N., Donges, J. F., & Kurths, J. (2019). Complex network approaches to nonlinear time series analysis. *Physics Reports*, 787, 1–97. <https://doi.org/10.1016/j.physrep.2018.10.005>