

exoatlas: friendly Python code for exoplanet populations

Zach K. Berta-Thompson¹, Patcharapol Wachiraphan¹, Autumn Stephens¹, Mirielle Caradonna¹, Catriona Murray¹, Valerie Arriero¹, Jackson Avery¹, Girish M. Duvvuri², and Sebastian Pineda³

¹ Department of Astrophysical and Planetary Sciences, University of Colorado Boulder, USA ²

Department of Physics and Astronomy, Vanderbilt University, USA ³ Laboratory for Atmospheric

and Space Physics, University of Colorado Boulder, USA

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Ivelina Momcheva](#)

Reviewers:

- [@LorenzoMugnai](#)
- [@tedjohnson12](#)

Submitted: 01 July 2025

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](https://creativecommons.org/licenses/by/4.0/)).

In partnership with



AMERICAN
ASTRONOMICAL
SOCIETY

This article and software are linked with research article DOI [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft) update this with the DOI from AAS once you know it., published in the The Astrophysical Journal Letters - The name of the AAS journal..

Summary

Planets are complicated. Understanding how they work requires connecting individual objects to the context of broader populations. Exoplanets are easier to picture next to their closest Solar System archetypes, and planets in the Solar System are richer when seen alongside a growing community of known exoplanets in the Milky Way. The exoatlas toolkit provides a friendly Python interface for retrieving and working with populations of planets, aiming to simplify the process of placing worlds in context.

Statement of need

exoatlas was designed to meet a need among both researchers and educators for an intuitive Python tool to access planet populations. Particularly in working with students and junior scientists, for whom easy avenues for exploration and play would have particular benefit, significant barriers often frustrate attempts to perform the following tasks:

- retrieving basic properties for exoplanets + Solar System objects
- calculating derived planet quantities with propagated uncertainties
- comparing individual exoplanets to relevant comparison samples
- planning future telescope observations of known exoplanet systems
- making beautiful and up-to-date planet data visualizations

Online planetary data archives merge incredible curatorial efforts with powerful tools for data access and visualization. These archives include the NASA Exoplanet Archive ([Christiansen et al., 2025](https://exoplanet.nasa.gov/)), exoplanet.eu ([exoplanet.eu, 2025](https://exoplanet.eu/)), exo.MAST ([STScI, 2025](https://exomast.stsci.edu/)), the University of Geneva Data Analysis Center for Exoplanets ([Buchschacher & Alesina, 2019](https://data.unige.ch/exoplanets/)), TEPcat ([Southworth, 2011](https://tepcat.github.io/)), and the Open Exoplanet Catalog ([Rein, 2012](https://openexoplanet.github.io/)) for exoplanets, and the JPL Solar System Dynamics ([JPL, 2025](https://ssd.jpl.nasa.gov/)), IAU Minor Planet Center ([IAU, 2025](https://www.minorplanetcenter.net/)), and the NSSDCA Planetary Facts sheets ([Williams, 2025](https://nssdca.gsfc.nasa.gov/)) for Solar System objects. Through web portals, many of these archives enable the user to find or quickly create up-to-date plots of planetary properties. Through downloadable tables and/or application programming interfaces (APIs), they can provide raw or curated planetary properties with clear citations to the scientific literature. Drawing from these and other archives, tools like NASA's Eyes ([NASA, 2026](https://eyes.nasa.gov/)) and Stellarium ([Zotti et al., 2021](https://stellarium.net/)) allow the easy visualization of planetary orbits, and tools like Tapir ([Jensen, 2013](https://tapir.github.io/)), the Exoplanet Archive Transit and Ephemeris Service ([Christiansen et al., 2025](https://exoplanetarchive.github.io/)), and VarAstro ([Society, 2026](https://varastro.github.io/)) help plan new exoplanet observations.

exoatlas does not intend to replace any of these important archival efforts, web visualization

portals, or planning tools. The main gap that `exoatlas` aims to address is to support new calculations and creative visualizations by users who are fluent in Python but uninterested in carefully parsing complicated tables, calculating replacements for missing quantities, or manually propagating uncertainties into derived quantities. By trying to do a good job of these steps behind the scenes, `exoatlas` aims to provide an approachable interface for exploratory analysis, centering a strong focus on scientific storytelling and illuminating visualizations. The target audience is the scientist, educator, or student who wants to curiously explore one step beyond a web plot, to playfully interact with exoplanet and Solar System data in Python, to fussily adjust how data are filtered or plotted, and/or to easily integrate new planet discoveries into their workflow.

Mapping populations with `exoatlas`

The user interface for `exoatlas` centers around the Python `Population` class, with each `Population` object containing a standardized table of planet properties and methods for interacting with that table. `exoatlas` makes extensive use of `astropy` (Astropy Collaboration et al., 2022) to be as familiar as possible for modern astronomers, and it is thoroughly documented with astronomical audiences in mind at zkbt.github.io/exoatlas/.

- To retrieve planet data, `exoatlas` provides `Population` objects that automatically access archive data for exoplanets as well as Solar System major planets, minor planets, and moons. Exoplanet data come from the NASA Exoplanet Archive (Christiansen et al., 2025) API, and Solar System data come from the JPL Solar System Dynamics (JPL, 2025) API or small reformatted data tables included in the package repository itself. Whatever the original data source, all `Population` objects act similarly and have uniform nomenclature for accessing data columns. Planet quantities all have physical units attached with `astropy.units` to facilitate unit conversions and minimize conceptual errors. New `Population` objects can also be created from `astropy.table` tables, enabling custom datasets to be included.
- To calculate derived quantities for planets, a set of default methods are included within the core `Population` definition, or users may attach their own calculation methods. If data for a quantity is missing, calculations can be used to swap in alternate estimates; for example, a planet's semimajor axis a will attempt first to pull from the original data table, and then second to calculate a from the planet's period P and the star's mass M_* assuming Newton's Version of Kepler's Third Law $P^2 = 4\pi^2 a^3 / GM_*$, and then third to calculate from a transit-derived ratio a/R_* . Uncertainties on all derived quantities can be numerically propagated using the `astropy.uncertainty` framework, where distributions of samples are generated for each original table quantity, carried through calculations, and then used to estimate confidence intervals.
- To extract sets of planets meeting particular criteria, `Population` objects can be indexed, sliced, and masked to generate new smaller `Population` objects. Coupling familiar array or table operations into the creation of subpopulations enables nuanced filtering of datasets based on any combination of original archival table quantities, derived quantities, and/or quantity uncertainties.
- To plan telescope observations of known exoplanet systems, `exoatlas` can estimate the signal-to-noise (S/N) ratio achievable for exoplanet observables. As derived quantities, all S/N estimates can include propagated uncertainties, to help avoid biasing target samples toward systems with larger uncertainties. Using `astroplan` (Morris et al., 2018) and `astropy.coordinates` (Astropy Collaboration et al., 2022), `exoatlas` can determine local altitudes and azimuths for all elements in a `Population`, as well as upcoming opportunities to observe transits from ground-based telescopes (when the star is above the horizon, the Sun is down, and the planet is passing in front of the star). Including basic observation planning tools enables a workflow where targets can be filtered both by the estimated detectability of a signal and by whether a telescope can actually point at the system.

- To make explanatory illustrations of planet data, `exoatlas` includes a visual language to build up population comparison plots. The core elements of this visual language are the `Plottable` (a quantity that should be represented with certain scaling, limits, and labels), the `Map` (a panel expressing plottable quantities with position, size, or color), and the `Gallery` (a collection of maps with linked axes and/or datasets). Preset visualizations built from this language can offer quick contextual reference for a planet's fundamental properties, as in Figure 1, which was generated with only six lines of code:

```
from exoatlas import *
from exoatlas.visualizations import *

e = TransitingExoplanets()
s = SolarSystem()
h = e["HD209458b"]

PlanetGallery().build([e, s, h])
```




Figure 1: Example `exoatlas` visualization placing the first discovered transiting exoplanet HD209458b in context with other transiting exoplanets and the eight major Solar System planets. Errorbars use a color intensity that scales inversely with quantity uncertainties, to avoid giving undue visual weight to the least precise data.

Research, teaching, and learning

`exoatlas` was designed to support the researcher who wants to contextualize planet populations in papers, proposals, or talks, the educator who wants help connect lessons more immediately to real exoplanet and Solar System data, and the student who simply wants to learn a little more about oodles of neat planets. All these communities are encouraged try `exoatlas`, to ask for help, to suggest improvements, and/or to contribute code!

Acknowledgements

We acknowledge the long commitment federally-funded archives have made to preserving and sharing data with the scientific community, and the heroic efforts of the people who build, maintain, and continually improve those archives. This material is based upon work supported by the National Science Foundation under Grant No. 1945633.

References

- Astropy Collaboration, Price-Whelan, A. M., Lim, P. L., Earl, N., Starkman, N., Bradley, L., Shupe, D. L., Patil, A. A., Corrales, L., Brasseur, C. E., Nöthe, M., Donath, A., Tollerud, E., Morris, B. M., Ginsburg, A., Vaher, E., Weaver, B. A., Tocknell, J., Jamieson, W., ... Astropy Project Contributors. (2022). The Astropy Project: Sustaining and Growing a Community-oriented Open-source Project and the Latest Major Release (v5.0) of the Core Package. *935*(2), 167. <https://doi.org/10.3847/1538-4357/ac7c74>
- Buchschacher, N., & Alesina, F. (2019). DACE: New Available Visualisation and Analysis Tools for Exoplanet Research. In M. Molinaro, K. Shortridge, & F. Pasian (Eds.), *Astronomical data analysis software and systems XXVI* (Vol. 521, p. 757).
- Christiansen, J. L., McElroy, D. L., Harbut, M., Ciardi, D. R., Crane, M., Good, J., Hardegree-Ullman, K. K., Kesseli, A. Y., Lund, M. B., Lynn, M., Muthiar, A., Nilsson, R., Oluyide, T., Papin, M., Rivera, A., Swain, M., Susemihl, N. D., Tam, R., van Eyken, J., & Beichman, C. (2025). The NASA Exoplanet Archive and Exoplanet Follow-up Observing Program: Data, Tools, and Usage. *6*(8), 186. <https://doi.org/10.3847/PSJ/ade3c2>
- exoplanet.eu. (2025). *Exoplanet.eu*. <https://exoplanet.eu/catalog/>
- IAU. (2025). *Minor planet center*. <https://minorplanetcenter.net>
- Jensen, E. (2013). *Tapir: A web interface for transit/eclipse observability*. Astrophysics Source Code Library, record ascl:1306.007.
- JPL. (2025). *Solar system dynamics*. <https://ssd.jpl.nasa.gov>
- Morris, B. M., Tollerud, E., Sipőcz, B., Deil, C., Douglas, S. T., Berlanga Medina, J., Vyhmeister, K., Smith, T. R., Littlefair, S., Price-Whelan, A. M., Gee, W. T., & Jeschke, E. (2018). astroplan: An Open Source Observation Planning Package in Python. *155*(3), 128. <https://doi.org/10.3847/1538-3881/aaa47e>
- NASA. (2026). *NASA's eyes*. <https://science.nasa.gov/eyes/>
- Rein, H. (2012). A proposal for community driven and decentralized astronomical databases and the Open Exoplanet Catalogue. *arXiv e-Prints*, arXiv:1211.7121. <https://doi.org/10.48550/arXiv.1211.7121>
- Society, C. A. (2026). *VarAstro*. <https://var.astro.cz/en>
- Southworth, J. (2011). Homogeneous studies of transiting extrasolar planets - IV. Thirty systems with space-based light curves. *417*(3), 2166–2196. <https://doi.org/10.1111/j.1365-2966.2011.19399.x>
- STScI. (2025). *Exo.MAST*. <https://exo.mast.stsci.edu>
- Williams, D. R. (2025). *NSSDCA planetary fact sheets*. <https://nssdc.gsfc.nasa.gov/planetary/planetfact.html>
- Zotti, G., Hoffmann, S. M., Wolf, A., Chéreau, F., & Chéreau, G. (2021). Simulated Sky: Stellarium for Cultural Astronomy Research. *Journal of Skyscape Archaeology*, *6*(2). <https://doi.org/10.1558/jsa.17822>