

scphylo-tools: A Python toolkit for single-cell tumor phylogenetic analysis

Farid Rashidi Mehrabadi ¹

¹ Laboratory of Human Carcinogenesis, Center for Cancer Research, National Cancer Institute, National Institutes of Health, Bethesda, MD, United States of America

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [William Gearty](#) 

Reviewers:

- [@rachelicr](#)
- [@tushardave26](#)

Submitted: 11 January 2026

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

scphylo-tools is a Python library designed to unify single-cell tumor phylogeny inference methods. It addresses the lack of standardization in the field by providing a cohesive interface for data processing, tree reconstruction, visualization, and benchmarking. By streamlining these tasks, scphylo-tools empowers researchers with limited programming expertise to easily install and utilize complex inference methods, accelerates algorithm development, and ensures reproducible benchmarking of tumor phylogeny reconstruction methods.

Statement of Need

Cancer is a dynamic evolutionary process driven by the acquisition of somatic mutations and the competitive selection of clonal populations. Single-Cell Sequencing (SCS) technologies have enabled the profiling of genomic alterations at cellular resolution, offering unprecedented insights into intratumor heterogeneity (Navin et al., 2011; Wang et al., 2014). Elucidating the phylogenetic relationships between tumor cells is essential for understanding metastasis (Leung et al., 2017; Roper et al., 2020), drug resistance (Gopalan et al., 2021; Gruen et al., 2023; Kim & Simon, 2014), and clonal dynamics (Hirsch et al., 2025; Laks et al., 2019; Liu et al., 2025).

Reconstructing the evolutionary history of a tumor from SCS data presents unique computational challenges. These datasets are plagued by high noise levels, including Allele Drop-Out (ADO), false positives, missing data, and doublet artifacts (Malikić et al., 2021; Rashidi Mehrabadi, 2022). Consequently, a diverse array of computational tools has been developed to address these challenges, including stochastic methods like SCITE (Jahn et al., 2016), infSCITE (Kuipers et al., 2017), OncoNEM (Ross & Markowitz, 2016), SiFit (Zafar et al., 2017), and SiCloneFit (Zafar et al., 2019); combinatorial approaches such as PhISCS (Malikic et al., 2019), PhISCS-BnB (Sadeqi Azer et al., 2020), SPhyR (El-Kebir, 2018), ScisTree (Wu, 2019), gpps (Ciccolella, Soto Gomez, et al., 2020), and SASC (Ciccolella, Ricketts, et al., 2020); and specialized methods including HUNTRESS (Kizilkale et al., 2022), SCIPhI (Singer et al., 2018), and Scestial (Foroughmand-Araabi et al., 2022).

However, the software landscape remains highly fragmented. Existing methods typically function as standalone binaries or scripts with inconsistent input/output formats, rendering comparative analysis difficult. Researchers attempting to utilize these tools face a laborious process of installation, data conversion, and script wrapping. Furthermore, integrating these tools into modern Python-based environments (e.g., alongside SCANPY (F. A. Wolf et al., 2018) or Biopython (Cock et al., 2009)) often requires custom development. scphylo-tools addresses these challenges by providing a single, cohesive Python API that wraps independently developed standalone applications, including Trisicell (Mehrabadi et al., 2021), SCITE, PhISCS, and HUNTRESS.

41 The target audience includes computational biologists, bioinformaticians, and cancer researchers
42 who need to:

- 43 ▪ Compare multiple phylogeny inference methods on the same dataset
- 44 ▪ Benchmark new algorithms against established methods
- 45 ▪ Integrate tumor phylogeny analysis into existing Python workflows
- 46 ▪ Access curated single-cell cancer datasets for research

47 State of the Field

48 Several tools exist for tumor phylogeny inference, but none provide the unified framework
49 that scphylo-tools offers. Individual tools like SCITE, PhISCS, and HUNTRESS each
50 require separate installation, different input formats, and produce outputs that are not directly
51 comparable. Workflow frameworks like Snakemake or Nextflow could orchestrate these tools, but
52 would require significant custom development for format conversion and result standardization.

53 scphylo-tools distinguishes itself by:

- 54 1. **Unified Interface:** A consistent Python API across all wrapped methods, eliminating
55 format conversion overhead
- 56 2. **Comprehensive Metrics:** Built-in implementation of specialized tumor tree comparison
57 metrics (MLTD (Karpov et al., 2019), CASet/DISC (DiNardo et al., 2019), MP3
58 (Ciccolella, Bernardini, et al., 2020))
- 59 3. **Curated Datasets:** Direct access to published SCS datasets from landmark cancer
60 evolution studies (Gawad et al., 2014; Hou et al., 2012; Leung et al., 2017; Morita et al.,
61 2020; Wang et al., 2014; Y. Wolf et al., 2019)
- 62 4. **Ecosystem Integration:** Seamless integration with the Python scientific stack (NumPy,
63 NetworkX, Matplotlib)

64 Software Design

65 scphylo-tools follows a modular architecture inspired by established bioinformatics packages
66 like SCANPY. The design philosophy prioritizes:

67 **Modular Organization:** The package is organized into functional modules (io, pp, tl, pl, ul,
68 datasets) that mirror the phylogenetic analysis workflow. This separation allows users to
69 engage only with the components relevant to their needs.

70 **Consistent Abstractions:** All solver wrappers expose a uniform interface, handling input
71 formatting, binary execution, and output parsing internally. Trees are represented as NetworkX
72 DiGraph objects, enabling interoperability with the broader Python ecosystem.

73 **Extensibility:** New inference methods can be added by implementing a standard wrapper
74 interface, making the package straightforward to extend as new algorithms emerge.

75 **Reproducibility:** The datasets module provides versioned access to published datasets, and
76 the simulation engine enables controlled generation of synthetic data with known ground truths
77 for algorithm validation.

78 Key implementation decisions include using pandas DataFrames for genotype matrices
79 (facilitating data manipulation), NetworkX for tree structures (enabling standard graph
80 algorithms), and Matplotlib/Graphviz for visualization (providing publication-quality outputs).

81 Research Impact Statement

82 scphylo-tools has supported several published studies by providing unified access to the
83 standalone Trisicell application:

- 84 ▪ Analysis of melanoma subclonal evolution and immunotherapy resistance mechanisms
85 (Gruen et al., 2023)
- 86 ▪ Development of the Trisicell-PartF algorithm for evaluating inferred subclonal structures
87 (Mehrabadi et al., 2025)
- 88 ▪ Investigation of expressed mutation profiles in single cells (Mehrabadi et al., 2021)
- 89 ▪ Metastatic migration pattern analysis using single-cell methylation sequencing (Liu et
90 al., 2023, 2025)
- 91 ▪ Stochastic modeling of gene expression adaptation in tumor evolution (Hirsch et al.,
92 2025)

93 The package is available on PyPI. Documentation and tutorials are hosted on Read the Docs,
94 providing comprehensive guidance for new users.

95 AI Usage Disclosure

96 No generative AI tools were used in the development of the scphylo-tools software, the
97 writing of this manuscript, or the preparation of supporting documentation.

98 Acknowledgements

99 We acknowledge the contributions of the open-source community and the authors of the
100 underlying algorithms whose work is wrapped within this toolkit. This work was supported
101 by the Intramural Research Program of the National Institutes of Health, National Cancer
102 Institute.

103 References

- 104 Ciccolella, S., Bernardini, G., Denti, L., Bonizzoni, P., Previtali, M., & Della Vedova, G.
105 (2020). Triplet-based similarity score for fully multilabeled trees with poly-occurring labels.
106 *Bioinformatics*, 37(2), 178–184. <https://doi.org/10.1093/bioinformatics/btaa676>
- 107 Ciccolella, S., Ricketts, C., Soto Gomez, M., Patterson, M., Silverbush, D., Bonizzoni,
108 P., Hajirasouliha, I., & Della Vedova, G. (2020). Inferring cancer progression from
109 Single-Cell Sequencing while allowing mutation losses. *Bioinformatics*, 37(3), 326–333.
110 <https://doi.org/10.1093/bioinformatics/btaa722>
- 111 Ciccolella, S., Soto Gomez, M., Patterson, M. D., Della Vedova, G., Hajirasouliha, I., &
112 Bonizzoni, P. (2020). gpps: an ILP-based approach for inferring cancer progression with
113 mutation losses from single cell data. *BMC Bioinformatics*, 21(S1). <https://doi.org/10.1186/s12859-020-03736-7>
- 115 Cock, P. J. A., Antao, T., Chang, J. T., Chapman, B. A., Cox, C. J., Dalke, A., Friedberg,
116 I., Hamelryck, T., Kauff, F., Wilczynski, B., & Hoon, M. J. L. de. (2009). Biopython:
117 freely available Python tools for computational molecular biology and bioinformatics.
118 *Bioinformatics*, 25(11), 1422–1423. <https://doi.org/10.1093/bioinformatics/btp163>
- 119 DiNardo, Z., Tomlinson, K., Ritz, A., & Oesper, L. (2019). Distance measures for
120 tumor evolutionary trees. *Bioinformatics*, 36(7), 2090–2097. <https://doi.org/10.1093/bioinformatics/btz869>
- 122 El-Kebir, M. (2018). SPhyR: tumor phylogeny estimation from single-cell sequencing data under
123 loss and error. *Bioinformatics*, 34(17), i671–i679. <https://doi.org/10.1093/bioinformatics/bty589>
- 125 Foroughmand-Araabi, M.-H., Goliaei, S., & McHardy, A. C. (2022). Scestial: Fast and
126 accurate single-cell lineage tree inference based on a Steiner tree approximation algorithm.

- 127 *PLOS Computational Biology*, 18(8), e1009100. [https://doi.org/10.1371/journal.pcbi.](https://doi.org/10.1371/journal.pcbi.1009100)
128 [1009100](https://doi.org/10.1371/journal.pcbi.1009100)
- 129 Gawad, C., Koh, W., & Quake, S. R. (2014). Dissecting the clonal origins of childhood acute
130 lymphoblastic leukemia by single-cell genomics. *Proceedings of the National Academy of*
131 *Sciences*, 111(50), 17947–17952. <https://doi.org/10.1073/pnas.1420822111>
- 132 Gopalan, V., Singh, A., Rashidi Mehrabadi, F., Wang, L., Rupp, E., Arda, H. E., &
133 Hannehalli, S. (2021). A Transcriptionally Distinct Subpopulation of Healthy Acinar Cells
134 Exhibit Features of Pancreatic Progenitors and PDAC. *Cancer Research*, 81(15), 3958–3970.
135 <https://doi.org/10.1158/0008-5472.can-21-0427>
- 136 Gruen, C., Yang, H. H., Sassano, A., Wu, E., Gopalan, V., Marie, K. L., Castro, A., Mehrabadi,
137 F. R., Wu, C. H., Church, I., Needle, G. A., Smith, C., Chin, S., Ebersole, J., Marcelus,
138 C., Fon, A., Liu, H., Malikic, S., Sahinalp, C., ... Pérez-Guijarro, E. (2023). *Melanoma*
139 *clonal subline analysis uncovers heterogeneity-driven immunotherapy resistance mechanisms*.
140 <https://doi.org/10.1101/2023.04.03.535074>
- 141 Hirsch, M. G., Pal, S., Rashidi Mehrabadi, F., Malikic, S., Gruen, C., Sassano, A., Pérez-
142 Guijarro, E., Merlino, G., Sahinalp, S. C., Molloy, E. K., Day, C.-P., & Przytycka, T.
143 M. (2025). Stochastic modeling of single-cell gene expression adaptation reveals non-
144 genomic contribution to evolution of tumor subclones. *Cell Systems*, 16(1), 101156.
145 <https://doi.org/10.1016/j.cels.2024.11.013>
- 146 Hou, Y., Song, L., Zhu, P., Zhang, B., Tao, Y., Xu, X., Li, F., Wu, K., Liang, J., Shao, D.,
147 Wu, H., Ye, X., Ye, C., Wu, R., Jian, M., Chen, Y., Xie, W., Zhang, R., Chen, L., ... Wang,
148 J. (2012). Single-Cell Exome Sequencing and Monoclonal Evolution of a JAK2-Negative
149 Myeloproliferative Neoplasm. *Cell*, 148(5), 873–885. [https://doi.org/10.1016/j.cell.2012.](https://doi.org/10.1016/j.cell.2012.02.028)
150 [02.028](https://doi.org/10.1016/j.cell.2012.02.028)
- 151 Jahn, K., Kuipers, J., & Beerenwinkel, N. (2016). Tree inference for single-cell data. *Genome*
152 *Biology*, 17(1). <https://doi.org/10.1186/s13059-016-0936-x>
- 153 Karpov, N., Malikic, S., Rahman, Md. K., & Sahinalp, S. C. (2019). A multi-labeled tree
154 dissimilarity measure for comparing “clonal trees” of tumor progression. *Algorithms for*
155 *Molecular Biology*, 14(1). <https://doi.org/10.1186/s13015-019-0152-9>
- 156 Kim, K. I., & Simon, R. (2014). Using single cell sequencing data to model the evolutionary
157 history of a tumor. *BMC Bioinformatics*, 15(1). <https://doi.org/10.1186/1471-2105-15-27>
- 158 Kızılkale, C., Rashidi Mehrabadi, F., Sadeqi Azer, E., Pérez-Guijarro, E., Marie, K. L., Lee, M.
159 P., Day, C.-P., Merlino, G., Ergün, F., Buluç, A., Sahinalp, S. C., & Malikić, S. (2022). Fast
160 intratumor heterogeneity inference from single-cell sequencing data. *Nature Computational*
161 *Science*, 2(9), 577–583. <https://doi.org/10.1038/s43588-022-00298-x>
- 162 Kuipers, J., Jahn, K., Raphael, B. J., & Beerenwinkel, N. (2017). Single-cell sequencing data
163 reveal widespread recurrence and loss of mutational hits in the life histories of tumors.
164 *Genome Research*, 27(11), 1885–1894. <https://doi.org/10.1101/gr.220707.117>
- 165 Laks, E., McPherson, A., Zahn, H., Lai, D., Steif, A., Brimhall, J., Biele, J., Wang, B.,
166 Masud, T., Ting, J., Grewal, D., Nielsen, C., Leung, S., Bojilova, V., Smith, M., Golovko,
167 O., Poon, S., Eirew, P., Kabeer, F., ... Aparicio, S. (2019). Clonal Decomposition and
168 DNA Replication States Defined by Scaled Single-Cell Genome Sequencing. *Cell*, 179(5),
169 1207–1221.e22. <https://doi.org/10.1016/j.cell.2019.10.026>
- 170 Leung, M. L., Davis, A., Gao, R., Casasent, A., Wang, Y., Sei, E., Vilar, E., Maru, D.,
171 Kopetz, S., & Navin, N. E. (2017). Single-cell DNA sequencing reveals a late-dissemination
172 model in metastatic colorectal cancer. *Genome Research*, 27(8), 1287–1299. <https://doi.org/10.1101/gr.209973.116>
- 173
- 174 Liu, Y., Goretsky, A., Keskus, A. G., Malikic, S., Ahmad, T., Gertz, E. M., Mehrabadi, F.

- 175 R., Kelly, M., Hernandez, M., Seibert, C., Caravaca, J. M., Kline, K., Zhao, Y., Wu,
176 Y., Shrestha, B., Tran, B., Ghosh, A., Cui, X., Sassano, A., ... Kolmogorov, M. (2025).
177 *Long-read sequencing of single cell-derived melanoma subclones reveals divergent and*
178 *parallel genomic and epigenomic evolutionary trajectories.* [https://doi.org/10.1101/2025.](https://doi.org/10.1101/2025.08.28.672865)
179 [08.28.672865](https://doi.org/10.1101/2025.08.28.672865)
- 180 Liu, Y., Li, X. C., Rashidi Mehrabadi, F., Schäffer, A. A., Pratt, D., Crawford, D. R.,
181 Malikić, S., Molloy, E. K., Gopalan, V., Mount, S. M., Rupp, E., Aldape, K. D., &
182 Sahinalp, S. C. (2023). Single-cell methylation sequencing data reveal succinct metastatic
183 migration histories and tumor progression models. *Genome Research*, gr.277608.122.
184 <https://doi.org/10.1101/gr.277608.122>
- 185 Malikić, S., Mehrabadi, F. R., Ciccolella, S., Rahman, Md. K., Ricketts, C., Haghshenas,
186 E., Seidman, D., Hach, F., Hajirasouliha, I., & Sahinalp, S. C. (2019). PhISCS: a
187 combinatorial approach for subperfect tumor phylogeny reconstruction via integrative
188 use of single-cell and bulk sequencing data. *Genome Research*, 29(11), 1860–1877.
189 <https://doi.org/10.1101/gr.234435.118>
- 190 Malikić, S., Mehrabadi, F. R., Azer, E. S., Ebrahimabadi, M. H., & Sahinalp, S. C. (2021).
191 Studying the History of Tumor Evolution from Single-Cell Sequencing Data by Exploring
192 the Space of Binary Matrices. *Journal of Computational Biology*, 28(9), 857–879. <https://doi.org/10.1089/cmb.2020.0595>
193 <https://doi.org/10.1089/cmb.2020.0595>
- 194 Mehrabadi, F. R., Azer, E. S., Bridgers, J. D., Pérez-Guijarro, E., Marie, K. L., Yang, H. H.,
195 Gruen, C., Wu, C. H., Robinson, W., Liu, H., Kizilkale, C., Kelly, M. C., Smith, C., Chin,
196 S., Ebersole, J., Burkett, S., Buluc, A., Lee, M. P., Molloy, E. K., ... Sahinalp, S. C. (2025).
197 A Partition Function Algorithm to Evaluate Inferred Subclonal Structures in Single-Cell
198 Sequencing Data. In *Research in computational molecular biology* (pp. 409–413). Springer
199 Nature Switzerland. https://doi.org/10.1007/978-3-031-90252-9_50
- 200 Mehrabadi, F. R., Marie, K. L., Pérez-Guijarro, E., Malikić, S., Azer, E. S., Yang, H. H.,
201 Kizilkale, C., Gruen, C., Robinson, W., Liu, H., Kelly, M. C., Marcelus, C., Burkett, S.,
202 Buluç, A., Ergün, F., Lee, M. P., Merlino, G., Day, C.-P., & Sahinalp, S. C. (2021). *Profiles*
203 *of expressed mutations in single cells reveal subclonal expansion patterns and therapeutic*
204 *impact of intratumor heterogeneity.* <https://doi.org/10.1101/2021.03.26.437185>
- 205 Morita, K., Wang, F., Jahn, K., Hu, T., Tanaka, T., Sasaki, Y., Kuipers, J., Loghavi, S.,
206 Wang, S. A., Yan, Y., Furudate, K., Matthews, J., Little, L., Gumbs, C., Zhang, J., Song,
207 X., Thompson, E., Patel, K. P., Bueso-Ramos, C. E., ... Takahashi, K. (2020). Clonal
208 evolution of acute myeloid leukemia revealed by high-throughput single-cell genomics.
209 *Nature Communications*, 11(1). <https://doi.org/10.1038/s41467-020-19119-8>
- 210 Navin, N., Kendall, J., Troge, J., Andrews, P., Rodgers, L., McIndoo, J., Cook, K., Stepansky,
211 A., Levy, D., Esposito, D., Muthuswamy, L., Krasnitz, A., McCombie, W. R., Hicks, J., &
212 Wigler, M. (2011). Tumour evolution inferred by single-cell sequencing. *Nature*, 472(7341),
213 90–94. <https://doi.org/10.1038/nature09807>
- 214 Rashidi Mehrabadi, F. (2022). *Scalable tumor phylogeny inference and validation from single-*
215 *cell RNA or DNA data* [PhD thesis, Indiana University]. [https://www.proquest.com/](https://www.proquest.com/docview/2701106234/)
216 [docview/2701106234/](https://www.proquest.com/docview/2701106234/)
- 217 Roper, N., Brown, A.-L., Wei, J. S., Pack, S., Trindade, C., Kim, C., Restifo, O., Gao, S., Sindiri,
218 S., Mehrabadi, F., El Meskini, R., Ohler, Z. W., Maity, T. K., Venugopalan, A., Cultraro, C.
219 M., Akoth, E., Padiernos, E., Chen, H., Kesarwala, A., ... Guha, U. (2020). Clonal Evolution
220 and Heterogeneity of Osimertinib Acquired Resistance Mechanisms in EGFR Mutant Lung
221 Cancer. *Cell Reports Medicine*, 1(1), 100007. <https://doi.org/10.1016/j.xcrm.2020.100007>
- 222 Ross, E. M., & Markowetz, F. (2016). OncoNEM: inferring tumor evolution from single-cell
223 sequencing data. *Genome Biology*, 17(1). <https://doi.org/10.1186/s13059-016-0929-9>

- 224 Sadeqi Azer, E., Rashidi Mehrabadi, F., Malikić, S., Li, X. C., Bartok, O., Litchfield, K., Levy,
225 R., Samuels, Y., Schäffer, A. A., Gertz, E. M., Day, C.-P., Pérez-Guijarro, E., Marie, K., Lee,
226 M. P., Merlino, G., Ergun, F., & Sahinalp, S. C. (2020). PhISCS-BnB: a fast branch and
227 bound algorithm for the perfect tumor phylogeny reconstruction problem. *Bioinformatics*,
228 36(Supplement_1), i169–i176. <https://doi.org/10.1093/bioinformatics/btaa464>
- 229 Singer, J., Kuipers, J., Jahn, K., & Beerenwinkel, N. (2018). Single-cell mutation identification
230 via phylogenetic inference. *Nature Communications*, 9(1). <https://doi.org/10.1038/s41467-018-07627-7>
231
- 232 Wang, Y., Waters, J., Leung, M. L., Unruh, A., Roh, W., Shi, X., Chen, K., Scheet, P.,
233 Vattathil, S., Liang, H., Multani, A., Zhang, H., Zhao, R., Michor, F., Meric-Bernstam,
234 F., & Navin, N. E. (2014). Clonal evolution in breast cancer revealed by single nucleus
235 genome sequencing. *Nature*, 512(7513), 155–160. <https://doi.org/10.1038/nature13600>
- 236 Wolf, F. A., Angerer, P., & Theis, F. J. (2018). SCANPY: large-scale single-cell gene expression
237 data analysis. *Genome Biology*, 19(1). <https://doi.org/10.1186/s13059-017-1382-0>
- 238 Wolf, Y., Bartok, O., Patkar, S., Eli, G. B., Cohen, S., Litchfield, K., Levy, R., Jiménez-
239 Sánchez, A., Trabish, S., Lee, J. S., Karathia, H., Barnea, E., Day, C.-P., Cinnamon,
240 E., Stein, I., Solomon, A., Bitton, L., Pérez-Guijarro, E., Dubovik, T., ... Samuels, Y.
241 (2019). UVB-Induced Tumor Heterogeneity Diminishes Immune Response in Melanoma.
242 *Cell*, 179(1), 219–235.e21. <https://doi.org/10.1016/j.cell.2019.08.032>
- 243 Wu, Y. (2019). Accurate and efficient cell lineage tree inference from noisy single cell data:
244 the maximum likelihood perfect phylogeny approach. *Bioinformatics*, 36(3), 742–750.
245 <https://doi.org/10.1093/bioinformatics/btz676>
- 246 Zafar, H., Navin, N., Chen, K., & Nakhleh, L. (2019). SiCloneFit: Bayesian inference of
247 population structure, genotype, and phylogeny of tumor clones from single-cell genome
248 sequencing data. *Genome Research*, 29(11), 1847–1859. <https://doi.org/10.1101/gr.243121.118>
249
- 250 Zafar, H., Tzen, A., Navin, N., Chen, K., & Nakhleh, L. (2017). SiFit: inferring tumor
251 trees from single-cell sequencing data under finite-sites models. *Genome Biology*, 18(1).
252 <https://doi.org/10.1186/s13059-017-1311-2>