

FIRECODE: A Computational Chemistry Workflow Driver and Modular Hub

Nicolò Tampellini ¹ ¶

¹ Massachusetts Institute of Technology, USA ¶ Corresponding author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Evan Spotte-Smith](#) 

Reviewers:

- [@JacksonBurns](#)
- [@wongzit](#)

Submitted: 29 April 2026

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

Computational chemistry, the branch of this science dedicated to the modeling of molecular systems for the extraction of properties of interest, is experiencing a recent renaissance thanks to impressive advances in theoretical models enabling ever-faster simulations of complex processes via density functional theory (DFT), semiempirical, and machine-learned interatomic potentials (MLIPs). However, the reduced computational cost will only translate into faster and more robust modeling with the help of automation frameworks, where trivial human intervention does not become the new bottleneck of computational pipelines. FIRECODE aims at filling this need by providing a modular framework for generating and processing molecular ensembles.

Statement of need

FIRECODE is a modular workflow driver for computational chemistry written in Python. The code interfaces with a series of fast modern calculators (xTB ([Bannwarth et al., 2019](#)), tblite ([GitHub - Tblite/Tblite](#); [Katbashev et al., 2025](#)), AIMNET2 ([Anstine et al., 2024](#)), UMA ([Wood et al., 2025](#)), usually via ASE ([Ase / Ase · GitLab — Gitlab.com](#))) and exposes a series of workflows and utilities for geometry optimization, frequency analysis, one- and two-ended transition state search, and conformational search. When possible, these routines are implemented in a calculator-independent way, and almost all of these can be arbitrarily chained to one another to define a complex workflow.

The software was born out of necessity over the last five years of research in asymmetric catalysis: FIRECODE was designed to streamline the necessary use of multiple software and routines in the computational modeling of small molecules, in a single centralized hub. The program can be called via command line with a minimal plain text input file defining the workflow, or used as a Python library in jupyter notebooks. The modular nature of the software enables rapid addition of new features, facilitating external contributions, while also retaining a small installation footprint for the core library. The concise input syntax also offers a streamlined definition of workflows and software orchestration with no coding experience required.

State of the field

While a manifold of computational chemistry software exists, workflow utilities are less common, particularly in the free and open source community. Recently, version 6.0 of ORCA ([Neese et al., 2020](#); [Neese, 2022](#); [Tetenberg et al., 2026](#)) (free for academic use) started offering compound job functionality, which enables the chained execution of some core ORCA modules. The code is however not open source and functionality is limited to what is included in the ORCA program (*i.e.* no MLIPs, no similarity pruning, no ensemble processing...). While

ORCA workflows are more extensively implemented in WEASEL ([Faccts](#)), this is commercial, closed-source software.

The excellent AQME software ([Alegre-Requena et al., 2023](#)) features the most similar design philosophy to the one of this work. Key differences with FIRECODE, besides code architecture, lie in: 1) the main interaction platform of AQME happening via jupyter notebooks, while the software of this work favors the use of plain text input files, keeping the inputs as minimal as possible. 2) The present software having a reactivity-centered set of features, chiefly via fast semiempirical and ML calculators, over AQME's focus on DFT and on the generation of ensemble properties like spectra and molecular descriptors.

Other examples of related software, targeting the exposure of high-level primitives over structured workflows, include Cuby ([GitHub - Berquist/Cuby](#); [Řezáč, 2016](#)) (MD and high-level DFT) written in Ruby, and the popular ASE ([Ase / Ase · GitLab — Gitlab.com](#)), which is extensively used as a lower level interface for interacting with calculators in FIRECODE.

The development of this software from scratch was motivated by multiple reasons. First, a modern and flexible hub for running computational chemistry workflows, particularly tailored to modeling chemical reactivity and MLIPs, was lacking. While the benefit of developing standalone applications for specific tasks remains, their integration in a single hub permits automation and lowers the barrier of entry for adoption of both individual tools and workflows alike. Second, modern machine-learned interatomic potentials (MLIPs) are more conveniently ran via Python libraries like torch ([GitHub - Pytorch/Pytorch](#)), benefitting greatly from a Python-based workflow manager. Additional features like implicit delta solvation for gas phase-trained MLIPs¹ and numerical quasi-RRHO thermochemistry ([Grimme, 2012](#)) are additional core library functionalities that were not available in other actively maintained modules at the time of development.

Software design

The software is developed with the philosophy of maintaining the greatest amount of functionality and module interoperability with the minimal list of dependencies, which should ideally be as modern and lean as possible. All core dependencies are distributed via pypi, keeping the installation of the minimal version of the program down to a single command (`uv pip install firecode`).

Non-essential dependencies can be installed based on the desired calculator and interfaces to be used, all via conda/mamba.

The software implements various calculators (xTB ([Bannwarth et al., 2019](#)), tblite ([GitHub - Tblite/Tblite](#); [Katbashev et al., 2025](#)), AIMNET2 ([Anstine et al., 2024](#)), UMA ([Wood et al., 2025](#))) via ASE ([Ase / Ase · GitLab — Gitlab.com](#)), which can be used interchangeably in various ensemble routines. Other core libraries leveraged throughout the codebase are numpy ([GitHub - Numpy/Numpy](#)) for algebraic manipulations, networkx ([GitHub - Networkx/Networkx](#)) for graph utilities and prism_pruner ([GitHub - Ntampellini/Prism_pruner](#)) for the removal of duplicates. Sella ([GitHub - Zadorlab/Sella](#); [Hermes et al., 2019, 2021, 2022](#)) provides a saddle point optimizer, and rdkit ([GitHub - Rdkit/Rdkit](#)) is used for ETKDG ([Riniker & Landrum, 2015](#)) conformational searches and SMARTS substructure matching. The ML-FSM library ([GitHub - Thegomeslab/ML-FSM](#); [Marks & Gomes, 2025](#)) provides a two-ended TS search utility complementing ASE's implementation of the NEB method ([Ásgeirsson et al., 2021](#)).

Other standalone conformational search software is instead interfaced via subprocess calls and file-based I/O, like CREST ([Pracht et al., 2020, 2024](#)), ORCA's GOAT ([Souza, 2025](#)) and racerts ([GitHub - Digital-Chemistry-Laboratory/Racerts](#); [Schmid et al., 2026](#)).

¹That is, a calculator providing the energy and gradient differences between an atomic structure in an implicit solvent and the same structure in vacuum.

86 The modular nature of the calculators and interfaces allows the definition of complex workflows
87 in plain text files (input.txt):

```
firecode input.txt -n test_run
```

88 A second standalone executable exposes the core optimizer routines acting directly on structure
89 files:

```
firecode_opt conformers.xyz --opt --freq --solvent toluene [...]
```

90 Contributions by way of adding new routines (or interfaces) to the codebase is made
91 straightforward by design: individual “operators” (routines) are simply functions reading a
92 molecular .xyz file and returning the filename of the processed ensemble. Run information
93 can be accessed from the Embedder class or via environment variables.

```
def center_operator(filename: str, embedder: Embedder) -> str:
    """Example operator centering the molecule."""

    # the Embedder class stores global information
    embedder.avail_gpus # 1
    embedder.options.solvent # "ch2cl2"
    embedder.options.T # 298.15

    # get a copy of the molecule of interest
    mol = embedder.mols[filename]

    # center coordinates
    mol.coords[0] -= np.mean(mol.coords[0], axis=0)

    # save any data you might need later
    embedder.options.centered = True
    embedder.options.last_operator = "center"

    # write to global log
    embedder.log(f"--> Center operator: centered molecule {mol.basename}")

    # write outfile and return its name
    outfile = f"{mol.basename}_centered.xyz"
    mol.to_xyz(outfile)

    return outfile
```

94 Research impact statement

95 Since its earliest versions in 2021 (formerly TSCoDe), this software proved essential in
96 orchestrating asymmetric catalysis workflows with ensembles up to thousands of structures
97 (Huth et al., 2024; Marvich et al., 2026; Rozema et al., 2025; Tampellini et al., 2024, 2025;
98 Tampellini, Choi, et al., 2025). Adoption is slowly starting to grow with pypi reporting
99 ~150 downloads per month at the present time. Part of the core code was exported to
100 the prism_pruner library (GitHub - Ntampellini/Prism_pruner) to facilitate its adoption by
101 the computational chemistry startup Rowan (Rowan | ML-Powered Molecular Design and
102 Simulation — Rowansci.com) (not affiliated with the author).

103 AI usage disclosure

104 Generative AI tools (Claude, Gemini) were used in some cases to generate first drafts of Python
105 functions that were then manually curated line-by-line and interfaced with the rest of the
106 codebase by hand. No generative AI tools were used in the writing of this manuscript.

107 Acknowledgements

108 We acknowledge years of research support from both Alma Mater Studiorum - University of
109 Bologna (Prof. Giorgio Bencivenni and Prof. Paolo Righi) and Yale University (Prof. Scott J.
110 Miller). These environments provided both the computational resources to run and develop
111 the software as well as the primary problems it was designed to address and was stress-tested
112 against.

113 References

- 114 Alegre-Requena, J. V., Sowndarya S. V, S., Pérez-Soto, R., Alturaifi, T. M., & Paton, R.
115 S. (2023). AQME: Automated quantum mechanical environments for researchers and
116 educators [Journal Article]. *WIREs Computational Molecular Science*, 13(5), e1663.
117 <https://doi.org/10.1002/wcms.1663>
- 118 Anstine, D., Zubatyuk, R., & Isayev, O. (2024). AIMNet2: A neural network potential to meet
119 your neutral, charged, organic, and elemental-organic needs. This content is a preprint
120 and has not been peer-reviewed. [Journal Article]. *ChemRxiv*. [https://doi.org/10.26434/](https://doi.org/10.26434/chemrxiv-2023-296ch-v2)
121 [chemrxiv-2023-296ch-v2](https://doi.org/10.26434/chemrxiv-2023-296ch-v2)
- 122 *Ase / ase* · *GitLab* — [gitlab.com](https://gitlab.com/ase/ase). <https://gitlab.com/ase/ase>.
- 123 Ásgeirsson, V., Birgisson, B. O., Bjornsson, R., Becker, U., Neese, F., Riplinger, C., & Jónsson,
124 H. (2021). Nudged elastic band method for molecular reactions using energy-weighted
125 springs combined with eigenvector following [Journal Article]. *Journal of Chemical Theory*
126 *and Computation*, 17(8), 4929–4945. <https://doi.org/10.1021/acs.jctc.1c00462>
- 127 Bannwarth, C., Ehlert, S., & Grimme, S. (2019). GFN2-xTB—an accurate and
128 broadly parametrized self-consistent tight-binding quantum chemical method with
129 multipole electrostatics and density-dependent dispersion contributions [Journal
130 Article]. *Journal of Chemical Theory and Computation*, 15(3), 1652–1671.
131 <https://doi.org/10.1021/acs.jctc.8b01176>
- 132 *Faccts. Weasel - FACCTs* — [faccts.de](https://www.faccts.de/weasel/). <https://www.faccts.de/weasel/>.
- 133 *GitHub - berquist/cuby: A copy of cuby, a computational chemistry framework written in Ruby.*
134 — [github.com](https://github.com/berquist/cuby). <https://github.com/berquist/cuby>.
- 135 *GitHub - digital-chemistry-laboratory/racerts: A python package for efficient conformer*
136 *sampling for transition states* — [github.com](https://github.com/digital-chemistry-laboratory/racerts). <https://github.com/digital-chemistry-laboratory/racerts>.
- 137
- 138 *GitHub - networkx/networkx: Network Analysis in Python* — [github.com](https://github.com/networkx/networkx). <https://github.com/networkx/networkx>.
- 139
- 140 *GitHub - ntampellini/prism_pruner: Similarity pruning engine for conformational ensembles* —
141 [github.com](https://github.com/ntampellini/prism_pruner). https://github.com/ntampellini/prism_pruner.
- 142 *GitHub - numpy/numpy: The fundamental package for scientific computing with Python.* —
143 [github.com](https://github.com/numpy/numpy). <https://github.com/numpy/numpy>.
- 144 *GitHub - pytorch/pytorch: Tensors and Dynamic neural networks in Python with strong GPU*
145 *acceleration* — [github.com](https://github.com/pytorch/pytorch). <https://github.com/pytorch/pytorch>.

- 146 GitHub - rdkit/rdkit: The official sources for the RDKit library — github.com. <https://github.com/rdkit/rdkit>.
147
- 148 GitHub - tblite/tblite: Light-weight tight-binding framework — github.com. <https://github.com/tblite/tblite>.
149
- 150 GitHub - thegomeslab/ML-FSM: Public FSM implementation with support for ML-based
151 potential energy surfaces — github.com. <https://github.com/thegomeslab/ML-FSM>.
- 152 GitHub - zadorlab/sella: A Python software package for saddle point optimization and
153 minimization of atomic systems. — github.com. <https://github.com/zadorlab/sella>.
- 154 Grimme, S. (2012). Supramolecular binding thermodynamics by dispersion-corrected density
155 functional theory [Journal Article]. *Chemistry – A European Journal*, 18(32), 9955–9964.
156 <https://doi.org/10.1002/chem.201200497>
- 157 Hermes, E. D., Sargsyan, K., Najm, H. N., & Zádor, J. (2019). Accelerated saddle point
158 refinement through full exploitation of partial hessian diagonalization [Journal Article].
159 *Journal of Chemical Theory and Computation*, 15(11), 6536–6549. <https://doi.org/10.1021/acs.jctc.9b00869>
160
- 161 Hermes, E. D., Sargsyan, K., Najm, H. N., & Zádor, J. (2021). Geometry optimization speedup
162 through a geodesic approach to internal coordinates [Journal Article]. *The Journal of*
163 *Chemical Physics*, 155(9). <https://doi.org/10.1063/5.0060146>
- 164 Hermes, E. D., Sargsyan, K., Najm, H. N., & Zádor, J. (2022). Sella, an open-source
165 automation-friendly molecular saddle point optimizer [Journal Article]. *Journal of Chemical*
166 *Theory and Computation*, 18(11), 6974–6988. <https://doi.org/10.1021/acs.jctc.2c00395>
- 167 Huth, S. E., Tampellini, N., Guerrero, M. D., & Miller, S. J. (2024). Catalytic enantioselective
168 sulfoxidation of functionalized thioethers mediated by aspartic acid-containing peptides
169 [Journal Article]. *Organic Letters*, 26(32), 6872–6877. <https://doi.org/10.1021/acs.orglett.4c02452>
170
- 171 Katbashev, A., Stahn, M., Rose, T., Alizadeh, V., Friede, M., Plett, C., Steinbach, P., &
172 Ehlert, S. (2025). Overview on building blocks and applications of efficient and robust
173 extended tight binding [Journal Article]. *The Journal of Physical Chemistry A*, 129(10),
174 2667–2682. <https://doi.org/10.1021/acs.jpca.4c08263>
- 175 Marks, J., & Gomes, J. (2025). Incorporation of internal coordinates interpolation into the
176 freezing string method [Journal Article]. *Journal of Chemical Theory and Computation*,
177 21(23), 12110–12120. <https://doi.org/10.1021/acs.jctc.5c01492>
- 178 Marvich, H. M., Langner, O. C., Tampellini, N., & Miller, S. J. (2026). A bifunctional
179 aminoxyl–bipyridine peptide catalyst for the atroposelective copper-catalyzed aerobic
180 oxidation of biaryl diols [Journal Article]. *Journal of the American Chemical Society*,
181 148(22), 23032–23041. <https://doi.org/10.1021/jacs.6c04560>
- 182 Neese, F. (2022). Software update: The ORCA program system—version 5.0 [Journal Article].
183 *WIREs Computational Molecular Science*, 12(5), e1606. <https://doi.org/10.1002/wcms.1606>
184
- 185 Neese, F., Wennmohs, F., Becker, U., & Riplinger, C. (2020). The ORCA quantum chemistry
186 program package [Journal Article]. *The Journal of Chemical Physics*, 152(22), 224108.
187 <https://doi.org/10.1063/5.0004608>
- 188 Pracht, P., Bohle, F., & Grimme, S. (2020). Automated exploration of the low-energy chemical
189 space with fast quantum chemical methods [Journal Article]. *Physical Chemistry Chemical*
190 *Physics*, 22(14), 7169–7192. <https://doi.org/10.1039/C9CP06869D>
- 191 Pracht, P., Grimme, S., Bannwarth, C., Bohle, F., Ehlert, S., Feldmann, G., Gorges, J.,
192 Müller, M., Neudecker, T., Plett, C., Spicher, S., Steinbach, P., Wesołowski, P. A.,

- 193 & Zeller, F. (2024). CREST—a program for the exploration of low-energy molecular
194 chemical space [Journal Article]. *The Journal of Chemical Physics*, 160(11), 114110.
195 <https://doi.org/10.1063/5.0197592>
- 196 Řezáč, J. (2016). Cuby: An integrative framework for computational chemistry [Journal
197 Article]. *Journal of Computational Chemistry*, 37(13), 1230–1237. [https://doi.org/10.](https://doi.org/10.1002/jcc.24312)
198 [1002/jcc.24312](https://doi.org/10.1002/jcc.24312)
- 199 Riniker, S., & Landrum, G. A. (2015). Better informed distance geometry: Using what we know
200 to improve conformation generation [Journal Article]. *Journal of Chemical Information and*
201 *Modeling*, 55(12), 2562–2574. <https://doi.org/10.1021/acs.jcim.5b00654>
- 202 Rowan | ML-Powered Molecular Design and Simulation — rowansci.com. [https://rowansci.](https://rowansci.com/)
203 [com/](https://rowansci.com/).
- 204 Rozema, S. D., Tampellini, N., Rein, J., Sigman, M. S., Lin, S., & Miller, S. J. (2025).
205 Experimental lineage and computational analysis of a general aminoxyl-based oxidation
206 catalyst: Generality from substrate-specific interactions [Journal Article]. *ACS Catalysis*,
207 15(20), 17548–17557. <https://doi.org/10.1021/acscatal.5c05893>
- 208 Schmid, S. P., Seng, H., Kläy, T., & Jorner, K. (2026). Rapid generation of transition-state
209 conformer ensembles via constrained distance geometry [Journal Article]. *Journal of*
210 *Chemical Information and Modeling*, 66(5), 2777–2790. [https://doi.org/10.1021/acs.jcim.](https://doi.org/10.1021/acs.jcim.5c02794)
211 [5c02794](https://doi.org/10.1021/acs.jcim.5c02794)
- 212 Souza, B. de. (2025). GOAT: A global optimization algorithm for molecules and atomic
213 clusters [Journal Article]. *Angewandte Chemie International Edition*, 64(18), e202500393.
214 <https://doi.org/10.1002/anie.202500393>
- 215 Tampellini, N., Choi, E. S., & Miller, S. J. (2025). Peptide-catalyzed asymmetric amination of
216 sulfenamides enabled by DFT-guided catalyst optimization [Journal Article]. *Journal of the*
217 *American Chemical Society*, 147(44), 41122–41129. <https://doi.org/10.1021/jacs.5c15618>
- 218 Tampellini, N., Mercado, B. Q., & Miller, S. J. (2024). Scaffold-oriented asymmetric catalysis:
219 Conformational modulation of transition state multivalency during a catalyst-controlled
220 assembly of a pharmaceutically relevant atropisomer [Journal Article]. *Chemistry – A*
221 *European Journal*, 30(30), e202401109. <https://doi.org/10.1002/chem.202401109>
- 222 Tampellini, N., Mercado, B. Q., & Miller, S. J. (2025). Enantiocontrolled cyclization
223 to form chiral 7- and 8-membered rings unified by the same catalyst operating with
224 different mechanisms [Journal Article]. *Journal of the American Chemical Society*, 147(5),
225 4624–4630. <https://doi.org/10.1021/jacs.4c17080>
- 226 Tetenberg, T., Neugebauer, H., Plett, C., Santhosh, N., Bursch, M., & Riplinger, C. (2026).
227 ORCA meets python the ORCA python interface OPI [Journal Article]. *Journal of Chemical*
228 *Theory and Computation*, 22(10), 4951–4967. <https://doi.org/10.1021/acs.jctc.5c02141>
- 229 Wood, B. M., Dzamba, M., Fu, X., Gao, M., Shuaibi, M., Barroso-Luque, L., Abdelmaqsoud,
230 K., Gharakhanyan, V., Kitchin, J. R., & Levine, D. S. (2025). UMA: A family of universal
231 models for atoms [Journal Article]. *arXiv Preprint*. <https://arxiv.org/abs/2506.23971>