The Journal of Open Source Software

pathways: life cycle assessment of energy transition scenarios

Romain Sacchi [1] **and Alvaro J. Hahn-Menacho** [1,2]

1 Laboratory for Energy Systems Analysis, Centers for Energy and Environmental Sciences and Nuclear Engineering and Sciences, Paul Scherrer Institute, 5232 Villigen, Switzerland **2** Chair of Energy Systems Analysis, Institute of Energy and Process Engineering, ETH Zürich, 8092 Zürich, Switzerland

DOI: 10.xxxxxx/draft

Software

- Review
- Repository
- Archive

Editor: Frauke Wiese

Reviewers:

- @kcerva
- @marc-vdm

Submitted: 24 May 2024
Published: unpublished

License
Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

DRAFT

Summary

pathways is a Python package that conducts Life Cycle Assessment (LCA) to evaluate the environmental impacts of products, sectors, or transition scenarios over time. Unlike most energy (ESM) or integrated assessment models (IAM), pathways offers a clearer view on impacts caused by a scenario by considering supply chain relations between producers and consumers, thereby addressing direct and indirect emissions. Unlike the reported emissions in ESM and IAM scenarios, which focus primarily on operation, pathways allows reporting the environmental impacts of infrastructure build-up and decommissioning. Finally, scenarios can be characterized across a wide range of indicators which are usually not included in ESM or IAM: land use, water consumption, toxicity impacts, etc.

Statement of need

Most IAMs and ESMs project cost-optimized future energy supplies within specified greenhouse gas emissions trajectories, outlining changes needed in regional energy mixes for global warming mitigation (Riahi et al., 2017). Prospective Life Cycle Assessment (pLCA) is crucial for evaluating the environmental performance of existing and emerging production systems, with a growing body of literature in scenario-based pLCA for emerging technologies (Bisinella et al., 2021).

Extending present-day life-cycle inventories into the future using IAM outputs, initially explored by (Mendoza Beltran et al., 2018) and formalized by the Python library `premise` (Sacchi et al., 2022), forms the methodological basis for pLCA. Efforts in pLCA focus on improving forecasting accuracy. Performing scenario-wide LCAs with adjusted life cycle inventories at each time step has potential to enhance sustainability assessments, broadening focus beyond greenhouse gas emissions to include broader environmental impacts like land use, water consumption, and toxicity, addressing both direct and indirect emissions. However, system-wide LCA remains challenging due to computational costs and methodological complexities, such as defining functional units based on IAM outputs and resolving double-counting issues.

Several studies characterize energy scenarios with LCA, including (Gibon et al., 2015), (Rauner & Budzinski, 2017) and (Pehl et al., 2017), who quantified ESM or IAM scenario outputs using a hybrid-LCA framework. There is also the work of (Xu et al., 2020), who developed the ambitious EAFESA framework aiming for bidirectional coupling between ESM and LCA. Yet, these studies focused on specific sectors or technologies and have not yet generalized to broader scenarios and indicators, nor have they made their implementations widely available.

To address these challenges, the open-source library `pathways` utilizes the LCA framework `brightway` (Mutel, 2017) to systematically evaluate environmental impacts of energy transition scenarios. `pathways` works with data packages containing LCA matrices adjusted to each

time step of the ESM/IAM scenario, providing detailed and transparent insights into scenario environmental impacts. `pathways` works particularly well with data packages produced by `premise`, but can be used with any ESM/IAM scenarios and LCA databases. Using LCA matrices which have been modified to reflect the scenario's time-dependent technology mixes ensures a consistent and coherent characterization of said scenario.

Description

`pathways` reads a data package containing scenario data, mapping information, and LCA matrices. The data package should be a zip file containing the following files:

- `datapackage.json`: a JSON file describing the contents of the data package
- a `mapping` folder containing a `mapping.yaml` file that describes the mapping between the IAM scenario variables and the LCA datasets
- an `inventories` folder containing the LCA matrices as CSV files for each time step
- a `scenario_data` folder containing the scenario data as CSV files

`pathways` reads the scenario data files (1 in Figure 1), and iterates, for each time step and region, through technologies with a non-null production volume. For each technology, `pathways` retrieves the corresponding LCI dataset by looking it up in the mapping file (2 in Figure 1). The lookup indicates `pathways` which LCA matrices to fetch from the data package (3 in Figure 1). The LCA matrices are loaded in `bw2calc` (the LCA calculation module of `brightway`) and multiplied by the production volume (see 4 in Figure 1). The results are aggregated and saved in a dataframe, where impacts are broken down per technology, region, time step, geographical origin of impact, life-cycle stage and impact assessment method (6 in Figure 1).

Some post-processing is done on the inventory matrices, including dealing with double accounting. For this purpose, the original LCI database is adjusted by zeroing out all regional energy inputs that the energy system model accounts for and might demand during the system's life cycle, following the same workflow presented in (Volkart et al., 2018) (see 5 in Figure 1).

Finally, Global Sensitivity Analysis (GSA) can be performed on the results. Currently, `pathways` supports the use of the `SALib` library for GSA Iwanaga et al. (2022), notably the Delta Moment-Independent Measure (DMIM) method (Borgonovo, 2007), to rank the influence of the database exchanges on the results.

DRAFT



Figure 1: pathways workflow: from data package to impact assessment.

A detailed example notebook is available for using pathways with a sample data package.

Impact

By systematically updating and integrating LCA matrices over time, pathways improves the accuracy and relevance of environmental impact assessments for transition scenarios. This tool fosters greater alignment between LCAs and ESM/IAM outputs, enhancing the consistency and reliability of environmental assessments across different modelling platforms.

Additionally, pathways offers a detailed and structured workflow that enables IAM modellers to incorporate LCA into their analyses. This opens new avenues for these modellers to enhance the environmental dimension of their work.

Designed to be both reproducible and transparent, pathways facilitates collaboration and verification within the scientific community. This approach ensures that improvements in environmental impact assessments are accessible and beneficial to a broader range of stakeholders.

Conclusion

pathways is a tool that evaluates the environmental impacts of transition scenarios over time using time-adjusted and scenario-based LCA matrices. This approach allows for characterizing the environmental impacts of a scenario across a wide range of indicators, including land use, water consumption, toxicity impacts, etc. It also allows to attribute supply chain emissions to the final energy carriers, thus providing a more detailed and transparent view of the environmental impacts of a scenario.

Acknowledgements

The authors gratefully acknowledge the financial support from the Swiss State Secretariat for Education, Research and Innovation (SERI), under the Horizon Europe project PRISMA

DRAFT

(grant agreement no. 101081604). The authors also thank the Swiss Federal Office of Energy (SFOE) for the support in the development of the `premise` and `pathways` tools through the SWEET-SURE program.

References

Bisinella, V., Christensen, T. H., & Astrup, T. F. (2021). Future scenarios and life cycle assessment: systematic review and recommendations. *International Journal of Life Cycle Assessment*, *26*(11), 2143–2170. https://doi.org/10.1007/s11367-021-01954-6

Borgonovo, E. (2007). A new uncertainty importance measure. *Reliability Engineering & System Safety*, *92*(6), 771–784. https://doi.org/https://doi.org/10.1016/j.ress.2006.04.015

Gibon, T., Wood, R., Arvesen, A., Bergesen, J. D., Suh, S., & Hertwich, E. G. (2015). A Methodology for Integrated, Multiregional Life Cycle Assessment Scenarios under Large-Scale Technological Change. *Environmental Science and Technology*, *49*(18), 11218–11226. https://doi.org/10.1021/acs.est.5b01558

Herman, J., & Usher, W. (2017). SALib: An open-source python library for sensitivity analysis. *The Journal of Open Source Software*, *2*(9). https://doi.org/10.21105/joss.00097

Iwanaga, T., Usher, W., & Herman, J. (2022). Toward SALib 2.0: Advancing the accessibility and interpretability of global sensitivity analyses. *Socio-Environmental Systems Modelling*, *4*, 18155. https://doi.org/10.18174/sesmo.18155

Mendoza Beltran, A., Cox, B., Mutel, C., Vuuren, D. van, Vivanco, D. F., Deetman, S., Edelenbosch, O., Guinée, J., & Tukker, A. (2018). When the Background Matters: Using Scenarios from Integrated Assessment Models in Prospective Life Cycle Assessment. *Journal of Industrial Ecology*. https://doi.org/10.1111/jiec.12825

Mutel, C. (2017). Brightway: An open source framework for Life Cycle Assessment. *The Journal of Open Source Software*, *2*(12), 236. https://doi.org/10.21105/joss.00236

Pehl, M., Arvesen, A., Humpenöder, F., Popp, A., Hertwich, E. G., & Luderer, G. (2017). Understanding future emissions from low-carbon power systems by integration of life-cycle assessment and integrated energy modelling. *Nature Energy*, *2*(12), 939–945. https://doi.org/10.1038/s41560-017-0032-9

Rauner, S., & Budzinski, M. (2017). Holistic energy system modeling combining multi-objective optimization and life cycle assessment. *Environmental Research Letters*, *12*(12). https://doi.org/10.1088/1748-9326/aa914d

Riahi, K., Vuuren, D. P. van, Kriegler, E., Edmonds, J., O'Neill, B. C., Fujimori, S., Bauer, N., Calvin, K., Dellink, R., Fricko, O., Lutz, W., Popp, A., Cuaresma, J. C., KC, S., Leimbach, M., Jiang, L., Kram, T., Rao, S., Emmerling, J., … Tavoni, M. (2017). The Shared Socioeconomic Pathways and their energy, land use, and greenhouse gas emissions implications: An overview. *Global Environmental Change*, *42*, 153–168. https://doi.org/10.1016/j.gloenvcha.2016.05.009

Sacchi, R., Terlouw, T., Siala, K., Dirnaichner, A., Bauer, C., Cox, B., Mutel, C., Daioglou, V., & Luderer, G. (2022). PRospective EnvironMental Impact asSEment (premise): A streamlined approach to producing databases for prospective life cycle assessment using integrated assessment models. *Renewable and Sustainable Energy Reviews*, *160*, 112311. https://doi.org/10.1016/j.rser.2022.112311

Volkart, K., Mutel, C. L., & Panos, E. (2018). Integrating life cycle assessment and energy system modelling: Methodology and application to the world energy scenarios. *Sustainable Production and Consumption*, *16*, 121–133. https://doi.org/10.1016/j.spc.2018.07.001

DRAFT

Xu, L., Fuss, M., Poganietz, W. R., Jochem, P., Schreiber, S., Zoephel, C., & Brown, N. (2020). An Environmental Assessment Framework for Energy System Analysis (EAFESA): The method and its application to the European energy system transformation. *Journal of Cleaner Production*, *243*. https://doi.org/10.1016/j.jclepro.2019.118614

DRAFT