

NoiseModelling: an open-source software for outdoor noise mapping

Pierre Aumond¹, Nicolas Fortin¹, Valentin Le Bescond^{1¶}, Gwendall Petit¹, Judicaël Picaut¹, and Erwan Bocher²

¹ Univ Gustave Eiffel, CEREMA, UMRAE, F-44344 Bouguenais, France ² CNRS, Lab-STICC laboratory UMR 6285, Vannes, France ¶ Corresponding author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Fabian-Robert Stöter](#)

Reviewers:

- [@hendriks73](#)
- [@svchb](#)

Submitted: 18 November 2024

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#))




Figure 1: NoiseModelling Header

Summary

NoiseModelling is a library capable of producing noise maps at a variety of scales, from neighbourhood and metropolitan level to large infrastructure covering entire countries.

The tool integrates the CNOSSOS-EU road and rail traffic noise emission and CNOSSOS-EU propagation models (European Parliament and Council, 2015).

It is closely associated with the H2GIS (Bocher et al., 2015) and PostGIS (McKenna & Team, 2022) spatial databases in order to handle spatial features and to facilitate cross-analysis with other spatial data.

The NoiseModelling java library can be used independently or controlled through a graphical user interface.

It is freely available for use by researchers, educational institutions and private companies.

Statement of need

Noise has significant impacts on public health, comfort and biodiversity. Prolonged exposure to high noise levels can lead to health issues such as stress, sleep disturbances, and cardiovascular diseases (Chen et al., 2023). Additionally, noise can disrupt ecosystems, affecting wildlife and altering the natural behaviors of species (Sordello et al., 2020). Including noise in environmental assessments is essential to better prevent its negative effects and supports the development of more sustainable planning strategies.

It is therefore crucial to simulate and predict noise propagation in various environments. This provides a quantitative understanding of sound sources, enabling, for example, the assessment of noise mitigation measures and regulatory compliance.

Since 2019 and Directive (EU) 2015/996 (European Parliament and Council, 2015), the CNOSSOS-EU emission and propagation method must be used to produce strategic noise maps as described in Directive 2002/49/EC (European Parliament and Council, 2002).

The NoiseModelling library has been developed jointly by Gustave Eiffel University and CNRS in an effort to provide the engineering and scientific communities around the world with a fully free and open-source software to compute and explore noise maps and experiment with the underlying models.

To date, NoiseModelling has been applied in a variety of research projects and practical scenarios, including, but not limited to:

- Standard noise maps of the main transport infrastructures (Aumond et al., 2023).
- Dynamic noise maps from the coupling with several traffic models (Le Bescond et al., 2021), (Baclet et al., 2023), (Quintero et al., 2019), such as MATSim (Horni et al., 2016), SUMO (Lopez et al., 2018) and SymuVia (LICIT, n.d.).
- Sensitivity analysis of various aspects of the CNOSSOS-EU model (Aumond et al., 2021).
- Dynamic noise map from noise sensors with data assimilation methods (Lesieur et al., 2021).
- Noise quantification of specific sources such as sirens (Siliézar et al., 2023) or drones (Legriffon & Ruaud, 2024)

Other open-source tools can produce noise maps :

- Code_TYMPAN (EDF R&D, n.d.) is desktop application that focuses on industrial noise and is based on the ISO 9613-2 method.
- OpeNoise Map (Arpa Piemonte, 2024) is a QGIS plugin that only implements a simplified version of the CNOSSOS-EU method.
- The Sound Mapping Tools (Keyel et al., 2017), are open-source Python-based GIS tools designed to model anthropogenic noise propagation in natural ecosystems using SPreAD-GIS (Reed et al., 2012), NMSIMGIS and ISO 9613-2 within an ArcGIS environment.

NoiseModelling therefore occupies a distinctive position by providing CNOSSOS-EU road and railway modelling, sound propagation, three-dimensional spatial processing and an extensible open-source GIS framework in a single modelling environment.

Architecture

The overall architecture is illustrated on Figure 2 and is described below.




Figure 2: The NoiseModelling Architecture.

NoiseModelling is made of five main Java libraries:

- noisemodelling-emission: to determine the sound power level of rail or road traffic,
- noisemodelling-pathfinder: to find the cut profiles between the source-receiver pairs,
- noisemodelling-propagation: to compute the noise attenuation between the source-receiver pairs,
- noisemodelling-scripts: utility and processing scripts, exposed through a built-in web server with a graphical interface and through a command-line runner.
- noisemodelling-jdbc: to connect above librairies to a spatial database,

Note that the noisemodelling-jdbc library (JDBC = Java DataBase Connectivity) is central since it allows all libraries to communicate with each other as soon as the data are stored in a database. A connection wrapper facilitates the connection to the H2 database with its spatial extension H2GIS, as well as to a PostgreSQL database server with the PostGIS spatial extension.

Numerical Model

Emission models

The road and rail traffic emission models described in CNOSSOS-EU are implemented in NoiseModelling.

For road traffic, the user can choose coefficients between the Directive (EU) 2015/996 (European Parliament and Council, 2015) and its amendment Directive (EU) 2021/1226 (European Parliament and Council, 2020).

For rail traffic, the CNOSSOS-EU model is also implemented.

It is also possible to use custom emissions by entering noise power levels directly for point or line sound sources.

The code architecture permits other sound source types and/or other emission models to be implemented easily.

Path-finding method

The calculation of acoustic propagation between a sound source and a receiver is based on the determination of the paths travelled by the sound wave, in particular:

- The direct path from the source to the receiver, with diffraction passing over horizontal digital elevation model or over horizontal building edges if an obstacle is present,
- The reflected path, due to the specular reflections of sound on building walls with a given maximum amount of consecutive reflections (the order of reflection),
- The diffracted path, due to the diffraction of sound around buildings on vertical edges.

Some paths are illustrated in Figure 3.




Figure 3: Diffractions paths on horizontal and vertical planes.

The path-finding stage is the most time-consuming operation in the entire numerical simulation.

All objects in the simulation, such as building polygons, isolated walls and elements of the triangular elevation mesh, are placed in a fast R-Tree search structure.

When calculating specular reflections using the image-source method, the number of image sources increases rapidly with depth. This exponential growth is one of the main limitations of the image-source method for complex geometries or high-order reflections. Instead of generating image sources for each new source-receiver pair, NoiseModelling generates for each point receiver the image receiver's field of view for the walls within its range. When looking for potential walls for reflection, the search is then limited to intersecting the source position with the receiver view cones. This method is illustrated in Figure 4. Those precomputed view cones eliminate a lot of non-valid series of specular reflections.




Figure 4: Receiver view cones. (a) All receiver view cones that intersect the source point and its parent order view cone. (b) The only valid reflection is second order: it bounces first on the blue then on the yellow receiver view cone.

104 The output of the path-finding algorithm contains a list of vertical cut profiles between sources
105 and receivers, covering obstacles information such as buildings and terrain.

106 Propagation model

107 The CNOSSOS-EU propagation method describes how to compute the noise level at a given
108 receiver location based on the various noise sources in its surrounding along with a detailed
109 description of the environment (buildings, ground elevation, meteorological conditions etc.)
110 (European Parliament and Council, 2015).

111 Using the vertical cut profiles given by the path-finding algorithm, other propagation models
112 than the CNOSSOS-EU one can be implemented.

113 Validation

114 A major portion of the code base is covered by unit tests.

115 Tests that cover the model implementations are comparisons between the code and reference
116 documents and independent CNOSSOS-EU implementations. For propagation and path-finding
117 this is the ISO/TR 17534-4:2020 (ISO, 2020). For emission the comparison is done with
118 independent implementations. All discrepancies between our implementation and the references
119 can be identified in the source code through dedicated tests. The most important tests are
120 presented in a dedicated document.

121 Community

122 A substantial effort is being made to help newcomers get started with NoiseModelling, through
123 a clear documentation and through dedicated tutorials.

124 Every year since 2021, the community has gathered at NoiseModelling Days. These one- or
125 two-day online or hybrid sessions provide training for new users, as well as an opportunity
126 to discuss the work carried out by experienced users. At this annual meeting, progress and
127 prospects within the model are presented.

Acknowledgements

We would like to thank Arnaud Can, Olivier Chiello, Ndeye Maguette Diagne, David Ecoti re, Benoit Gauvreau, Gwena l Guillaume, Adrien Le Bellec, Sylvain Palominos and Su Qi for their valuable contributions to this project.

References

- Arpa Piemonte. (2024). *OpeNoise Map: a QGIS plugin to compute noise levels from point and road sources* (Version 2.2). <https://github.com/Arpapiemonte/openoise-map>
- Aumond, P., Can, A., Mallet, V., Gauvreau, B., & Guillaume, G. (2021). Global sensitivity analysis for road traffic noise modelling. *Applied Acoustics*, 176, 107899. <https://doi.org/10.1016/j.apacoust.2020.107899>
- Aumond, P., Cariou, S., Chiello, O., Ecoti re, D., Le Bellec, A., Maltete, D., Marconot, C., Fortin, N., Palominos, S., Petit, G., & Picaut, J. (2023). Strategic Noise Mapping in France to 2023: Coupling a national database with the open-source model NoiseModelling. *INTER-NOISE and NOISE-CON Congress and Conference Proceedings*, 265(5), 2617–2624. https://doi.org/10.3397/IN_2022_0367
- Baclet, S., Khoshkhan, K., Pourmoradnasseri, M., Rumpler, R., & Hadachi, A. (2023). Near-real-time dynamic noise mapping and exposure assessment using calibrated microscopic traffic simulations. *Transportation Research Part D: Transport and Environment*, 124, 103922. <https://doi.org/10.1016/j.trd.2023.103922>
- Bocher, E., Petit, G., Fortin, N., & Palominos, S. (2015, July). *H2GIS a spatial database to feed urban climate issues*. <https://shs.hal.science/halshs-01179756>
- Chen, X., Liu, M., Zuo, L., Wu, X., Chen, M., Li, X., An, T., Chen, L., Xu, W., Peng, S., Chen, H., Liang, X., & Hao, G. (2023). Environmental noise exposure and health outcomes: An umbrella review of systematic reviews and meta-analysis. *European Journal of Public Health*, 33(4), 725–731. <https://doi.org/10.1093/eurpub/ckad044>
- EDF R&D. (n.d.). *Code_TYMPAN: open-source software for industrial noise in the environment*. <https://sourceforge.net/projects/code-tympan/>
- European Parliament and Council. (2002). *Directive 2002/49/EC of the european parliament and of the council of 25 june 2002 relating to the assessment and management of environmental noise - declaration by the commission in the conciliation committee on the directive relating to the assessment and management of environmental noise*.
- European Parliament and Council. (2015). *Commission Directive (EU) 2015/996 of 19 May 2015 establishing common noise assessment methods according to Directive 2002/49/EC of the European Parliament and of the Council: Vols. OJ L*. <http://data.europa.eu/eli/dir/2015/996/oj/eng>
- European Parliament and Council. (2020). *Commission Directive (EU) 2021/1226 of 21 December 2020 amending, for the purposes of adapting to scientific and technical progress, Annex II to Directive 2002/49/EC of the European Parliament and of the Council as regards common noise assessment methods*.
- Horni, A., Nagel, K., & Axhausen, K. W. (Eds.). (2016). *The multi-agent transport simulation MATSim*. Ubiquity Press. <https://doi.org/10.5334/baw>
- ISO. (2020). *ISO/TR 17534-4:2020 : Acoustics — Software for the calculation of sound outdoors — Part 4: Recommendations for a quality assured implementation of the COMMISSION DIRECTIVE (EU) 2015/996 in software according to ISO 17534-1*. In *ISO*. <https://www.iso.org/cms/render/live/en/sites/isoorg/contents/data/standard/07/>

173 [21/72115.html](#)

174 Keyel, A. C., Reed, S. E., McKenna, M. F., & Wittemyer, G. (2017). Modeling anthropogenic
175 noise propagation using the sound mapping tools ArcGIS toolbox. *Environmental Modelling*
176 & *Software*, 97, 56–60.

177 Le Bescond, V., Can, A., Aumond, P., & Gastineau, P. (2021). Open-source modeling chain
178 for the dynamic assessment of road traffic noise exposure. *Transportation Research Part D:*
179 *Transport and Environment*, 94, 102793. <https://doi.org/10.1016/j.trd.2021.102793>

180 Legriffon, I., & Ruaud, E. (2024). Drone fleet noise impact calculation - a methodology. *INTER-*
181 *NOISE and NOISE-CON Congress and Conference Proceedings*, 270(10), 1675–1680.
182 https://doi.org/10.3397/IN_2024_3049

183 Lesieur, A., Mallet, V., Aumond, P., & Can, A. (2021). Data assimilation for urban noise
184 mapping with a meta-model. *Applied Acoustics*, 178, 107938. [https://doi.org/10.1016/j.](https://doi.org/10.1016/j.apacoust.2021.107938)
185 [apacoust.2021.107938](https://doi.org/10.1016/j.apacoust.2021.107938)

186 LICIT, E., Univ Gustave Eiffel. (n.d.). *Open-SymuVia: An open platform for dynamic traffic*
187 *simulation*. <https://github.com/Universite-Gustave-Eiffel/Open-SymuVia>

188 Lopez, P. A., Behrisch, M., Bieker-Walz, L., Erdmann, J., Flötteröd, Y.-P., Hilbrich, R., Lücken,
189 L., Rummel, J., Wagner, P., & Wießner, E. (2018). Microscopic traffic simulation using
190 SUMO. *2018 21st International Conference on Intelligent Transportation Systems (ITSC)*,
191 2575–2582. <https://doi.org/10.1109/ITSC.2018.8569938>

192 McKenna, J., & Team, P. (2022). *PostGIS 3.2.0, the olivier courtin release* (Version 3.2.0).
193 Zenodo. <https://doi.org/10.5281/zenodo.5879632>

194 Quintero, G., Aumond, P., Can, A., Balastegui, A., & Romeu, J. (2019). Statistical
195 requirements for noise mapping based on mobile measurements using bikes. *Applied*
196 *Acoustics*, 156, 271–278. <https://doi.org/10.1016/j.apacoust.2019.07.020>

197 Reed, S. E., Boggs, J. L., & Mann, J. P. (2012). A GIS tool for modeling anthropogenic noise
198 propagation in natural ecosystems. *Environmental Modelling & Software*, 37, 1–5.

199 Siliézar, J., Aumond, P., Can, A., Chapron, P., & Péroche, M. (2023). Case study on the
200 audibility of siren-driven alert systems. *Noise Mapping*, 10(1). [https://doi.org/10.1515/](https://doi.org/10.1515/noise-2022-0165)
201 [noise-2022-0165](https://doi.org/10.1515/noise-2022-0165)

202 Sordello, R., Ratel, O., Flamerie De Lachapelle, F., Leger, C., Dambry, A., & Vanpeene,
203 S. (2020). Evidence of the impact of noise pollution on biodiversity: A systematic map.
204 *Environmental Evidence*, 9(1), 20. <https://doi.org/10.1186/s13750-020-00202-y>