The Journal of Open Source Software

VERTEX-CFD: A multiphysics platform for fusion applications

Marco Delchini[1¶], Kellis Kincaid[1], Furkan Oz[1], Kalyan Gottiparthi[2], Jason W. DeGraw[3], Filipe L. Brandao[1], Doug Stefanski[4], Ryan Savery[5], Ryan Glasby[4], Taylor Erwin[4], Stuart Slattery[4], and Franklin Curtis[5]

1 Nuclear Energy and Fuel Cycle Division, Oak Ridge National Laboratory **2** National Center for Computation Science Division, Oak Ridge National Laboratory **3** Building and Transportation Division, Oak Ridge National Laboratory **4** Computational Science and Engineering Division, Oak Ridge National Laboratory **5** Enrichment Science and Engineering Division, Oak Ridge National Laboratory ¶ Corresponding author

DOI: 10.xxxxxx/draft

Software

- Review
- Repository
- Archive

Editor:

Submitted: 10 March 2025
Published: unpublished

License
Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

DRAFT

Summary:

The demand for high-performance computational fluid dynamics and multiphysics software packages has grown in recent years as a response to effort in complex engineering and research applications. Although the widespread deployment of high-performance computing (HPC) resources has enabled larger, more complex simulations to be conducted, few commercial or open-source software packages are available that (1) scale performantly on central processing unit (CPU) and graphical processing unit (GPU) computing architectures and (2) represent the multitude of physical processes relevant to these applications. The VERTEX-CFD software is developed to address this technical gap, with a special emphasis on high-fidelity multiphysics modeling of coupled turbulent fluid flow, heat transfer, and magnetohydrodynamics (MHD) for applications in fusion and fission energy and in other spaces. The VERTEX-CFD package was developed to solve the governing equations of these problems using a high-order continuous Galerkin finite element framework and fully implicit monolithic solvers. Special attention is being paid during the development process to verify and to validate the solver and to ensure performance portability across both CPU and GPU computing platforms. A comprehensive verification and validation (V&V) suite and unit tests were designed to assess the accuracy and convergence behavior of the VERTEX-CFD software for problems taken from the published literature.

Statement of need

Fusion energy development draws from a wide range of disciplines to describe design and to develop a functioning system. One challenging engineering task is to develop the fusion core component known as a "blanket." Because this component surrounds the burning plasma and must absorb almost all of the power from nuclear reactions, it must breed fuel, provide nuclear shielding, and provide energy deposition. Molten salt (MS) is a primary choice for cooling the blanket. A "salt blanket" in fusion energy is a layer of molten salt surrounding the fusion plasma. The molten salt acts as both a coolant and a material for neutron absorption, both of which are essential in fusion reactions. The salt blanket absorbs the high-energy neutrons produced by fusion, reducing the wear on reactor components, and converting some of the energy into heat for electricity generation. Molten salts have low electrical and thermal conductivity and experience lesser electromagnetic forces, but they are still turbulent. Heat transfer degradation in an MS flow caused by the reduction of turbulence by a magnetic field is a possible limitation of the MS blanket (R. M. Sergey Smolentsev & Abdou, 2005).

Two approaches are commonly adopted to predict MS flows exposed to a magnetic field: high-fidelity simulation (large-eddy simulation (LES) or direct numerical simulation (DNS)), and Reynolds-averaged Navier-Stokes (RANS) turbulence models. LESs can resolve turbulences at temporal and spatial scales at the expense of large HPC resources. Blanket design with LES is not possible because of current HPC limitations. Design optimization often requires multiple simulation runs to investigate performance under various conditions. The main technique that reduces the computational requirements of the analysis is the RANS turbulence model. This approach filters out the instantaneous velocity component, and the influence of the turbulence is modeled solely by the closure models. Turbulence modeling is a complex problem, and many turbulence models are available as described in the literature (Chen et al., 2022; Menter, 1992), albeit with many limitations (Castro et al., 2003). Furthermore, these models are not readily applicable to the MHD flows and would require modifications (M. A. Sergey Smolentsev Reza Miraghaie & Kunugi, 2002) because MHD effects introduce additional terms in the turbulence balance equations.

VERTEX-CFD is a new open-source package designed to address the modeling of MHD flows in complex geometries. It provides a robust multi-physics solver that can generate high-fidelity simulations by scaling on HPC platforms. VERTEX-CFD package also integrates artificial intelligence and machine learning (AI&ML) tools. These capabilities will provide the needed resources to extend the applicability of turbulence models to MHD flows, and perform design analysis.

Current capabilities and development workflow

Dependencies and deployment

The VERTEX-CFD package is an open-source code that is hosted on the Oak Ridge National Laboratory (ORNL) GitHub account https://github.com/ORNL/VERTEX-CFD. VERTEX-CFD is built on the Trilinos package (Trilinos Project Team, n.d.) that provides a suite of tools for code development on HPC platforms. It has been deployed on a wide variety of HPC platforms, ranging from small clusters to exascale computers including Summit (OLCF, 2024), Frontier (OLCF, 2024), and Perlmutter (NERSC, 2025).

Governing equations and discretization methods

The VERTEX-CFD software is still under active development and currently implements a set of partial differential equations (PDEs) discretized with a finite element method (FEM) and high-order temporal integrators: entropically damped artificial compressibility (EDAC) Navier-Stokes equations (Clausen, 2013), temperature equation, and induction-less MHD equations. Coupling between the different physics is ensured by source terms, including the buoyancy force f^B and the Lorentz force f^L. A conservative form of the set of PDEs is implemented in VERTEX-CFD, as shown in Equation 1, and it solves for pressure P, temperature T, velocity $\mathbf{u}$, and electric potential φ. Density ρ, heat capacity C_p, electrical conductivity σ, thermal conductivity k, and thermal expansion β are fluid properties and are all assumed to be constant. The external magnetic field, the reference temperature for buoyancy force, and the volumetric heat source are denoted by $\mathbf{B^0}$, T_0, and q''', respectively.

$$\begin{cases} \partial_t P + \nabla \cdot (P\mathbf{u}) = \frac{1}{M^2} \nabla \cdot (\frac{C_p \mu}{\gamma k} \nabla P) \\ \partial_t \rho \mathbf{u} + \rho(\mathbf{u} \cdot \nabla)\mathbf{u} = -\nabla P + \rho \nu \Delta \mathbf{u} + f^L - f^B \\ f^B = \rho \mathbf{g} \beta (T - T_0) \\ f^L = \mathbf{J} \times \mathbf{B^0} = \sigma \left(-\nabla \varphi \times \mathbf{B^0} + (\mathbf{B} \cdot \mathbf{u}) \cdot \mathbf{B^0} - ||\mathbf{B^0}||^2 \mathbf{u} \right) \\ \rho C_p \left(\partial_t T + \mathbf{u} \cdot \nabla T \right) = \nabla \cdot (k \nabla T) + q''' \\ \nabla \cdot (\sigma \nabla \varphi) = \nabla \cdot [\sigma \mathbf{u} \times \mathbf{B^0}] \end{cases} \tag{1}$$

The set of equations presented above can be augmented with RANS turbulence models and the wall-adapting local eddy (WALE) viscosity model (Nicoud & Ducros, 1999) to simulate turbulent flows. Solvers, FEMs, and other relevant tools are provided by the Trilinos package (Trilinos Project Team, n.d.). The VERTEX-CFD software is designed to scale and to be compatible with various CPU and GPU architectures on HPC platforms by leveraging Kokkos (Trott et al., 2022) programming language. VERTEX-CFD software has demonstrated second-order temporal and spatial accuracy (Delchini et al., 2024).

Development workflow: testing, validation and verification

The long-term objectives of the VERTEX-CFD project are to facilitate the addition of new physical models by relying on a plug-and-play architecture and to guarantee the correctness of the implemented model over time. New physics and equations are easily added to the global tree and allow for quick deployment of new physical models on HPC platforms.

Such approach can only be made possible by setting clear requirements and review processes for all developers contributing to the project code: any changes and additions to the source code are reviewed and tested before being merged. VERTEX-CFD software is tested daily on a continuous integration (CI) workflow hosted on the ORNL network. Each new physics is implemented in closure models with unit tests that are run on CPU and GPU nodes.

Physical models and coupling between equations were verified and validated against benchmark problems taken from the published literature: isothermal flows (Clausen, 2013; Lane & Loehrke, 1980; Taylor & Green, 1937), heated flows (Kuehn & Goldstein, 1976; Tritton, 1959), transient and steady-state cases, turbulent cases (NASA Langley Research Center, 2024; Nicoud & Ducros, 1999), and MHD flows (Smolentsev et al., 2015).

Conclusions and current development activities

VERTEX-CFD is an open-source CFD solver that relies on a finite element discretization method to solve for the incompressible Navier-Stokes equations coupled to a temperature equation and MHD equation. RANS turbulence models and LES models are also available. The code relies on the Trilinos package and offers a wide range of temporal integrators, solvers, and preconditioners to run on CPU- and GPU-enabled platforms. VERTEX-CFD software was verified and validated for steady and unsteady incompressible flows with benchmark cases taken from the published literature: natural convection, viscous heating, laminar flow over a circle, and turbulent channels. VERTEX-CFD software has also been demonstrated to scale on CPU (Perlmutter) and GPU (Perlmutter and Summit) architectures.

Development tasks are currently focusing on the following three main activities:

- Implementation of a conjugate heat transfer model.
- Coupling with TensorFlowLite (Abadi et al., 2015) for AI&ML applications.
- Implementation of wall function for RANS models to enable high-Reynolds turbulence models.
- Optimization of the source code for Frontier supercomputer (OLCF, 2024).

Acknowledgements

This work was funded by the Laboratory Directed Research and Development (LDRD) program at Oak Ridge National Laboratory. This manuscript has been authored by UT-Battelle, LLC, under contract DE-AC05-00OR22725 with the US Department of Energy (DOE). The US government retains and the publisher, by accepting the article for publication, acknowledges that the US government retains a nonexclusive, paid-up, irrevocable, worldwide license to

DRAFT

publish or reproduce the published form of this manuscript, or allow others to do so, for US government purposes. DOE will provide public access to these results of federally sponsored research in accordance with the DOE Public Access Plan.

References

Abadi, M., Agarwal, A., Barham, P., Brevdo, E., Chen, Z., Citro, C., Corrado, G. S., Davis, A., Dean, J., Devin, M., Ghemawat, S., Goodfellow, I., Harp, A., Irving, G., Isard, M., Jia, Y., Jozefowicz, R., Kaiser, L., Kudlur, M., … Zheng, X. (2015). *TensorFlow: Large-scale machine learning on heterogeneous systems*. https://www.tensorflow.org/

Castro, F., Palma, J. M. L. M., & Lopes, A. S. (2003). Simulation of the askervein flow. Part 1: Reynolds averaged navier–stokes equations (k turbulence model). *Boundary-Layer Meteorology*, *107*, 501–530. https://doi.org/10.1023/a:1022818327584

Chen, L., Smolentsev, S., & Ni, M.-J. (2022). Toward full simulations for a liquid metal blanket: Part 2. Computations of MHD flows with volumetric heating for a PbLi blanket prototype at ha 104 and gr 1012. *Nuclear Fusion*, *62*(2), 026042. https://doi.org/10.1088/1741-4326/ac3fea

Clausen, J. R. (2013). Entropically damped form of artificial compressibility for explicit simulation of incompressible flow. *Phys. Rev. E*, *87*, 013309. https://doi.org/10.1103/PhysRevE.87.013309

Delchini, M. O., Kincaid, K. C., Stefanski, D., Glasby, R., & Curtis, F. (2024). VERTEX-CFD: A MULTIPHYSICS SOLVER. *Transactions of the American Nuclear Society*, *130*(1), 1191–1194. https://doi.org/10.13182/T130-44950

Kuehn, T. H., & Goldstein, R. J. (1976). An experimental and theoretical study of natural convection in the annulus between horizontal concentric cylinders. *Journal of Fluid Mechanics*, *74*(4), 695–719. https://doi.org/10.1017/S0022112076002012

Lane, J. C., & Loehrke, R. I. (1980). Leading Edge Separation From a Blunt Plate at Low Reynolds Number. *Journal of Fluids Engineering*, *102*(4), 494–496. https://doi.org/10.1115/1.3240731

Menter, F. R. (1992). *Improved two-equation k-omega turbulence models for aerodynamic flows*. https://api.semanticscholar.org/CorpusID:140573363

NASA Langley Research Center. (2024). *Turbulence modeling resource*. https://turbmodels.larc.nasa.gov/

NERSC. (2025). *National energy research scientific computing center*. https://www.nersc.gov/

Nicoud, F., & Ducros, F. (1999). Subgrid-scale stress modelling based on the square of the velocity gradient tensor. *Flow, Turbulence and Combustion*, *62*(3), 183–200. https://doi.org/10.1023/A:1009995426001

OLCF. (2024). *Oak ridge leadership computing facility*. https://www.olcf.ornl.gov/

Sergey Smolentsev, M. A., Reza Miraghaie, & Kunugi, T. (2002). Application of the k–e model to open channel f lows in a magnetic field. *International Journal of Engineering Science*, *40*, 693–711.

Sergey Smolentsev, R. M., & Abdou, M. (2005). MHD effects on heat transfer in a molten salt blanket. *Fusion Science and Technology*, *47*(3), 559–563. https://doi.org/10.13182/FST05-A744

Smolentsev, S., Badia, S., Bhattacharyay, R., Bühler, L., Chen, L., Huang, Q., Jin, H.-G., Krasnov, D., Lee, D.-W., de les Valls, E. M., Mistrangelo, C., Munipalli, R., Ni, M.-J., Pashkevich, D., Patel, A., Pulugundla, G., Satyamurthy, P., Snegirev, A., Sviridov, V.,

DRAFT

… Zikanov, O. (2015). An approach to verification and validation of MHD codes for fusion applications. *Fusion Engineering and Design*, *100*, 65–72. https://doi.org/https://doi.org/10.1016/j.fusengdes.2014.04.049

Taylor, G. I., & Green, A. E. (1937). Mechanism of the production of small eddies from large ones. *Proceedings of the Royal Society of London. Series A, Mathematical and Physical Sciences*, *158*(895), 499–521. http://www.jstor.org/stable/96892

Trilinos Project Team. (n.d.). *Trilinos Project Website*.

Tritton, D. J. (1959). Experiments on the flow past a circular cylinder at low reynolds numbers. *Journal of Fluid Mechanics*, *6*(4), 547–567. https://doi.org/10.1017/S0022112059000829

Trott, C. R., Lebrun-Grandié, D., Arndt, D., Ciesko, J., Dang, V., Ellingwood, N., Gayatri, R., Harvey, E., Hollman, D. S., Ibanez, D., Liber, N., Madsen, J., Miles, J., Poliakoff, D., Powell, A., Rajamanickam, S., Simberg, M., Sunderland, D., Turcksin, B., & Wilke, J. (2022). Kokkos 3: Programming model extensions for the exascale era. *IEEE Transactions on Parallel and Distributed Systems*, *33*(4), 805–817. https://doi.org/10.1109/TPDS.2021.3097283

DRAFT