

EM27 Retrieval Pipeline: Automated EM27/SUN Data Processing

Moritz Oliveira Makowski¹✉, Frank Hase², Friedrich Klappenbach¹,
Andreas Luther¹, Lena Feld², Marlon Müller¹, Vyas Giridharan¹,
Catherine Fait³, and Jia Chen¹✉

¹ Technical University of Munich (TUM), Munich, Germany ² Karlsruhe Institute of Technology (KIT),
Karlsruhe, Germany ³ Finnish Meteorological Institute (FMI), Sodankylä, Finland ✉ Corresponding
author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) ✉
- [Repository](#) ✉
- [Archive](#) ✉

Editor: [Rachel Wegener](#) ✉

Reviewers:

- [@DS4Ag](#)
- [@dorchard](#)

Submitted: 03 December 2025

Published: unpublished

License

Authors of papers retain copyright
and release the work under a
Creative Commons Attribution 4.0
International License ([CC BY 4.0](#)).

Summary

The EM27/SUN (Gisi et al., 2011; Hase et al., 2016) is a Fourier-transform infrared (FTIR) spectrometer used to perform solar absorption measurements to derive column-averaged atmospheric concentrations of greenhouse gases (GHGs). In support of the European Space Agency (ESA), the COllaborative Carbon Column Observing Network (COCCON) has been established to offer a framework for the operation and data analysis of the EM27/SUN, ensuring the generation of fiducial GHG observations (Alberti et al., 2021; Frey et al., 2019; Herkommer et al., 2024). The process of estimating the column-averaged concentration of GHGs from the interferograms recorded by the EM27/SUN is called retrieval. The retrieval algorithm established in the COCCON community is PROFFAST (Hase et al., 1999; Hase, 2023; Sha et al., 2020). PROFFASTpylot (Feld et al., 2024) is an interface around PROFFAST that significantly reduces the complexity of running its retrievals.

The Munich Urban Carbon Column network (MUCCnet) consists of 5 EM27/SUN spectrometers deployed in and around Munich, Germany (Aigner et al., 2023; Dietrich et al., 2021; Heinle & Chen, 2018). Due to its autonomous operation since 2019, our research group generates a significant amount of EM27/SUN data. Processing this data in an automated and scalable way required us to extend the functionality of the PROFFASTpylot. Under the hood, we use the PROFFASTpylot to ensure consistency with the COCCON community. Figure 1 shows the current building blocks of the EM27 Retrieval Pipeline covering all stages from raw data to bundled retrieval results.




Figure 1: Modules of the EM27 Retrieval Pipeline. Red marks components of the EM27 Retrieval Pipeline, yellow marks input data, blue marks output data.

State of the Field

The EM27 Retrieval Pipeline is complementary to the PROFFASTpylot (Feld et al., 2024). In general, the more EM27/SUN measurement data one has to retrieve, the more benefits come from the higher degree of automation the pipeline offers. While not implementing 100% of the flexibility the PROFFASTpylot provides, this pipeline is flexible enough to be used by any EM27/SUN setup, adhering to COCCON processing standards. Since the EM27 Retrieval Pipeline is an automation layer on top of the underlying retrieval algorithm, it is algorithm-agnostic and could be extended to support GFIT (Connor et al., 2016; Zeng et al., 2021) or other algorithms.

GGG2014/GGG2020 (J. L. Laughner et al., 2024; Wunch et al., 2015) is the data processing suite of the Total Carbon Column Observing Network (TCCON) (Toon et al., 2009). It is built around the GFIT retrieval algorithm (Zeng et al., 2021) and offers a similar degree of automation as the PROFFASTpylot. Since the TCCON instruments are significantly larger and more complex to deploy than the EM27/SUN, the GGG processing suite does not explicitly account for frequent instrument redeployments.

Statement of Need

Human-induced climate change is one of the most pressing issues of our time, as it puts the stability of our Earth system at risk. Our civilization is built on that stability. Anthropogenic

GHG emissions, as well as natural sources and sinks of GHGs, have to be quantified to create targeted reduction policies, measure policy effectiveness, and identify new emission sources (Calvin et al., 2023).

The EM27/SUN is widely used to achieve these GHG flux estimations (Butz et al., 2017; Chen et al., 2016; Dietrich et al., 2021; Doc et al., 2025; Forstmaier et al., 2023; Hase et al., 2015; Jones et al., 2021; F. Klappenbach et al., 2015; Luther et al., 2019, 2022; Stauber et al., 2025; Tu et al., 2022; Vogel et al., 2019). Unlike the HR125 used by TCCON (Toon et al., 2009), the EM27/SUN can be transported and deployed at different and remote locations without much effort. Since 2016, the instruments of our permanent urban sensor network MUCCnet have been deployed at 3 locations in San Francisco (Friedrich Klappenbach et al., 2021), 4 in Hamburg (Forstmaier et al., 2023), 4 in Vienna (Luther et al., 2023), 12 in Poland (Luther et al., 2019, 2022), and 11 locations in Munich (Chen et al., 2018; Dietrich et al., 2021).

Figure 2 shows the XCO₂ timeseries of the MUCCnet instruments since September 2019. Running the retrievals for various instrument deployments and keeping track of all deployments over time requires an organizational system that this pipeline provides. To enable a large number of long-term observations with EM27/SUN spectrometers, such as the upcoming sensor networks of COCCON-Spain (García et al., 2024) and GEMINI-UK (Humpage et al., 2024), an improvement in automation is crucial. The EM27 Retrieval Pipeline addresses this.




Figure 2: XCO₂ retrievals from 2019-09-01 to 2025-11-01 for the five MUCCnet instruments (ma to me) and the KIT traveling reference (kc). The upper panel shows when each EM27/SUN instrument has been recording as part of which measurement campaign. The lower panel shows the corresponding one-minute mean XCO₂ retrieval results.

Software Design

We made the following architectural decisions to achieve this higher degree of automation and ease of use:

- **Configuration:** TOML configuration files are used to specify input/output paths, retrieval algorithm, start/end dates, and so on. These files are validated against JSON schemas (Pydantic, 2025; Wright et al., 2022) representing a strict set of rules for their structure and content. A misconfiguration will be detected at program start, as opposed to encountering a runtime exception when the code tries to use a dynamically typed

dictionary object that contains invalid configuration parameters. The schemas of the TOML files are rendered as an API reference in the documentation, enabling us to adequately document a large number of configuration parameters.

- **Metadata Management:** Metadata (where/when/how each sensor was set up) is provided as TOML files as well. These files can be stored locally or pulled from a GitHub repository, enabling centralized, version-controlled tracking of sensor deployments. Metadata systems used in different EM27/SUN teams can be easily translated into this pipeline's schema, which largely agrees with the schema proposed in Zeeman et al. (2024).
- **Parallelization and Containerization:** While the PROFFASTpylot parallelizes the individual steps of PROFFAST, the pipeline parallelizes the whole retrieval process by running one isolated retrieval job per instrument per day. Every result folder maintains the structure of an individual PROFFASTpylot run, but also contains all configuration files required to reproduce it.
- **Algorithm Support:** While each tagged release of the PROFFASTpylot supports a specific range of PROFFAST versions, the EM27 Retrieval Pipeline keeps support for all implemented retrieval algorithms and versions.
- **Caching/Implicit Scheduling:** Users do not have to define an explicit queue of jobs, but instead define a date range and a list of sensors. The downloading/retrieval/bundling will decide which jobs to run, i.e., only run the jobs where no output exists yet.
- **Testing:** The codebase is statically typed and checked with strict MyPy (Python, 2025) and Pyright (Microsoft, 2025), and includes unit- and end-to-end tests using Pytest (Krekel et al., 2024) covering all major functions and retrieval scenarios.

Furthermore, the pipeline adds features required to produce long-term EM27/SUN datasets:

- **A fully automated interface to obtain Ginput data:** It automates requests for atmospheric profiles in the GGG2014 (Wunch et al., 2015) or GGG2020 (J. L. Laughner et al., 2023, 2024) format from a Ginput server (J. Laughner et al., 2021; TCCON, 2025).
- **Bundling of retrieval results:** The raw retrieval outputs can be distributed over thousands of folders. The bundling routine merges these outputs into one file per sensor/retrieval algorithm/atmospheric profile, suitable for distribution.

For the full feature set of the pipeline, please refer to its GitHub repository at github.com/tum-esm/em27-retrieval-pipeline and documentation. For example, starting with version 1.8, the pipeline extracts important parameters from the given OPUS files using the OPUS-file reader of the tum-esm-utils library (Makowski et al., 2025).

Research Impact Statement

The pipeline was first established in 2021 (Rißmann et al., 2022) and has been used since 2022 to process our entire EM27/SUN dataset (Chen et al., 2024; Chen, Stauber, et al., 2025; Friedrich Klappenbach et al., 2024; Löw, Feld, et al., 2025; Luther et al., 2023; Stauber et al., 2025; Tang et al., 2024). The data generated by MUCCnet and the EM27 Retrieval Pipeline has been published to the ICOS Carbon Portal (Makowski et al., 2023, 2024) and the EVDC Portal (Chen, Makowski, et al., 2025a, 2025b; Löw, Makowski, et al., 2025) and is a crucial data input for the GHG modeling approaches developed with the grants listed below.

AI Usage Disclosure

GitHub Copilot was used for single line code-completions. Starting with pipeline version 1.11, OpenAI's Codex agent was used to make focused edits, write small utility functions, and find bugs. No generative AI model did any architectural decisions for this project. All code was reviewed and tested by human developers.

Acknowledgement of Financial Support

This work is funded by the Horizon 2020 ICOS Cities PAUL Project under [grant no. 101037319](#), the German Federal Ministry of Education and Research (BMBF) project 'Integrated Greenhouse Gas Monitoring System for Germany' (ITMS) under [grant no. 01LK2303B](#), and the ERC Consolidator Grant CoSense4Climate under [grant no. 101089203](#).

KIT acknowledges support by the ITMS grant for PROFFASTPylot development and maintenance, and support by ESA via the projects COCCON PROCEEDS (contract 4000121212/17/I-EF) and COCCON OPERA (contract 4000140431/23/I-DT-Ir) for COCCON code development and maintenance.

References

- Aigner, P. *, Makowski, M. *, Luther, A., Dietrich, F., & Chen, J. (2023). Pyra: Automated EM27/SUN greenhouse gas measurement software. *Journal of Open Source Software*, 8(84), 5131. <https://doi.org/10.21105/joss.05131>
- Alberti, C., Hase, F., Frey, M., Dubravica, D., Blumenstock, T., Dehn, A., Surawicz, G., Harig, R., & Orphal, J. (2021). *Improved calibration procedures for the EM27/SUN spectrometers of the COllaborative carbon column observing network (COCCON)*. <https://doi.org/10.5194/amt-2021-395>
- Butz, A., Dinger, A. S., Bobrowski, N., Kostinek, J., Fieber, L., Fischerkeller, C., Giuffrida, G. B., Hase, F., Klappenbach, F., Kuhn, J., Lübcke, P., Tirpitz, L., & Tu, Q. (2017). Remote sensing of volcanic CO₂, HF, HCl, SO₂, and BrO in the downwind plume of mt. etna. *Atmospheric Measurement Techniques*, 10(1), 1–14. <https://doi.org/10.5194/amt-10-1-2017>
- Calvin, K., Dasgupta, D., Krinner, G., Mukherji, A., Thorne, P. W., Trisos, C., Romero, J., Aldunce, P., Barret, K., Blanco, G., Cheung, W. W. L., Connors, S. L., Denton, F., Diongue-Niang, A., Dodman, D., Garschagen, M., Geden, O., Hayward, B., Jones, C., ... Ha, M. (2023). IPCC, 2023: Climate change 2023: Synthesis report, summary for policymakers. Contribution of working groups I, II and III to the sixth assessment report of the intergovernmental panel on climate change [core writing team, h. Lee and j. Romero (eds.)]. IPCC, geneva, switzerland. In P. Arias, M. Bustamante, I. Elgizouli, G. Flato, M. Howden, C. Méndez-Vallejo, J. J. Pereira, R. Pichs-Madruga, S. K. Rose, Y. Saheb, R. Sánchez Rodríguez, D. Ürge-Vorsatz, C. Xiao, N. Yassaa, J. Romero, J. Kim, E. F. Haïtes, Y. Jung, R. Stavins, ... Y. Park (Eds.), *IPCC, 2023: Climate Change 2023: Synthesis Report. Contribution of Working Groups I, II and III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change [Core Writing Team, H. Lee and J. Romero (eds.)]. IPCC, Geneva, Switzerland.* (pp. 1–34). Intergovernmental Panel on Climate Change (IPCC). <https://doi.org/10.59327/ipcc/ar6-9789291691647.001>
- Chen, J., Dietrich, F., Franklin, J., Jones, T., Butz, A., Luther, A., Kleinschek, R., Hase, F., Wenig, M., Ye, S., Nouri, A., Frey, M., Knote, C., Alberti, C., & Wofsy, S. (2018, April). Mesoscale column network for assessing GHG and NO_x emissions in munich. *Geophysical Research Abstracts Vol. 20, EGU2018-10192-2*. <https://meetingorganizer.copernicus.org/EGU2018/EGU2018-10192-2.pdf>
- Chen, J., Makowski, M., Klappenbach, F., Luther, A., Balamurugan, V., Stauber, J., & Dietrich, F. (2024). Multi-year urban total column network observations – challenges and insights of using MUCCnet for emission estimates. *ICOS Science Conference 2024*. <https://www.icos-cp.eu/news-and-events/science-conference/icos2024sc/all-abstracts>
- Chen, J., Makowski, M., Luther, A., & Dietrich, F. (2025a). *MUCCnet XCO₂ observations during OCO₂ and OCO₃ overpasses, PROFFAST 1.0, 2016-08-01 to 2023-10-06*. COCCON

- 166 - Central Facility / EVDC - ESA Atmospheric Validation Data Centre. <https://doi.org/10.48477/COCCON.PF10.MUNICH.SN061.R01>
- 167
- 168 Chen, J., Makowski, M., Luther, A., & Dietrich, F. (2025b). *MUCCnet XCO₂ observations during OCO₂ and OCO₃ overpasses, PROFFAST 2.2, 2019-09-18 to 2023-09-06*. COCCON
- 169 - Central Facility / EVDC - ESA Atmospheric Validation Data Centre. <https://doi.org/10.48477/COCCON.PF22.MUNICH.SN061.R02>
- 170
- 171
- 172 Chen, J., Stauber, J., Li, J., Aigner, P., Kühbacher, D., Makowski, M., Luther, A., Wenzel, A., Tang, H., Hinderer, J., Dietrich, F., & Asam, C. (2025). *Observational and modeling tools for monitoring urban greenhouse gas emissions: Results of the ICOS pilot city munich*. <https://doi.org/10.5194/icuc12-721>
- 173
- 174
- 175
- 176 Chen, J., Viatte, C., Hedelius, J. K., Jones, T., Franklin, J. E., Parker, H., Gottlieb, E. W., Wennberg, P. O., Dubey, M. K., & Wofsy, S. C. (2016). Differential column measurements using compact solar-tracking spectrometers. *Atmospheric Chemistry and Physics*, 16(13), 8479–8498. <https://doi.org/10.5194/acp-16-8479-2016>
- 177
- 178
- 179
- 180 Connor, B. J., Sherlock, V., Toon, G., Wunch, D., & Wennberg, P. O. (2016). GFIT2: An experimental algorithm for vertical profile retrieval from near-IR spectra. *Atmospheric Measurement Techniques*, 9(8), 3513–3525. <https://doi.org/10.5194/amt-9-3513-2016>
- 181
- 182
- 183 Dietrich, F., Chen, J., Voggenreiter, B., Aigner, P., Nachtigall, N., & Reger, B. (2021). MUCCnet: Munich urban carbon column network. *Atmospheric Measurement Techniques*, 14(2), 1111–1126. <https://doi.org/10.5194/amt-14-1111-2021>
- 184
- 185
- 186 Doc, J., Bréon, F.-M., Lopez, M., Té, Y., Jeseck, P., Lian, J., Nief, G., Parent, A., Leuridan, H., & Ramonet, M. (2025). *Two years of total column measurements of CO₂, CH₄ and CO in paris, france*. <https://doi.org/10.5194/egusphere-2025-4876>
- 187
- 188
- 189 Feld, L. *, Herkommer, B. *, Vestner, J., Dubravica, D., Alberti, C., & Hase, F. (2024). PROFFASTpylot: Running PROFFAST with python. *Journal of Open Source Software*, 9(96), 6481. <https://doi.org/10.21105/joss.06481>
- 190
- 191
- 192 Forstmaier, A., Chen, J., Dietrich, F., Bettinelli, J., Maazallahi, H., Schneider, C., Winkler, D., Zhao, X., Jones, T., Veen, C. van der, Wildmann, N., Makowski, M., Uzun, A., Klappenbach, F., Denier van der Gon, H., Schwietzke, S., & Röckmann, T. (2023). Quantification of methane emissions in hamburg using a network of FTIR spectrometers and an inverse modeling approach. *Atmospheric Chemistry and Physics*, 23(12), 6897–6922. <https://doi.org/10.5194/acp-23-6897-2023>
- 193
- 194
- 195
- 196
- 197
- 198 Frey, M., Sha, M. K., Hase, F., Kiel, M., Blumenstock, T., Harig, R., Surawicz, G., Deutscher, N. M., Shiomi, K., Franklin, J. E., Bösch, H., Chen, J., Grutter, M., Ohyama, H., Sun, Y., Butz, A., Mengistu Tsidu, G., Ene, D., Wunch, D., ... Orphal, J. (2019). Building the COllaborative carbon column observing network (COCCON): Long-term stability and ensemble performance of the EM27/SUN fourier transform spectrometer. *Atmospheric Measurement Techniques*, 12(3), 1513–1530. <https://doi.org/10.5194/amt-12-1513-2019>
- 199
- 200
- 201
- 202
- 203
- 204 García, O., Taquet, N., Sepúlveda, E., Ramos, R., & Torres, C. (2024). COCCON-spain: Toward an integrated greenhouse gas observation system in spain. *AEMET Izaña*. <https://izana.aemet.es/coccon-spain-toward-an-integrated-greenhouse-gas-observation-system-in-spain/>
- 205
- 206
- 207
- 208 Gisi, M., Hase, F., Dohe, S., & Blumenstock, T. (2011). Camtracker: A new camera controlled high precision solar tracker system for FTIR-spectrometers. *Atmospheric Measurement Techniques*, 4(1), 47–54. <https://doi.org/10.5194/amt-4-47-2011>
- 209
- 210
- 211 Hase, F. (2023). *COCCON Data Processing*. <https://www.coccon.kit.edu/english/3225.php>
- 212
- 213 Hase, F., Blumenstock, T., & Paton-Walsh, C. (1999). Analysis of the instrumental line shape of high-resolution fourier transform IR spectrometers with gas cell measurements and new

- retrieval software. *Applied Optics*, 38(15), 3417. <https://doi.org/10.1364/ao.38.003417>
- Hase, F., Frey, M., Blumenstock, T., Groß, J., Kiel, M., Kohlhepp, R., Mengistu Tsidu, G., Schäfer, K. G., Sha, M. K., & Orphal, J. (2015). Application of portable FTIR spectrometers for detecting greenhouse gas emissions of the major city berlin. *Atmospheric Measurement Techniques*, 8(7), 3059–3068. <https://doi.org/10.5194/amt-8-3059-2015>
- Hase, F., Frey, M., Kiel, M., Blumenstock, T., Harig, R., Keens, A., & Orphal, J. (2016). Addition of a channel for XCO observations to a portable FTIR spectrometer for greenhouse gas measurements. *Atmospheric Measurement Techniques*, 9(5), 2303–2313. <https://doi.org/10.5194/amt-9-2303-2016>
- Heinle, L., & Chen, J. (2018). Automated enclosure and protection system for compact solar-tracking spectrometers. *Atmospheric Measurement Techniques*, 11(4), 2173–2185. <https://doi.org/10.5194/amt-11-2173-2018>
- Herkommer, B., Alberti, C., Castracane, P., Chen, J., Dehn, A., Dietrich, F., Deutscher, N. M., Frey, M. M., Groß, J., Gillespie, L., Hase, F., Morino, I., Pak, N. M., Walker, B., & Wunch, D. (2024). Using a portable FTIR spectrometer to evaluate the consistency of total carbon column observing network (TCCON) measurements on a global scale: The collaborative carbon column observing network (COCCON) travel standard. *Atmospheric Measurement Techniques*, 17(11), 3467–3494. <https://doi.org/10.5194/amt-17-3467-2024>
- Humpage, N., Palmer, P., Feng, L., Kurganskiy, A., Woodward, J., Doniki, S., Ramsay, R., & Boesch, H. (2024). <https://doi.org/10.5194/egusphere-egu24-15956>
- Jones, T. S., Franklin, J. E., Chen, J., Dietrich, F., Hajny, K. D., Paetzold, J. C., Wenzel, A., Gately, C., Gottlieb, E., Parker, H., Dubey, M., Hase, F., Shepson, P. B., Mielke, L. H., & Wofsy, S. C. (2021). Assessing urban methane emissions using column-observing portable fourier transform infrared (FTIR) spectrometers and a novel bayesian inversion framework. *Atmospheric Chemistry and Physics*, 21(17), 13131–13147. <https://doi.org/10.5194/acp-21-13131-2021>
- Klappenbach, F., Bertleff, M., Kostinek, J., Hase, F., Blumenstock, T., Agusti-Panareda, A., Razingier, M., & Butz, A. (2015). Accurate mobile remote sensing of XCO₂ and XCH₄ latitudinal transects from aboard a research vessel. *Atmospheric Measurement Techniques*, 8(12), 5023–5038. <https://doi.org/10.5194/amt-8-5023-2015>
- Klappenbach, Friedrich, Chen, J., Cohen, R. C., Franklin, J., Jones, T., Makowski, M., & Wofsy, S. (2024). *Novel source localization method from observed peak emissions in time series using LPDM transfer functions*. <https://doi.org/10.5194/egusphere-egu24-9044>
- Klappenbach, Friedrich, Chen, J., Wenzel, A., Forstmaier, A., Dietrich, F., Zhao, X., Jones, T., Franklin, J., Wofsy, S., Frey, M., Hase, F., Hedelius, J., Wennberg, P., Cohen, R., & Fischer, M. (2021). *Methane emission estimate using ground based remote sensing in complex terrain*. <https://doi.org/10.5194/egusphere-egu21-15406>
- Krekel, H., Oliveira, B., Pfannschmidt, R., Bruynooghe, F., Laughner, B., & Bruhin, F. (2024). *Pytest 8.3*. <https://github.com/pytest-dev/pytest>
- Laughner, J. L., Roche, S., Kiel, M., Toon, G. C., Wunch, D., Baier, B. C., Biraud, S., Chen, H., Kivi, R., Laemmel, T., McKain, K., Quéhé, P.-Y., Rousogonous, C., Stephens, B. B., Walker, K., & Wennberg, P. O. (2023). A new algorithm to generate a priori trace gas profiles for the GGG2020 retrieval algorithm. *Atmospheric Measurement Techniques*, 16(5), 1121–1146. <https://doi.org/10.5194/amt-16-1121-2023>
- Laughner, J. L., Toon, G. C., Mendonca, J., Petri, C., Roche, S., Wunch, D., Blavier, J.-F., Griffith, D. W. T., Heikkinen, P., Keeling, R. F., Kiel, M., Kivi, R., Roehl, C. M., Stephens, B. B., Baier, B. C., Chen, H., Choi, Y., Deutscher, N. M., DiGangi, J. P., ... Wennberg, P. O. (2024). The total carbon column observing network's GGG2020 data version. *Earth System Science Data*, 16(5), 2197–2260. <https://doi.org/10.5194/essd-16-2197-2024>

- Laughner, J., Andrews, A., Roche, S., Kiel, M., & Toon, G. (2021). *Ginput v1.0.10: GGG2020 prior profile software*. CaltechDATA. <https://doi.org/10.22002/D1.1944>
- Löw, B., Feld, L., Grosch, L., Klappenbach, F., Kleinschek, R., Li, J., Luther, A., Makowski, M., Neumann, N., Sindram, M., Stauber, J., Chen, J., Hase, F., Warneke, T., & Butz, A. (2025). *The ITMS-FTIR network for germany: Providing consistent XCO₂, XCH₄ and XCO data for satellite and model validation on the urban, regional and national scale*. <https://doi.org/10.5194/egusphere-egu25-11005>
- Löw, B., Makowski, M., Feld, L., Grosch, L., Butz, A., Kleinschek, R., Held, R., Neumann, N., Chen, J., Luther, A., Klappenbach, F., Stauber, J., Li, J., Hase, F., Dubravica, D., Alberti, C., Gross, J., Warneke, T., Markert, W., & Petri, C. (2025). *ITMS-b-FTIR dataset (version 1): COCCON observations in support of ITMS*. COCCON - Central Facility / EVDC - ESA Atmospheric Validation Data Centre. <https://doi.org/10.48477/COCCON.ITMS-B-FTIR.R01>
- Luther, A., Forstmaier, A., Tang, H., Bettinelli, J., Ghaith, G., Aigner, P., Makowski, M., Fasano, E., Meeran, K. M., Leitner, S., Watzinger, A., Matthews, B., & Chen, J. (2023). *MUCCnet visiting vienna: Refining inverse model prior information with tall-tower flux measurements*. <https://doi.org/10.5194/egusphere-egu23-15369>
- Luther, A., Kleinschek, R., Scheidweiler, L., Defratyka, S., Stanisavljevic, M., Forstmaier, A., Dandocsi, A., Wolff, S., Dubravica, D., Wildmann, N., Kostinek, J., Jöckel, P., Nickl, A.-L., Klausner, T., Hase, F., Frey, M., Chen, J., Dietrich, F., Nęcki, J., ... Butz, A. (2019). Quantifying CH₄ emissions from hard coal mines using mobile sun-viewing fourier transform spectrometry. *Atmospheric Measurement Techniques*, 12(10), 5217–5230. <https://doi.org/10.5194/amt-12-5217-2019>
- Luther, A., Kostinek, J., Kleinschek, R., Defratyka, S., Stanisavljević, M., Forstmaier, A., Dandocsi, A., Scheidweiler, L., Dubravica, D., Wildmann, N., Hase, F., Frey, M. M., Chen, J., Dietrich, F., Nęcki, J., Swolkień, J., Knote, C., Vardag, S. N., Roiger, A., & Butz, A. (2022). Observational constraints on methane emissions from polish coal mines using a ground-based remote sensing network. *Atmospheric Chemistry and Physics*, 22(9), 5859–5876. <https://doi.org/10.5194/acp-22-5859-2022>
- Makowski, M., Chen, J., Luther, A., Bettinelli, J., Li, J., & Kürzinger, K. (2023). *ICOS cities total column CO₂/CO observations using EM27/SUN FTIR spectrometers at 5 locations in munich, germany (2022-12-01 - 2023-11-30, level 1)*. ICOS ERIC – Carbon Portal. <https://doi.org/10.18160/RKFP-D18C>
- Makowski, M., Chen, J., Luther, A., Klappenbach, F., Stauber, J., & Li, J. (2024). *ICOS cities total column CO₂/CO observations using EM27/SUN FTIR spectrometers at 5 locations in munich, germany (2022-12-01 - 2024-11-30, level 2)*. ICOS ERIC – Carbon Portal. <https://doi.org/10.18160/F19D-DN79>
- Makowski, M., Klappenbach, F., & Chen, J. (2025). *TUM ESM Python Utilities (Version 2.6.0)*. <https://doi.org/10.5281/zenodo.14284949>
- Microsoft. (2025). *Pyright: Static type checker for python (Version 1.1.407)*. <https://github.com/microsoft/pyright>
- Pydantic. (2025). *Pydantic: Data validation using python type hints (Version 2.10.6)*. <https://github.com/pydantic/pydantic>
- Python. (2025). *Mypy: Static typing for python (Version 1.15.0)*. <https://github.com/python/mypy>
- Rißmann, M., Chen, J., Osterman, G., Zhao, X., Dietrich, F., Makowski, M., Hase, F., & Kiel, M. (2022). Comparison of OCO-2 target observations to MUCCnet – is it possible to capture urban XCO₂ gradients from space? *Atmospheric Measurement Techniques*, 15(22), 6605–6623. <https://doi.org/10.5194/amt-15-6605-2022>

- 312 Sha, M. K., De Mazière, M., Notholt, J., Blumenstock, T., Chen, H., Dehn, A., Griffith,
313 D. W. T., Hase, F., Heikkinen, P., Hermans, C., Hoffmann, A., Huebner, M., Jones,
314 N., Kivi, R., Langerock, B., Petri, C., Scolas, F., Tu, Q., & Weidmann, D. (2020).
315 Intercomparison of low- and high-resolution infrared spectrometers for ground-based solar
316 remote sensing measurements of total column concentrations of CO₂, CH₄, and CO.
317 *Atmospheric Measurement Techniques*, 13(9), 4791–4839. [https://doi.org/10.5194/amt-](https://doi.org/10.5194/amt-13-4791-2020)
318 [13-4791-2020](https://doi.org/10.5194/amt-13-4791-2020)
- 319 Stauber, J., Chen, J., Klappenbach, F., Li, J., Luther, A., Makowski, M., Tang, H., Ponomarev,
320 N., & Brunner, D. (2025). *Assessment of munich's CO₂ emissions via bayesian inversion*
321 *using MUCCnet data from 2020-2025*. <https://doi.org/10.5194/egusphere-egu25-17841>
- 322 Tang, H., Chen, J., Luther, A., Li, J., Makowski, M., Holst, C., Lan, C., & Knote, C.
323 (2024). Influence of atmospheric transport in inversions using greenhouse gas column
324 measurements: A study with MUCCnet in munich. *ICOS Science Conference 2024*.
325 <https://www.icos-cp.eu/news-and-events/science-conference/icos2024sc/all-abstracts>
- 326 TCCON. (2025). *Obtaining ginput data*. [https://tcon-wiki.caltech.edu/Main/](https://tcon-wiki.caltech.edu/Main/ObtainingGinputData)
327 [ObtainingGinputData](https://tcon-wiki.caltech.edu/Main/ObtainingGinputData)
- 328 Toon, G., Blavier, J.-F., Washenfelder, R., Wunch, D., Keppel-Aleks, G., Wennberg, P.,
329 Connor, B., Sherlock, V., Griffith, D., Deutscher, N., & Notholt, J. (2009). Total column
330 carbon observing network (TCCON). *Advances in Imaging, JMA3*. [https://doi.org/10.](https://doi.org/10.1364/FTS.2009.JMA3)
331 [1364/FTS.2009.JMA3](https://doi.org/10.1364/FTS.2009.JMA3)
- 332 Tu, Q., Hase, F., Schneider, M., García, O., Blumenstock, T., Borsdorff, T., Frey, M., Khosrawi,
333 F., Lorente, A., Alberti, C., Bustos, J. J., Butz, A., Carreño, V., Cuevas, E., Curcoll, R.,
334 Diekmann, C. J., Dubravica, D., Ertl, B., Estruch, C., ... Torres, C. (2022). Quantification
335 of CH₄ emissions from waste disposal sites near the city of madrid using ground- and
336 space-based observations of COCCON, TROPOMI and IASI. *Atmospheric Chemistry and*
337 *Physics*, 22(1), 295–317. <https://doi.org/10.5194/acp-22-295-2022>
- 338 Vogel, F. R., Frey, M., Staufer, J., Hase, F., Broquet, G., Xueref-Remy, I., Chevallier, F.,
339 Ciais, P., Sha, M. K., Chelin, P., Jeseck, P., Janssen, C., Té, Y., Groß, J., Blumenstock,
340 T., Tu, Q., & Orphal, J. (2019). XCO₂ in an emission hot-spot region: The COCCON
341 paris campaign 2015. *Atmospheric Chemistry and Physics*, 19(5), 3271–3285. <https://doi.org/10.5194/acp-19-3271-2019>
- 343 Wright, A., Andrews, H., Hutton, B., & Dennis, G. (2022). *JSON Schema Draft (Version*
344 *2020-12)*. <https://json-schema.org/>
- 345 Wunch, D., Toon, G. C., Sherlock, V., Deutscher, N. M., Liu, C., Feist, D. G., & Wennberg, P.
346 O. (2015). *The total carbon column observing network's GGG2014 data version, pasadena,*
347 *california*.
- 348 Zeeman, M., Christen, A., Grimmond, S., Fenner, D., Morrison, W., Feigel, G., Sulzer, M., &
349 Chrysoulakis, N. (2024). Modular approach to near-time data management for multi-city
350 atmospheric environmental observation campaigns. *Geoscientific Instrumentation, Methods*
351 *and Data Systems*, 13(2), 393–424. <https://doi.org/10.5194/gi-13-393-2024>
- 352 Zeng, Z.-C., Natraj, V., Xu, F., Chen, S., Gong, F.-Y., Pongetti, T. J., Sung, K., Toon,
353 G., Sander, S. P., & Yung, Y. L. (2021). GFIT3: A full physics retrieval algorithm for
354 remote sensing of greenhouse gases in the presence of aerosols. *Atmospheric Measurement*
355 *Techniques*, 14(10), 6483–6507. <https://doi.org/10.5194/amt-14-6483-2021>