

MacroEnergy.jl: A large-scale multi-sector energy system framework

Ruaridh Macdonald¹✉, Filippo Pecci², Luca Bonaldo³, Jun Wen Law¹, Yu Weng¹, Dharik Mallapragada⁴, and Jesse Jenkins³

¹ Massachusetts Institute of Technology, USA ² RFF-CMCC European Institute on Economics and the Environment, Italy ³ Princeton University, USA ⁴ New York University, USA ✉ Corresponding author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) ✉
- [Repository](#) ✉
- [Archive](#) ✉

Editor: [Rachel Kurchin](#) ✉

Reviewers:

- [@fcdimitr](#)
- [@Sush1090](#)

Submitted: 24 October 2025

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

MacroEnergy.jl (aka Macro) is an open-source framework for multi-sector capacity expansion modeling and analysis of macro-energy systems (Levi et al., 2019). It is written in Julia (Bezanson et al., 2017) and uses the JuMP package (Dunning et al., 2017) to formulate and solve optimization problems. It enables researchers and practitioners to design and analyze energy and industrial systems that span electricity, fuels, bioenergy, steel, chemicals, and other sectors. The framework is organized around a small set of sector-agnostic components that can be combined into flexible graph structures, making it straightforward to extend to new technologies, policies, and commodities. Its companion packages support decomposition methods and other advanced techniques, allowing users to scale models across fine temporal and spatial resolutions. MacroEnergy.jl provides a versatile platform for studying energy transitions at the detail and scale demanded by modern research and policy.

Statement of Need

The increasing complexity of energy systems necessitates advanced modeling tools to support decision-making in infrastructure planning, R&D, and policy design. This complexity comes from the challenge of ensuring the reliability of grids with large amounts of renewable generation and storage, increased coupling and electrification of energy-intensive sectors, greater diversity in the technologies and policies being deployed, and many other factors.

These challenges require modeling frameworks that are both more flexible and more computationally capable than many existing tools. Researchers increasingly need to study energy systems that couple electricity with fuels, hydrogen, heat, industry, and other sectors, while still capturing the spatial and temporal detail needed to represent renewable generation, storage, and infrastructure constraints. MacroEnergy.jl was developed to meet this need. It is designed for researchers and practitioners who want to build and analyze detailed multi-sector models, as well as for modelers and developers who need to extend those models to new sectors, technologies, policies, and formulations.

MacroEnergy.jl was also designed around a layered abstraction, so that different users can work with the framework at different levels of complexity. Users who want to build and run realistic models should not need to engage with the full internal structure of the code, while modelers and developers should still be able to work directly with the framework's lower-level components when they need to add new assets, sectors, constraints, or methods.

State of the Field

Capacity expansion modelling frameworks have improved substantially in recent years. A wider range of problems can now be solved thanks to improvements in underlying formulations and solvers, while access to richer data sources has enabled more realistic representations of resources, weather, and demand. Looking ahead, further improvements are on the horizon, including non-linear technology formulations that capture richer trade-offs (Fälth et al., 2023; Heo & Macdonald, 2024; Levin et al., 2023), tighter integration with integrated assessment models and other tools (Gong et al., 2023; Gøtske et al., 2025; Odenweller et al., 2025), and novel approaches to scaling up problem size (Liu et al., 2024; Parolin et al., 2025; Pecci & Jenkins, 2025).

At the same time, the field remains split between two broad classes of frameworks. Electricity-centric frameworks, such as PyPSA (T. Brown et al., 2017), GenX (Jenkins & Sepulveda, 2017), Calliope (Pfenninger & Pickering, 2018), and others (Blair et al., 2014; P. Brown et al., n.d.; He et al., 2024; Howells et al., 2011), developed the computational capabilities needed to optimize grids over long time series of hourly or sub-hourly data in order to properly represent variable renewable energy generation and storage. In recent years, several have begun extending their frameworks to include additional sectors such as hydrogen, fuels, and industrial processes. On the other hand, economy-wide models such as TIMES (Loulou et al., 2005), TEMOA (Hunter et al., 2013), and related frameworks have long been able to represent multiple sectors through flexible graph-based structures and broad technology coverage. However, they do not generally provide the computational performance required to include long, high-resolution time series.

There has also been greater agreement on the capabilities that modelling frameworks must provide in order to produce robust, policy-relevant results. Recent studies suggest that capacity expansion models must consider decades of operational data (Ruggles et al., 2024; Ruhnau & Qvist, 2022), may require temporal resolution as fine as five minutes (Levin et al., 2024; Mallapragada et al., 2018), and should capture spatial heterogeneity at the county level (Frysztański et al., 2023; Krishnan & Cole, 2016; Qiu et al., 2024; Serpe et al., 2025). In addition, they must be able to represent a wide variety of coupled sectors, as much of the remaining decarbonization challenge lies outside the electricity sector.

This creates a gap in the current software landscape. Existing tools tend to provide either the breadth and flexibility needed to represent many sectors, or the computational capabilities needed for high-resolution electricity-system analysis, but not both in the same framework. Extending existing models to new sectors or to dramatically improve performance often requires rewriting core routines or layering new modules on top. This complicates validation, obscures interactions across the system, and leaves the codebase hard to maintain. In the authors' experience from previous development, frameworks also remain architected around their original sectors, making it problematic to exclude those sectors and quickly increasing the difficulty and time required to add new features.

MacroEnergy.jl was developed as a fresh framework to address both limitations simultaneously. It combines a sector-agnostic graph-based architecture, similar in spirit to economy-wide frameworks, with a design intended to support the computational methods needed for large, high-resolution, multi-sector analysis.

Software Design

MacroEnergy.jl is built around a small set of sector-agnostic components that can be combined into graph structures to represent networks, technologies, and policies in any sector. Four core component types: Edges, Nodes, Storage, and Transformations; describe the flow, production, storage, and conversion of commodities. This abstraction allows the same underlying framework to represent electricity, fuels, hydrogen, industrial materials, and other flows without embedding

87 sector-specific logic into the core software. That design makes the framework easier to extend,
88 test, and adapt to new research questions.

89 A central design choice was to use layered abstraction rather than a single all-or-nothing
90 interface. The four core components can be used directly, but most users will instead work with
91 higher-level abstractions such as Assets, Locations, Systems, and Cases. Assets are collections
92 of components that represent real-world infrastructure, while Locations represent physical
93 places where assets are situated and commodities can be transported between. Systems
94 represent energy and industrial systems over user-defined operating periods, and Cases allow
95 users to organize multiple Systems for workflows such as multi-stage capacity expansion,
96 rolling-horizon optimization, and sensitivity analysis. This layered structure allows beginners to
97 build and run realistic models without engaging with the full internal machinery, while modelers
98 and developers can still work directly with lower-level components when they need additional
99 control.

100 MacroEnergy.jl was also designed from the ground up to scale to large, multi-sector problems.
101 Modeling across coupled sectors greatly increases runtimes, often making problems intractable
102 (Parolin et al., 2025). Techniques such as model compression and the use of representative
103 periods can ease the computational burden, but eventually large-scale models reach the limits
104 of what can be solved on a single computing node. To scale further, methods that allow
105 models to be solved across computing clusters are essential. MacroEnergy.jl was designed
106 with these challenges in mind. Its data structures and graph-based representation of energy
107 systems enable sectoral, temporal, and spatial decompositions by default. It also includes a
108 suite of companion packages that provide advanced decomposition algorithms (Pecci et al.,
109 2025), automatic model scaling (Macdonald, 2024), and example systems (Macdonald et al.,
110 2025). Other companion packages are under development and will provide representative
111 period selection and other tools to enhance MacroEnergy.jl.

112 Research Impact Statement

113 MacroEnergy.jl can be used to optimize the design and operation of energy and industrial
114 systems, investigate the value of new technologies or policies, optimize investments in an
115 energy system over multiple years, and support a wide range of related analyses. It is already
116 being used for ongoing multi-sectoral investigations of energy facility design, regional energy
117 systems, and as part of the Net-Zero X Global Initiative, a research consortium of leading
118 institutions that are developing shared modeling methods and completing detailed, actionable
119 country-specific studies supporting net-zero transitions.

120 The framework is also supported by a broader package ecosystem. MacroEnergy.jl and its
121 companion packages are registered Julia packages and are freely available on GitHub or
122 through the Julia package manager. Companion packages currently provide decomposition
123 algorithms, automatic model scaling, and example systems, which strengthens the framework's
124 reproducibility and supports near-term research use. As these ongoing studies mature into
125 publications and the companion ecosystem expands, MacroEnergy.jl is positioned to support
126 both methodological research and applied multi-sector energy system analysis.

127 AI usage disclosure

128 Commercially available generative AI tools have been used in some of the development of
129 MacroEnergy.jl, e.g. in this pull request, and in ensuring consistent documentation. Human
130 authors reviewed, edited and validated all AI-generated content. ChatGPT 5 was used in the
131 initial planning of this manuscript.

Acknowledgements

The development of MacroEnergy.jl was funded by the Schmidt Sciences Foundation. This publication was based (fully or partially) upon work supported by the U.S. Department of Energy's Office of Energy Efficiency and Renewable Energy (EERE) under the Hydrogen Fuel Cell Technology Office, Award Number DE-EE0010724. The views expressed herein do not necessarily represent the views of the U.S. Department of Energy or the United States Government.

References

- Bezanson, J., Edelman, A., Karpinski, S., & Shah, V. B. (2017). Julia: A fresh approach to numerical computing. *SIAM Review*, 59(1), 65–98.
- Blair, N., Dobos, A. P., Freeman, J., Neises, T., Wagner, M., Ferguson, T., Gilman, P., & Janzou, S. (2014). *System advisor model, sam 2014.1. 14: General description*. National Renewable Energy Lab.(NREL), Golden, CO (United States).
- Brown, P., Carag, V., Chen, Y., Chernyakhovskiy, I., Cohen, S., Cole, W., Duraes de Faria, V., Gagnon, P., Halloran, C., Hamilton, A., Ho, J., Mindermann, K., Mowers, J., Mowers, M., Obika, K., Pham, A., Schleifer, A., Sergi, B., Serpe, L., ... Vanatta, M. (n.d.). *Regional Energy Deployment System Model 2.0 (ReEDS 2.0)*. <https://www.nrel.gov/analysis/reeds/index.html>
- Brown, T., Hörsch, J., & Schlachtberger, D. (2017). PyPSA: Python for power system analysis. *arXiv Preprint arXiv:1707.09913*.
- Dunning, I., Huchette, J., & Lubin, M. (2017). JuMP: A modeling language for mathematical optimization. *SIAM Review*, 59(2), 295–320.
- Fälth, H. E., Mattsson, N., Reichenberg, L., & Hedenus, F. (2023). Trade-offs between aggregated and turbine-level representations of hydropower in optimization models. *Renewable and Sustainable Energy Reviews*, 183, 113406.
- Frysztański, M. M., Hagenmeyer, V., & Brown, T. (2023). Inverse methods: How feasible are spatially low-resolved capacity expansion modelling results when disaggregated at high spatial resolution? *Energy*, 281, 128133.
- Gong, C. C., Ueckerdt, F., Pietzcker, R., Odenweller, A., Schill, W.-P., Kittel, M., & Luderer, G. (2023). Bidirectional coupling of the long-term integrated assessment model REgional model of INvestments and development (REMIND) v3. 0.0 with the hourly power sector model dispatch and investment evaluation tool with endogenous renewables (DIETER) v1. 0.2. *Geoscientific Model Development*, 16(17), 4977–5033.
- Gøtske, E. K., Pratama, Y., Andresen, G. B., Gidden, M. J., Victoria, M., & Zakeri, B. (2025). First steps towards bridging integrated assessment modeling and high-resolution energy system models: A scenario matrix for a low-emissions sector-coupled european energy system. *Environmental Research Communications*, 7(8), 085010.
- He, G., Mallapragada, D., Macdonald, R., Law, J., Shaker, Y., Zhang, Y., Cybulsky, A., Chakraborty, S., & Giovanniello, M. (2024). *DOLPHYN: Decision optimization for low-carbon power and hydrogen networks*. Github.
- Heo, T., & Macdonald, R. (2024). Effects of charging and discharging capabilities on trade-offs between model accuracy and computational efficiency in pumped thermal electricity storage. *arXiv Preprint arXiv:2411.07805*.
- Howells, M., Rogner, H., Strachan, N., Heaps, C., Huntington, H., Kypreos, S., Hughes, A., Silveira, S., DeCarolus, J., Bazillian, M., & others. (2011). OSeMOSYS: The open source

- energy modeling system: An introduction to its ethos, structure and development. *Energy Policy*, 39(10), 5850–5870.
- Hunter, K., Sreepathi, S., & DeCarolus, J. F. (2013). Modeling for insight using tools for energy model optimization and analysis (temoa). *Energy Economics*, 40, 339–349.
- Jenkins, J. D., & Sepulveda, N. A. (2017). *Enhanced decision support for a changing electricity landscape: The GenX configurable electricity resource capacity expansion model*.
- Krishnan, V., & Cole, W. (2016). Evaluating the value of high spatial resolution in national capacity expansion models using ReEDS. *2016 IEEE Power and Energy Society General Meeting (PESGM)*, 1–5.
- Levi, P. J., Kurland, S. D., Carbajales-Dale, M., Weyant, J. P., Brandt, A. R., & Benson, S. M. (2019). Macro-energy systems: Toward a new discipline. *Joule*, 3(10), 2282–2286.
- Levin, T., Bistline, J., Sioshansi, R., Cole, W. J., Kwon, J., Burger, S. P., Crabtree, G. W., Jenkins, J. D., O’Neil, R., Korpås, M., & others. (2023). Energy storage solutions to decarbonize electricity through enhanced capacity expansion modelling. *Nature Energy*, 8(11), 1199–1208.
- Levin, T., Blaisdell-Pijuan, P. L., Kwon, J., & Mann, W. N. (2024). High temporal resolution generation expansion planning for the clean energy transition. *Renewable and Sustainable Energy Transition*, 5, 100072.
- Liu, B., Bissuel, C., Courtot, F., Gicquel, C., & Quadri, D. (2024). A generalized benders decomposition approach for the optimal design of a local multi-energy system. *European Journal of Operational Research*, 318(1), 43–54.
- Loulou, R., Remme, U., Kanudia, A., Lehtila, A., & Goldstein, G. (2005). Documentation for the times model part ii. *Energy Technology Systems Analysis Programme*, 384.
- Macdonald, R. (2024). *MacroEnergyScaling.jl*. Github.
- Macdonald, R., Pecci, F., Li, Anna, Lyu, R., & Atouife, M. (2025). *MacroEnergyExamples.jl*. Github.
- Mallapragada, D. S., Papageorgiou, D. J., Venkatesh, A., Lara, C. L., & Grossmann, I. E. (2018). Impact of model resolution on scenario outcomes for electricity sector system expansion. *Energy*, 163, 1231–1244.
- Odenweller, A., Ueckerdt, F., Hampp, J., Ramirez, I., Schreyer, F., Hasse, R., Muessel, J., Gong, C. C., Pietzcker, R., Brown, T., & others. (2025). REMIND-PyPSA-eur: Integrating power system flexibility into sector-coupled energy transition pathways. *arXiv Preprint arXiv:2510.04388*.
- Parolin, F., Weng, Y., Colbertaldo, P., & Macdonald, R. (2025). Sectoral and spatial decomposition methods for multi-sector capacity expansion models. *arXiv Preprint arXiv:2504.08503*.
- Pecci, F., Bonaldo, L., & Jenkins, J. D. (2025). *MacroEnergySolvers.jl*. Github.
- Pecci, F., & Jenkins, J. D. (2025). Regularized benders decomposition for high performance capacity expansion models. *IEEE Transactions on Power Systems*.
- Pfenninger, S., & Pickering, B. (2018). Calliope: A multi-scale energy systems modelling framework. *Journal of Open Source Software*, 3(29), 825.
- Qiu, L., Khorramfar, R., Amin, S., & Howland, M. F. (2024). Decarbonized energy system planning with high-resolution spatial representation of renewables lowers cost. *Cell Reports Sustainability*, 1(12).
- Ruggles, T. H., Virguez, E., Reich, N., Dowling, J., Bloomfield, H., Antonini, E. G., Davis, S. J., Lewis, N. S., & Caldeira, K. (2024). Planning reliable wind-and solar-based electricity

- 223 systems. *Advances in Applied Energy*, 15, 100185.
- 224 Ruhnau, O., & Qvist, S. (2022). Storage requirements in a 100% renewable electricity system:
225 Extreme events and inter-annual variability. *Environmental Research Letters*, 17(4), 044018.
- 226 Serpe, L., Cole, W., Sergi, B., Brown, M., Carag, V., & Karmakar, A. (2025). The importance
227 of spatial resolution in large-scale, long-term planning models. *Applied Energy*, 385, 125534.

DRAFT