


Sheffield two-compound study

ciclosporin (all results)

D2.10 - Internal report

miblab.org



Sheffield two-compound study

ciclosporin (all results)

by

miblab.org

Report compiled by:	Steven Sourbron
Institute:	University of Sheffield
Department:	Section of Medical Imaging and Technologies
Email:	s.sourbron@sheffield.ac.uk
Date:	Friday 7 th November, 2025



Contents

1	Two-scan results	1
1.1	Data summary	1
1.2	Liver biomarkers	2
1.3	Systemic biomarkers	3
1.4	Case notes	4
1.4.1	Subject SHF-002	4
1.4.2	Subject SHF-004	6
1.4.3	Subject SHF-005	8
1.4.4	Subject SHF-006	10
1.4.5	Subject SHF-009	12
1.4.6	Subject SHF-017	14
2	Secondary results	16
2.1	Diurnal variation	16

Two-scan results

1.1. Data summary




Figure 1.1: Effect size (%) on hepatocellular uptake (k_{he} , left) and biliary excretion (k_{bh} , right) of gadoxetate. The boxplot shows median, interquartile range and 95 percent range. The line plots show individual values for hepatocellular uptake (k_{he} , middle) and biliary excretion (k_{bh} , right) of gadoxetate of the control (left of plot) and treatment (right of plot). Grey lines are healthy controls with rifampicin injection.

parameter	count	mean	std	min	25%	50%	75%	max
khe effect size (%)	6.0	-65.7	8.1	-77.6	-70.5	-64.5	-60.6	-55.9
khe control (mL/min/100cm ³)	6.0	13.61	3.87	9.19	10.45	14.08	15.46	19.15
khe drug (mL/min/100cm ³)	6.0	4.77	2.21	2.66	3.27	4.03	5.82	8.45
kbh effect size (%)	6.0	-51.5	39.6	-91.7	-82.4	-51.1	-40.9	15.5
kbh control (mL/min/100cm ³)	6.0	1.74	0.79	0.95	1.23	1.45	2.16	3.01
kbh drug (mL/min/100cm ³)	6.0	0.74	0.61	0.16	0.27	0.63	1.02	1.74

Table 1.1: Effect size and absolute values of hepatocellular uptake (k_{he}) and biliary excretion (k_{bh}) of gadoxetate

1.2. Liver biomarkers

Biomarker	p-value	Bayes Factor	Odds Ratio
AUC for CI (0-35min)	0.00079	47.91	87.61
AUC for CI (0-inf)	0.08037	1.48	7.64
Biliary excretion rate	0.02869	3.14	13.0
Biliary tissue excretion rate	0.05211	2.03	5.67
Final biliary excretion rate	0.11427	1.16	3.59
Final hepatocellular uptake rate	0.00082	46.73	41.68
Gut dispersion	0.33303	0.58	1.81
Gut mean transit time	0.86348	0.38	1.14
Hepatocellular mean transit time	0.12417	1.09	0.14
Hepatocellular tissue uptake rate	0.00028	108.67	1230.47
Hepatocellular uptake rate	0.0002	141.82	161.81
Initial biliary excretion rate	0.02113	3.94	15.85
Initial hepatocellular uptake rate	0.00107	37.97	216.11
Liver T1-MOLLI at 45min	0.03842	2.53	0.07
Liver T1-MOLLI at baseline	0.27107	0.65	0.53
Liver T1-MOLLI at scan 2	0.97133	0.37	1.04
Liver extracellular volume fraction	0.0347	2.73	0.04
Liver plasma clearance	0.00055	63.49	33.87
RE for R11 at 20min	0.00178	25.63	215.62
RE for SI at 20min	0.00134	31.92	325.7

Table 1.2: Results of a pairwise comparison testing for differences in liver biomarkers between control and treatment. The results are ranked by their p-value, with most significant differences at the top of the list.

Biomarker	Units	control	drug	change (%)
AUC for CI (0-35min)	mM*sec	201.0 (43.0)	95.4 (23.0)	-52.3 (7.6)
AUC for CI (0-inf)	mM*sec	714.0 (140.0)	480.0 (190.0)	-30.8 (30.0)
Biliary excretion rate	mL/min/100cm3	1.74 (0.63)	0.743 (0.48)	-51.5 (32.0)
Biliary tissue excretion rate	/min	0.0266 (0.0099)	0.0143 (0.011)	-43.7 (31.0)
Final biliary excretion rate	mL/min/100cm3	1.82 (0.64)	1.3 (0.54)	-26.0 (32.0)
Final hepatocellular uptake rate	mL/min/100cm3	14.0 (3.0)	7.15 (2.3)	-49.4 (10.0)
Gut dispersion	%	76.2 (13.0)	71.5 (9.7)	-4.43 (12.0)
Gut mean transit time	sec	28.1 (7.6)	27.5 (4.7)	2.81 (20.0)
Hepatocellular mean transit time	min	43.9 (13.0)	153.0 (110.0)	306.0 (350.0)
Hepatocellular tissue uptake rate	/min	0.72 (0.15)	0.186 (0.046)	-73.8 (4.3)
Hepatocellular uptake rate	mL/min/100cm3	13.6 (3.1)	4.77 (1.8)	-65.7 (6.5)
Initial biliary excretion rate	mL/min/100cm3	1.69 (0.62)	0.656 (0.46)	-55.3 (30.0)
Initial hepatocellular uptake rate	mL/min/100cm3	13.2 (3.9)	2.38 (1.2)	-82.4 (5.2)
Liver T1-MOLLI at 45min	sec	0.469 (0.1)	0.629 (0.075)	40.3 (25.0)
Liver T1-MOLLI at baseline	sec	0.734 (0.048)	0.751 (0.028)	2.68 (4.0)
Liver T1-MOLLI at scan 2	sec	0.625 (0.055)	0.623 (0.059)	0.818 (13.0)
Liver extracellular volume fraction	mL/100cm3	18.9 (1.9)	24.8 (3.3)	32.6 (22.0)
Liver plasma clearance	L/min	0.124 (0.04)	0.0452 (0.022)	-65.4 (6.9)
RE for R11 at 20min	%	76.0 (19.0)	24.5 (5.0)	-66.7 (7.1)
RE for SI at 20min	%	64.7 (15.0)	21.4 (3.7)	-65.9 (6.4)

Table 1.3: Mean values along with their 95 percent confidence intervals for all liver biomarkers of the control and treatment visit. The last column shows the relative change at the treatment visit. The results are ranked by their p-value, with most significant differences at the top of the list.

1.3. Systemic biomarkers

Biomarker	p-value	Bayes Factor	Odds Ratio
AUC for Cb (0-35min)	0.11523	1.15	0.27
AUC for Cb (0-inf)	0.11806	1.13	0.16
Body extraction fraction	0.02912	3.11	21.23
Cardiac output	0.42919	0.5	0.5
Heart-lung dispersion	0.53261	0.45	0.53
Heart-lung mean transit time	0.90759	0.38	1.09
Organs blood mean transit time	0.18979	0.82	4.65
Organs extraction fraction	0.61277	0.42	1.89
Organs extravascular mean transit time	0.42584	0.5	3.06
RE for R1b at 20min	0.01485	5.13	0.06
RE for Sb at 20min	0.31619	0.59	0.44

Table 1.4: Results of a pairwise comparison testing for differences in systemic biomarkers between control and treatment visit. The results are ranked by their p-value, with most significant differences at the top of the list.

Biomarker	Units	control	drug	change (%)
AUC for Cb (0-35min)	mM*sec	47.8 (9.3)	63.7 (23.0)	30.7 (27.0)
AUC for Cb (0-inf)	mM*sec	76.2 (15.0)	119.0 (46.0)	59.1 (55.0)
Body extraction fraction	%	5.73 (1.1)	3.43 (1.1)	-36.3 (27.0)
Cardiac output	L/min	5.6 (1.0)	6.27 (1.7)	15.9 (37.0)
Heart-lung dispersion	%	42.4 (17.0)	48.6 (11.0)	114.0 (210.0)
Heart-lung mean transit time	sec	18.2 (7.4)	17.8 (4.2)	157000.0 (310000.0)
Organs blood mean transit time	sec	31.6 (4.3)	25.3 (7.3)	-18.6 (23.0)
Organs extraction fraction	%	19.3 (3.9)	17.9 (2.2)	1.5 (38.0)
Organs extravascular mean transit time	min	6.67 (2.1)	5.25 (1.6)	-5.9 (45.0)
RE for R1b at 20min	%	16.9 (2.1)	24.0 (4.8)	41.8 (20.0)
RE for Sb at 20min	%	19.7 (5.4)	22.7 (5.3)	28.1 (43.0)

Table 1.5: Mean values along with their 95 percent confidence intervals for all systemic biomarkers at the control and treatment visit. The last column shows the relative change at the treatment visit. The results are ranked by their p-value, with most significant differences at the top of the list.

1.4. Case notes
1.4.1. Subject SHF-002




Figure 1.2: Signal-time curves for subject SHF-002 at the control visit.




Figure 1.3: Signal-time curves for subject SHF-002 at the treatment visit.

Biomarker	Units	control	drug	change (%)
AUC for Cl (0-35min)	mM*sec	300.5	139.44	-53.6
AUC for Cl (0-inf)	mM*sec	743.32	837.58	12.68
Biliary excretion rate	mL/min/100cm3	2.34	0.2	-91.67
Biliary tissue excretion rate	/min	0.03	0.0	-90.92
Final biliary excretion rate	mL/min/100cm3	2.47	1.58	-36.09
Final hepatocellular uptake rate	mL/min/100cm3	12.79	5.3	-58.6
Gut dispersion	%	90.32	88.27	-2.27
Gut mean transit time	sec	24.52	32.65	33.19
Hepatocellular mean transit time	min	28.72	316.17	1000.95
Hepatocellular tissue uptake rate	/min	0.78	0.15	-80.91
Hepatocellular uptake rate	mL/min/100cm3	14.09	3.15	-77.65
Initial biliary excretion rate	mL/min/100cm3	2.23	0.1	-95.34
Initial hepatocellular uptake rate	mL/min/100cm3	15.4	1.01	-93.47
Liver T1-MOLLI at 45min	sec	0.33	0.59	78.97
Liver T1-MOLLI at baseline	sec	0.73	0.78	6.09
Liver T1-MOLLI at scan 2	sec	0.62	0.59	-4.79
Liver extracellular volume fraction	mL/100cm3	18.0	21.08	17.08
Liver plasma clearance	L/min	0.1	0.02	-77.65
RE for R1l at 20min	%	121.52	31.79	-73.84
RE for Sl at 20min	%	100.85	26.89	-73.34

Table 1.6: Values for liver of subject SHF-002

Biomarker	Units	control	drug	change (%)
AUC for Cb (0-35min)	mM*sec	68.32	117.0	71.26
AUC for Cb (0-inf)	mM*sec	89.09	211.68	137.6
Body extraction fraction	%	5.17	2.88	-44.38
Cardiac output	L/min	4.71	3.53	-24.89
Heart-lung dispersion	%	5.03	37.59	646.81
Heart-lung mean transit time	sec	0.0	12.02	943045.68
Organs blood mean transit time	sec	26.71	21.49	-19.54
Organs extraction fraction	%	19.57	14.63	-25.22
Organs extravascular mean transit time	min	3.73	5.18	38.73
RE for R1b at 20min	%	19.61	33.64	71.52
RE for Sb at 20min	%	23.83	26.91	12.92

Table 1.7: Values for aorta of subject SHF-002

1.4.2. Subject SHF-004




Figure 1.4: Signal-time curves for subject SHF-004 at the control visit.




Figure 1.5: Signal-time curves for subject SHF-004 at the treatment visit.

Biomarker	Units	control	drug	change (%)
AUC for Cl (0-35min)	mM*sec	144.49	69.88	-51.64
AUC for Cl (0-inf)	mM*sec	574.4	222.67	-61.23
Biliary excretion rate	mL/min/100cm3	0.95	1.1	15.48
Biliary tissue excretion rate	/min	0.02	0.02	7.09
Final biliary excretion rate	mL/min/100cm3	1.15	1.49	29.58
Final hepatocellular uptake rate	mL/min/100cm3	11.12	4.1	-63.15
Gut dispersion	%	84.86	83.09	-2.08
Gut mean transit time	sec	23.43	30.57	30.45
Hepatocellular mean transit time	min	63.7	59.48	-6.62
Hepatocellular tissue uptake rate	/min	0.43	0.14	-67.23
Hepatocellular uptake rate	mL/min/100cm3	9.24	2.66	-71.21
Initial biliary excretion rate	mL/min/100cm3	0.81	0.87	7.24
Initial hepatocellular uptake rate	mL/min/100cm3	7.35	1.22	-83.41
Liver T1-MOLLI at 45min	sec	0.51	0.78	51.75
Liver T1-MOLLI at baseline	sec	0.8	0.78	-2.19
Liver T1-MOLLI at scan 2	sec	0.69	0.69	0.19
Liver extracellular volume fraction	mL/100cm3	21.55	18.93	-12.16
Liver plasma clearance	L/min	0.08	0.02	-72.87
RE for R1l at 20min	%	55.12	18.57	-66.31
RE for Sl at 20min	%	50.08	18.04	-63.98

Table 1.8: Values for liver of subject SHF-004

Biomarker	Units	control	drug	change (%)
AUC for Cb (0-35min)	mM*sec	43.8	70.43	60.8
AUC for Cb (0-inf)	mM*sec	64.8	108.22	67.01
Body extraction fraction	%	6.48	5.01	-22.73
Cardiac output	L/min	5.81	4.49	-22.73
Heart-lung dispersion	%	66.22	49.8	-24.8
Heart-lung mean transit time	sec	23.44	20.44	-12.8
Organs blood mean transit time	sec	40.8	23.07	-43.46
Organs extraction fraction	%	11.13	21.87	96.51
Organs extravascular mean transit time	min	10.53	4.17	-60.4
RE for R1b at 20min	%	15.27	25.63	67.77
RE for Sb at 20min	%	19.38	25.24	30.24

Table 1.9: Values for aorta of subject SHF-004

1.4.3. Subject SHF-005




Figure 1.6: Signal-time curves for subject SHF-005 at the control visit.




Figure 1.7: Signal-time curves for subject SHF-005 at the treatment visit.

Biomarker	Units	control	drug	change (%)
AUC for Cl (0-35min)	mM*sec	178.82	62.81	-64.88
AUC for Cl (0-inf)	mM*sec	617.27	268.67	-56.48
Biliary excretion rate	mL/min/100cm ³	1.2	0.48	-60.0
Biliary tissue excretion rate	/min	0.02	0.01	-44.7
Final biliary excretion rate	mL/min/100cm ³	0.99	0.35	-64.88
Final hepatocellular uptake rate	mL/min/100cm ³	9.62	5.6	-41.71
Gut dispersion	%	56.09	55.89	-0.36
Gut mean transit time	sec	23.8	21.51	-9.62
Hepatocellular mean transit time	min	59.63	107.83	80.82
Hepatocellular tissue uptake rate	/min	0.59	0.14	-76.83
Hepatocellular uptake rate	mL/min/100cm ³	9.19	3.61	-60.72
Initial biliary excretion rate	mL/min/100cm ³	1.51	0.77	-49.27
Initial hepatocellular uptake rate	mL/min/100cm ³	8.76	1.61	-81.58
Liver T1-MOLLI at 45min	sec	0.49	0.71	43.83
Liver T1-MOLLI at baseline	sec	0.79	0.79	0.33
Liver T1-MOLLI at scan 2	sec	0.57	0.72	26.2
Liver extracellular volume fraction	mL/100cm ³	15.66	26.55	69.5
Liver plasma clearance	L/min	0.08	0.03	-60.42
RE for R1l at 20min	%	69.48	15.71	-77.39
RE for Sl at 20min	%	57.84	14.66	-74.66

Table 1.10: Values for liver of subject SHF-005

Biomarker	Units	control	drug	change (%)
AUC for Cb (0-35min)	mM*sec	53.67	43.72	-18.55
AUC for Cb (0-inf)	mM*sec	71.57	74.14	3.59
Body extraction fraction	%	7.5	3.6	-51.93
Cardiac output	L/min	3.54	7.08	100.13
Heart-lung dispersion	%	43.1	56.89	31.97
Heart-lung mean transit time	sec	18.2	11.43	-37.21
Organs blood mean transit time	sec	32.41	19.51	-39.79
Organs extraction fraction	%	21.56	16.95	-21.41
Organs extravascular mean transit time	min	4.71	5.44	15.56
RE for R1b at 20min	%	20.07	21.85	8.84
RE for Sb at 20min	%	16.97	22.04	29.88

Table 1.11: Values for aorta of subject SHF-005

1.4.4. Subject SHF-006




Figure 1.8: Signal-time curves for subject SHF-006 at the control visit.




Figure 1.9: Signal-time curves for subject SHF-006 at the treatment visit.

Biomarker	Units	control	drug	change (%)
AUC for Cl (0-35min)	mM*sec	182.32	103.11	-43.45
AUC for Cl (0-inf)	mM*sec	520.06	622.21	19.64
Biliary excretion rate	mL/min/100cm ³	3.01	1.74	-42.17
Biliary tissue excretion rate	/min	0.05	0.04	-19.67
Final biliary excretion rate	mL/min/100cm ³	3.08	1.9	-38.49
Final hepatocellular uptake rate	mL/min/100cm ³	19.43	11.86	-38.95
Gut dispersion	%	80.3	64.7	-19.42
Gut mean transit time	sec	35.38	29.9	-15.5
Hepatocellular mean transit time	min	20.98	26.11	24.48
Hepatocellular tissue uptake rate	/min	0.94	0.28	-70.18
Hepatocellular uptake rate	mL/min/100cm ³	19.15	8.45	-55.88
Initial biliary excretion rate	mL/min/100cm ³	2.94	1.61	-45.3
Initial hepatocellular uptake rate	mL/min/100cm ³	18.86	5.03	-73.32
Liver T1-MOLLI at 45min	sec	0.68	0.57	-16.44
Liver T1-MOLLI at baseline	sec	0.68	0.72	5.99
Liver T1-MOLLI at scan 2	sec	0.64	0.62	-3.46
Liver extracellular volume fraction	mL/100cm ³	20.27	30.0	47.99
Liver plasma clearance	L/min	0.21	0.09	-57.37
RE for R1l at 20min	%	64.59	28.36	-56.09
RE for Sl at 20min	%	55.06	22.96	-58.3

Table 1.12: Values for liver of subject SHF-006

Biomarker	Units	control	drug	change (%)
AUC for Cb (0-35min)	mM*sec	38.48	45.51	18.27
AUC for Cb (0-inf)	mM*sec	68.36	164.61	140.81
Body extraction fraction	%	5.51	1.02	-81.5
Cardiac output	L/min	5.74	5.67	-1.23
Heart-lung dispersion	%	42.61	71.2	67.1
Heart-lung mean transit time	sec	22.4	25.3	12.91
Organs blood mean transit time	sec	32.45	43.59	34.36
Organs extraction fraction	%	25.33	20.6	-18.68
Organs extravascular mean transit time	min	5.26	8.98	70.91
RE for R1b at 20min	%	15.36	18.95	23.31
RE for Sb at 20min	%	7.81	17.43	123.2

Table 1.13: Values for aorta of subject SHF-006

1.4.5. Subject SHF-009




Figure 1.10: Signal-time curves for subject SHF-009 at the control visit.




Figure 1.11: Signal-time curves for subject SHF-009 at the treatment visit.

Biomarker	Units	control	drug	change (%)
AUC for Cl (0-35min)	mM*sec	184.87	110.5	-40.23
AUC for Cl (0-inf)	mM*sec	980.77	564.39	-42.45
Biliary excretion rate	mL/min/100cm3	1.59	0.16	-89.92
Biliary tissue excretion rate	/min	0.02	0.0	-87.55
Final biliary excretion rate	mL/min/100cm3	1.62	0.6	-63.07
Final hepatocellular uptake rate	mL/min/100cm3	17.45	6.92	-60.35
Gut dispersion	%	55.55	65.81	18.46
Gut mean transit time	sec	17.83	18.84	5.71
Hepatocellular mean transit time	min	43.15	346.58	703.22
Hepatocellular tissue uptake rate	/min	0.82	0.18	-77.68
Hepatocellular uptake rate	mL/min/100cm3	14.07	4.45	-68.33
Initial biliary excretion rate	mL/min/100cm3	1.57	0.09	-94.08
Initial hepatocellular uptake rate	mL/min/100cm3	10.68	1.99	-81.37
Liver T1-MOLLI at 45min	sec	0.42	0.58	38.61
Liver T1-MOLLI at baseline	sec	0.76	0.74	-3.05
Liver T1-MOLLI at scan 2	sec	0.52	0.57	10.03
Liver extracellular volume fraction	mL/100cm3	17.17	24.35	41.87
Liver plasma clearance	L/min	0.11	0.04	-66.95
RE for R1l at 20min	%	64.55	28.23	-56.27
RE for Sl at 20min	%	56.3	25.15	-55.34

Table 1.14: Values for liver of subject SHF-009

Biomarker	Units	control	drug	change (%)
AUC for Cb (0-35min)	mM*sec	45.47	64.19	41.17
AUC for Cb (0-inf)	mM*sec	108.04	88.2	-18.36
Body extraction fraction	%	3.52	4.27	21.41
Cardiac output	L/min	6.71	7.53	12.35
Heart-lung dispersion	%	56.94	35.56	-37.56
Heart-lung mean transit time	sec	24.77	18.83	-23.99
Organs blood mean transit time	sec	31.94	20.54	-35.69
Organs extraction fraction	%	21.15	16.24	-23.21
Organs extravascular mean transit time	min	8.58	3.3	-61.49
RE for R1b at 20min	%	17.67	26.72	51.19
RE for Sb at 20min	%	27.21	31.17	14.56

Table 1.15: Values for aorta of subject SHF-009

1.4.6. Subject SHF-017




Figure 1.12: Signal-time curves for subject SHF-017 at the control visit.




Figure 1.13: Signal-time curves for subject SHF-017 at the treatment visit.

Biomarker	Units	control	drug	change (%)
AUC for Cl (0-35min)	mM*sec	217.8	86.79	-60.15
AUC for Cl (0-inf)	mM*sec	846.02	362.56	-57.15
Biliary excretion rate	mL/min/100cm ³	1.31	0.78	-40.53
Biliary tissue excretion rate	/min	0.02	0.02	-26.23
Final biliary excretion rate	mL/min/100cm ³	1.63	1.91	17.02
Final hepatocellular uptake rate	mL/min/100cm ³	13.76	9.14	-33.57
Gut dispersion	%	90.27	71.38	-20.93
Gut mean transit time	sec	43.56	31.65	-27.35
Hepatocellular mean transit time	min	47.09	63.84	35.56
Hepatocellular tissue uptake rate	/min	0.76	0.23	-69.95
Hepatocellular uptake rate	mL/min/100cm ³	15.92	6.28	-60.54
Initial biliary excretion rate	mL/min/100cm ³	1.09	0.49	-55.27
Initial hepatocellular uptake rate	mL/min/100cm ³	18.08	3.42	-81.07
Liver T1-MOLLI at 45min	sec	0.37	0.54	44.92
Liver T1-MOLLI at baseline	sec	0.65	0.7	8.9
Liver T1-MOLLI at scan 2	sec	0.69	0.53	-23.26
Liver extracellular volume fraction	mL/100cm ³	21.04	27.62	31.3
Liver plasma clearance	L/min	0.16	0.07	-56.87
RE for R1l at 20min	%	80.91	24.08	-70.23
RE for Sl at 20min	%	68.27	20.55	-69.9

Table 1.16: Values for liver of subject SHF-017

Biomarker	Units	control	drug	change (%)
AUC for Cb (0-35min)	mM*sec	37.13	41.25	11.1
AUC for Cb (0-inf)	mM*sec	55.17	68.43	24.04
Body extraction fraction	%	6.23	3.81	-38.84
Cardiac output	L/min	7.08	9.34	32.05
Heart-lung dispersion	%	40.77	40.8	0.09
Heart-lung mean transit time	sec	20.33	19.05	-6.3
Organs blood mean transit time	sec	25.47	23.52	-7.67
Organs extraction fraction	%	17.11	17.29	1.04
Organs extravascular mean transit time	min	7.19	4.41	-38.69
RE for R1b at 20min	%	13.56	17.37	28.11
RE for Sb at 20min	%	22.79	13.15	-42.29

Table 1.17: Values for aorta of subject SHF-017

2

Secondary results

2.1. Diurnal variation




Figure 2.1: Intra-day changes in hepatocellular uptake (k_{he} , top row) and biliary excretion (k_{bh} , bottom row) of gadoxetate at for the control (left column) and treatment (right column). Full lines connect values taken in the same subject at the same day.