OpenMV® IR Lens

Datasheet

SKU: IR-Lens / 3.6mm-IR-Lens

Description

This lens gives your OpenMV Cam the ability to see IR light. The standard lens that ships with your OpenMV Cam has a 650 nm IR cut filter that blocks IR light. This lens does not have an IR cut filter, so it will not filter out IR light. The optics are otherwise identical to the stock lenses that ship with OpenMV cameras — available in 2.8 mm (for cameras that ship with a 2.8 mm lens) and 3.6 mm (for cameras that ship with a 3.6 mm lens) variants. The FOV and zoom are the same as the standard lens for each camera.

Target Areas

IR light tracking, eye tracking, night vision, IR illumination applications, pupil detection, IR beacon tracking.

Key Features

- **No IR cut filter** — Passes infrared light for IR-sensitive imaging applications.
- **Two focal lengths** — Available in 2.8 mm (1/3" format) and 3.6 mm (1/2.5" format) variants.
- **F2.0 aperture** — Fast aperture for good low-light and IR performance.
- **M12 x 0.5 mount** — Standard M12 threaded mount compatible with all OpenMV Cam models.
- **3D model available** — STEP file available on GrabCAD.

Applications

The IR Lens is great for any application that involves tracking IR light. For example, you can use the IR Lens to do eye-tracking by looking at IR light reflected off of someone's pupils.

Contents

1 Specifications

1.1 2.8 mm Variant

1.2 3.6 mm Variant

2 General Info

3 Certifications

4 Company Information

5 Reference Documentation

6 Revision History

1 Specifications

1.1 2.8 mm Variant

Component	Details
Focal Length	2.8 mm
Aperture	F2.0
Image Format	1/3"
Mount	M12 x 0.5 threaded
IR Cut Filter	None — passes infrared light

1.2 3.6 mm Variant

Component	Details
Focal Length	3.6 mm
Aperture	F2.0
Image Format	1/2.5"
Mount	M12 x 0.5 threaded
IR Cut Filter	None — passes infrared light

2 General Info

Dimension	Value
Length	14 mm
Width	14 mm
Height	18 mm
Weight	5 g
Operating Temperature	-20°C to +80°C
Storage Temperature	-20°C to +80°C
Country of Origin	China
HS Code	8473.30.2000
UPC	638126314673, 608275911191
SKU	IR-Lens, 3.6mm-IR-Lens
ECCN	EAR99

3 Certifications

Certification	Region	Details
RoHS	EU	Compliant with EU Directive 2011/65/EU (RoHS 2). All components and solder are lead-free.
REACH	EU	Compliant with EU Regulation (EC) No 1907/2006.

4 Company Information

Field	Details
Website	https://openmv.io
Documentation	https://docs.openmv.io
Support	https://forums.openmv.io

5 Reference Documentation

Reference	Link / Document
Product Page	https://openmv.io/products/ir-lens
3D Model (STEP)	https://grabcad.com/library/ir-lens-1

6 Revision History

Date	Revision	Changes
2026-04-04	Rev 1	Initial public release.