# OpenMV® TV Shield

Datasheet

SKU: OMV-TV-SHIELD-V1

## Description

The TV Shield gives your OpenMV Cam a way to display video on a portable screen. It works using a SPI to NTSC chip. The TV Shield is as easy to use as the LCD Shield and only requires you to call init() followed by display() to set the frame buffer in the NTSC generator chip. Built-in firmware support and example code are included in OpenMV IDE.




## Target Areas

Video output, portable display, NTSC monitor, field demos, FPV preview.

## Key Features

- **NTSC video output** — SPI to NTSC conversion for standard video monitors.
- **Simple API** — init() + display() — as easy as the LCD Shield.
- **Built-in support** — Firmware support and example code included in OpenMV IDE.

# Contents

**1 Features**

1.1 Video Output

1.2 Compatibility

**2 General Info**

**3 Company Information**

**4 Reference Documentation**

**5 Revision History**

# 1 Features

## 1.1 Video Output

| Component | Details |
|---|---|
| **Standard** | NTSC composite video output via SPI-to-NTSC converter chip. |
| **API** | tv.init() and tv.display() in MicroPython. See TV Module documentation. |

## 1.2 Compatibility

| Component | Details |
|---|---|
| **Supported Cameras** | All OpenMV Cam models. |

# 2 General Info

| Dimension | Value |
|---|---|
| Weight | 20 g |

# 3 Company Information

| Field | Details |
|---|---|
| Website | https://openmv.io |

# 4 Reference Documentation

| Reference | Link / Document |
|---|---|
| Product Page | https://openmv.io/products/tv-shield |
| TV Module Docs | http://docs.openmv.io/library/omv.tv.html |
| Documentation | https://docs.openmv.io |

# 5 Revision History

| Date | Revision | Changes |
|---|---|---|
| 2026-04-04 | Rev 1 | Initial public release. |