OpenMV® WiFi Shield

Datasheet

SKU: OMV-SHIELD-WIFI-V2

Description



The WiFi Shield gives your OpenMV Cam the ability to connect to the internet. It features an ATWINC1500 FCC Certified WiFi module which can transmit data at up to 48 Mbps, making it perfect for streaming video. Your OpenMV Cam's firmware has built-in support for controlling the WiFi Shield using the network module.

Target Areas

Internet connectivity, video streaming, IoT, remote monitoring, cloud integration, wireless data transfer.

Key Features

- **ATWINC1500 WiFi** — FCC Certified WiFi module, up to 48 Mbps data rate.
- **Video streaming** — Fast enough for real-time video streaming from your OpenMV Cam.
- **Built-in firmware support** — Controlled via the network module in MicroPython.

Contents

1 Features

1.1 WiFi Module

1.2 Compatibility

2 General Info

3 Company Information

4 Reference Documentation

5 Revision History

1 Features

1.1 WiFi Module

Component	Details
Chip	Microchip ATWINC1500 WiFi module.
Certification	FCC Certified.
Data Rate	Up to 48 Mbps.
Interface	SPI connection to OpenMV Cam. Controlled via the MicroPython network module.

1.2 Compatibility

Component	Details
Supported Cameras	All OpenMV Cam models. Primarily useful for older models without built-in WiFi (M4, M7, H7). Newer models (RT1062, AE3, N6) have integrated WiFi.

2 General Info

Dimension	Value
Weight	25 g

3 Company Information

Field	Details
Website	https://openmv.io

4 Reference Documentation

Reference	Link / Document
Product Page	https://openmv.io/products/wifi-shield
Documentation	https://docs.openmv.io

5 Revision History

Date	Revision	Changes
2026-04-04	Rev 1	Initial public release.