

PET2BIDS: a library for converting Positron Emission Tomography data to BIDS

Anthony Galassi¹, Martin Norgaard^{3,4,5}, Adam G. Thomas¹, Gabriel Gonzalez-Escamilla⁶, Claus Svarer³, Chris Rorden⁷, Granville J. Matheson^{8,9}, Gitte M. Knudsen³, Robert B. Innis¹, Melanie Ganz^{3,4}, Cyrus Eierud², Murat Bilgel¹⁰, and Cyril Pernet³

1 National Institutes of Health, Bethesda, MD, USA 2 TReNDS Center, Georgia State University, Atlanta, GA, USA 3 Neurobiology Research Unit, Rigshospitalet, Copenhagen, Denmark 4 Department of Computer Science, University of Copenhagen, Copenhagen, Denmark 5 Department of Psychology, Stanford University, CA, USA 6 University Medical Center of the Johannes Gutenberg University Mainz, Mainz, Germany 7 Department of Psychology, University of South Carolina, Columbia, SC, USA 8 Mailman school of Public Health, Columbia University, New York, NY, USA 9 Department of Clinical Neuroscience, Karolinska Institutet and Stockholm County Council, Stockholm, Sweden 10 National Institute on Aging Intramural Research Program, Baltimore, MD, USA

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- Review [↗](#)
- Repository [↗](#)
- Archive [↗](#)

Editor: [Open Journals](#) [↗](#)

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

The Brain Imaging Data Structure ([Gorgolewski et al., 2016](#)) is a standard for organizing and naming neuroimaging data, which has quickly become successful and popular in the community with adoption by brain imaging repositories (e.g., OpenNeuro ([Markiewicz et al., 2021](#)), PublicNeuro ([Public nEUro, 2023](#))), data management tools (e.g., COINS ([Landis et al., 2016](#)), XNAT ([Marcus et al., 2007](#))) and computational platforms (e.g. BrainLife ([Hayashi S, 2023](#))). BIDS allows data to be shared much more efficiently, enables the development of automated data analysis pipelines, and improves reproducibility.

The BIDS extension for Positron Emission Tomography (PET-BIDS) ([Norgaard et al., 2022](#)) provides nomenclature for structured data and metadata, including all the necessary information to share and report on PET blood and metabolite ([Knudsen et al., 2020](#)). Here we present a code library, developed in both Matlab and Python, allowing the conversion of DICOM ([DICOM PS3.3 2020b - Information Object Definitions, 2020](#)) and ECAT (CTI/Siemens proprietary data format) PET imaging data and metadata (e.g., timing information such as 'time zero' or blood measurements) into files that follow the BIDS specification (nifti, json, tsv).

Statement of need

Conversion tools from native format to BIDS are essential to help researchers to use BIDS. While tools for MRI and MEEG exist, PET2BIDS is the first tool to convert both DICOM and ECAT PET data and PET metadata to BIDS files. Because PET2BIDS is a code library, conversion is done using the command line. PET2BIDS can, however, also be integrated into software (with a graphical user interface) that aims at more general BIDS conversion, and current efforts are underway integrating PET2BIDS with ezBIDS ([Levitas et al., 2024](#)) and BIDScoin ([Zwiers et al., 2022](#)). While our library allows to convert and name files, these more generic tools also allow data to be structured following the BIDS specification.

File conversion: The conversion for PET data stored in DICOM format to NIFTI is performed using the `dcm2nix4pet` functions, which are wrappers around `dcm2nix` ([Xiangrui Li et al., 2016](#); [Rorden, 2023](#)). Those functions can extend the image sidecar JSON file generated by

42 dcm2nii with user-provided metadata, making them BIDS-compliant. The conversion of PET
43 data stored in ECAT format is performed using the dedicated `ecat2nii` functions. The Matlab
44 code relies on the `readECAT7.m` (Christian & Muzic, 1998) function written by B.T. Christian
45 (1998) and revised by R.F. Muzic (2002) to read the data while writing Nifti files relies on
46 `nii_tool` (X. Li, 2016). The Python code mirrors the Matlab code, except writing of Nifti
47 files, which are delegated to Nibabel (Brett et al., 2023). For both Matlab and Python, the
48 data conversion and writing are thoroughly tested (see [ecat validation](#)). Mirroring the DICOM
49 conversion, the `ecat2nii` functions generate JSON sidecar files from image data, and users
50 must provide additional metadata to make files BIDS-compliant. Note that the Python tools
51 are command line tools, i.e. they can be called directly from a terminal.

52 *PET Metadata:* Some radiotracer and pharmaceutical information are always missing in the
53 JSON sidecar files created from reading PET scanner data which is why `dcm2nii4pet` and
54 `ecat2nii` take additional metadata. It is also possible to update existing JSON sidecar files
55 with new metadata directly using `updatejsonpetfile.m` or `update_json_pet_file.py`.

56 *Spreadsheet conversion:* Tabular data formats are ubiquitous in the PET community, mainly to
57 keep track of radiotracer information injected per participant and record time and radiotracer
58 concentration from the blood sampling. Functions were created to read preformatted tabular
59 data to create or update existing sidecar JSON files. In addition, dedicated functions were
60 created to convert either a preformatted tabular file or PMOD files (PMOD being a popular
61 commercial pharmacokinetic modeling software (Burger & Buck, 1997)) to a BIDS `blood.tsv`
62 file with its sidecar JSON. Supported formats are `.xls`, `.xlsx`, `.csv`, `.tsv` and `.bld`.

63 Acknowledgements

64 This work was supported by Novo Nordisk fonden (NNF200C0063277) and the BRAIN initiative
65 (MH002977-01).

66 References

- 67 Brett, M., Markiewicz, C. J., Hanke, M., Côté, M.-A., Cipollini, B., McCarthy, P., Jarecka,
68 D., Cheng, C. P., Halchenko, Y. O., Cottaar, M., Larson, E., Ghosh, S., Wassermann, D.,
69 Gerhard, S., Lee, G. R., Baratz, Z., Wang, H.-T., Kastman, E., Kaczmarzyk, J., ... freec84.
70 (2023). *Nipy/nibabel: 5.1.0*. Zenodo. <https://doi.org/10.5281/zenodo.7795644>
- 71 Burger, C., & Buck, A. (1997). [Requirements and implementation of a flexible kinetic modeling](#)
72 [tool](#). *Journal of Nuclear Medicine*, 38(11), 1818–1823.
- 73 Christian, B. T., & Muzic, R. F. (1998). *readECAT7*.
- 74 *DICOM PS3.3 2020b - information object definitions*. (2020). [https://dicom.nema.org/](https://dicom.nema.org/medical/dicom/2020b/output/chtml/part03/PS3.3.html)
75 [medical/dicom/2020b/output/chtml/part03/PS3.3.html](https://dicom.nema.org/medical/dicom/2020b/output/chtml/part03/PS3.3.html)
- 76 Gorgolewski, K. J., Auer, T., Calhoun, V. D., Craddock, R. C., Das, S., Duff, E. P., Flandin,
77 G., Ghosh, S. S., Glatard, T., Halchenko, Y. O., Handwerker, D. A., Hanke, M., Keator,
78 D., Li, X., Michael, Z., Maumet, C., Nichols, B. N., Nichols, T. E., Pellman, J., ...
79 Poldrack, R. A. (2016). The brain imaging data structure, a format for organizing and
80 describing outputs of neuroimaging experiments. *Scientific Data*, 3, 160044. <https://doi.org/10.1038/sdata.2016.44>
- 82 Hayashi S, H. A., Caron BA. (2023). Brainlife.io: A decentralized and open source cloud
83 platform to support neuroscience research. *Nature Methods*. [https://doi.org/10.1038/](https://doi.org/10.1038/s41592-024-02237-2)
84 [s41592-024-02237-2](https://doi.org/10.1038/s41592-024-02237-2)
- 85 Knudsen, G. M., Ganz, M., Appelhoff, S., Boellaard, R., Bormans, G., Carson, R. E., Catana,
86 C., Doudet, D., Gee, A. D., Greve, D. N., Gunn, R. N., Halldin, C., Herscovitch, P., Huang,

- 87 H., Keller, S. H., Lammertsma, A. A., Lanzenberger, R., Liow, J.-S., Lohith, T. G., ... Innis,
88 R. B. (2020). Guidelines for the content and format of PET brain data in publications
89 and archives: A consensus paper. *Journal of Cerebral Blood Flow & Metabolism*, 40(8),
90 1576–1585. <https://doi.org/10.1177/0271678X20905433>
- 91 Landis, D., Courtney, W., Dieringer, C., Kelly, R., King, M., Miller, B., Wang, R., Wood, D.,
92 Turner, J. A., & Calhoun, V. D. (2016). COINS data exchange: An open platform for
93 compiling, curating, and disseminating neuroimaging data. *NeuroImage*, 124, 1084–1088.
94 <https://doi.org/10.1016/j.neuroimage.2015.05.049>
- 95 Levitas, D., Hayashi, S., Vinci-Booher, S., Heinsfeld, Anibal, Bhatia, D., Lee, N., Galassi,
96 A., Niso, G., & Pestilli, F. (2024). ezBIDS: Guided standardization of neuroimaging
97 data interoperable with major data archives and platforms. *Scientific Data*, 11. <https://doi.org/10.1038/s41597-024-02959-0>
- 98
- 99 Li, X. (2016). *dcm2nii*. <https://github.com/xiangruili/dcm2nii>
- 100 Li, Xiangrui, Morgan, P. S., Ashburner, J., Smith, J., & Rorden, C. (2016). The first step
101 for neuroimaging data analysis: DICOM to NIfTI conversion. *Journal of Neuroscience*
102 *Methods*, 264, 47–56. <https://doi.org/10.1016/j.jneumeth.2016.03.001>
- 103 Marcus, D. S., Olsen, T. R., Ramaratnam, M., & Buckner, R. L. (2007). The extensible
104 neuroimaging archive toolkit: An informatics platform for managing, exploring, and sharing
105 neuroimaging data. *Neuroinformatics*, 5(1), 11–34. <https://doi.org/10.1385/ni:5:1:11>
- 106 Markiewicz, C. J., Gorgolewski, K. J., Feingold, F., Blair, R., Halchenko, Y. O., Miller, E.,
107 Hardcastle, N., Wexler, J., Esteban, O., Goncavles, M., Jwa, A., & Poldrack, R. (2021).
108 OpenNeuro. *eLife*. <https://doi.org/10.7554/eLife.71774>
- 109 Norgaard, M., Matheson, G. J., Hansen, H. D., Thomas, A., Searle, G., Rizzo, G., Veronese,
110 M., Giacomel, A., Yaqub, M., Tonietto, M., Funck, T., Gillman, A., Boniface, H., Routier,
111 A., Dalenberg, J. R., Betthausen, T., Feingold, F., Markiewicz, C. J., Gorgolewski, K.
112 J., ... Ganz, M. (2022). PET-BIDS, an extension to the brain imaging data structure
113 for positron emission tomography. *Scientific Data*, 9(1), 65. <https://doi.org/10.1038/s41597-022-01164-1>
- 114
- 115 *Public nEUro*. (2023). <https://public-neuro.github.io/>
- 116 Rorden, C. (2023). *dcm2nii*. <http://www.mccauslandcenter.sc.edu/micro/mricron/dcm2nii.html>
- 117
- 118 Zwiers, M. P., Moia, S., & Oostenveld, R. (2022). BIDScoin: A user-friendly application to
119 convert source data to brain imaging data structure. *Frontiers in Neuroinformatics*, 15.
120 <https://doi.org/10.3389/fninf.2021.770608>