

DAA Taxa

0.1 Differential abundance analysis

- Group variable: **diet**
- Formula used: $\sim \text{diet} * \text{time} + (1 | \text{id})$

Table 1: Table of significant features

feature	metadata	value	coef	qval_individual	qval_joint	model
Clostridiaceae_unclassified	diet	2:time	1.078	0.066	0.06	abundance
Eubacteriales_unclassified	diet	2:time	1.164	0.066	0.06	abundance
GGB34797	diet	2	-3.154	0.066	0.06	abundance
Evtepia	diet	2	15.971	0.066	0.06	prevalence
Lacrimispora	diet	2:time	-7.649	0.066	0.06	prevalence
Lawsonibacter	diet	2	-14.254	0.066	0.06	prevalence
Lawsonibacter	time	time	-3.621	0.066	0.06	prevalence
GGB34797	diet	2:time	1.705	0.092	0.06	abundance
GGB34797	diet	2	15.979	0.161	0.06	prevalence
Lawsonibacter	time	time	-0.520	0.399	0.06	abundance
Lacrimispora	diet	2:time	0.901	0.424	0.06	abundance
Lawsonibacter	diet	2	-1.156	0.596	0.06	abundance
Evtepia	diet	2	-0.371	1.000	0.06	abundance
Clostridiaceae_unclassified	diet	2:time	-1.318	1.000	0.06	prevalence
Eubacteriales_unclassified	diet	2:time	0.039	1.000	0.06	prevalence
GGB34797	diet	2:time	0.000	1.000	0.06	prevalence





