

DAA path abundance

0.1 Differential abundance analysis

- Group variable: **diet**
- Formula used: $\sim \text{diet} * \text{intervention} + (1 \mid \text{id})$

Table 1: Table of significant features

feature	metadata	value	coef	qval_individual	qval_joint	model
P124.PWY...	intervention	oat	10.370	0.000	0.000	prevalence
PWY.6906...	intervention	oat	10.925	0.000	0.000	prevalence
PWY.5130...	diet	oat	8.331	0.000	0.000	prevalence
PWY.7315...	diet	oat:interventionoat	-12.695	0.001	0.002	prevalence
PWY.6906...	diet	oat:interventionoat	-11.383	0.006	0.009	prevalence
FASYN.IN...	intervention	oat	8.922	0.012	0.016	prevalence
PWY.622....	intervention	oat	9.989	0.022	0.030	prevalence
P124.PWY...	diet	oat:interventionoat	-10.018	0.081	0.110	prevalence
FASYN.IN...	intervention	oat	-1.178	0.733	0.016	abundance
PWY.622....	intervention	oat	-0.841	0.881	0.030	abundance
P124.PWY...	intervention	oat	-0.393	0.984	0.000	abundance
PWY.5130...	diet	oat	-0.265	0.984	0.000	abundance
PWY.7315...	diet	oat:interventionoat	-0.617	0.984	0.002	abundance
PWY.6906...	diet	oat:interventionoat	0.034	1.000	0.009	abundance
PWY.6906...	intervention	oat	0.095	1.000	0.000	abundance









Figure 1: summary_plot.png





FASYN.INITIAL.PWY..superpathway.of.fatty.acid.biosynthesis.initiation..E..coli.



P124.PWY..Bifidobacterium.shunt

