

Bacteroidetes/Firmicutes ratio

Muluh

1 Bacteroidetes/Firmicutes ratio

1.1 Group-wise comparisons

- **Taxonomic level:** Phylum
- **Group variable:** diet
- **Multiple testing correction:** fdr
- **Statistical test** Wilcoxon

1.1.1 Table of the top findings

1.1.2 Across-group

1.1.2.1 Before treatment

- Multiple testing correction: **fdr**
- Statistical test: **Wilcoxon**

Table 1: Table of Bacteroidetes/Firmicutes before Treatment


group1	group2	mean1	mean2	log2FC	p.adj
1	2	0.32	0.29	-0.12	0.41

1.1.2.2 After treatment

- Multiple testing correction: **fdr**
- Statistical test: **Wilcoxon**

Table 2: Table of Bacteroidetes/Firmicutes after Treatment

group1	group2	mean1	mean2	log2FC	p.adj
1	2	0.33	0.33	-0.02	0.68



1.1.3 Within-group

1.1.3.1 Paired treatment

- Multiple testing correction: **paired** -none
- Statistical test: **Wilcoxon**

Table 3: Table of Bacteroidetes/Firmicutes paired between timepoint (1 and 2)

diet	mean1	mean2	log2FC	p.value
1	0.32	0.33	0.28	0.80
2	0.29	0.33	1.07	0.37

2 Data Summary

```

class: TreeSummarizedExperiment
dim: 5 140
metadata(1): agglomerated_by_rank
assays(2): counts relabundance
rownames(5): Actinobacteria Bacteroidetes Firmicutes Other
               Proteobacteria
rowData names(10): kingdom phylum ... clade_name phylum_sub
colnames(140): AE1332 AK1371 ... TS2358 VK2336
colData names(15): sample id ... group bact_firm_ratio
reducedDimNames(0):
mainExpName: NULL

```

```
altExpNames(0):  
rowLinks: NULL  
rowTree: NULL  
colLinks: NULL  
colTree: NULL
```