


# Bacteroidetes/Firmicutes ratio

Muluh

## 1 Bacteroidetes/Firmicutes ratio

### 1.1 Group-wise comparisons

- Taxonomic level: Phylum
- Group variable: diet
- Multiple testing correction: fdr
- Statistical test Wilcoxon



#### 1.1.1 Table of the top findings

#### 1.1.2 Across-group

##### 1.1.2.1 Before treatment

- Multiple testing correction: **fdr**
- Statistical test: **Wilcoxon**

Table 1: Table of Bacteroidetes/Firmicutes before Treatment


| group1 | group2 | mean1 | mean2 | log2FC | p.adj |
|--------|--------|-------|-------|--------|-------|
| oat    | rice   | 0.32  | 0.29  | -0.12  | 0.41  |

##### 1.1.2.2 After treatment

- Multiple testing correction: **fdr**
- Statistical test: **Wilcoxon**

Table 2: Table of Bacteroidetes/Firmicutes after Treatment

| group1 | group2 | mean1 | mean2 | log2FC | p.adj |
|--------|--------|-------|-------|--------|-------|
| oat    | rice   | 0.33  | 0.33  | -0.02  | 0.68  |



### 1.1.3 Within-group

#### 1.1.3.1 Paired treatment


- Multiple testing correction: **fdr**
- Statistical test: **paired Wilcoxon**

Table 3: Table of Bacteroidetes/Firmicutes paired between timepoint (1 and 2)

| diet | mean1 | mean2 | log2FC | p.value |
|------|-------|-------|--------|---------|
| rice | 0.29  | 0.33  | 1.07   | 0.37    |
| oat  | 0.32  | 0.33  | 0.28   | 0.80    |

## 1.2 LMM

- Multiple testing correction: **FDR**
- Statistical test: **paired Wilcoxon**
- Formula used:  $\sim \text{diet} * \text{intervention} + (1 | \text{id})$



## 2 Data Summary

```

class: TreeSummarizedExperiment
dim: 18 140
metadata(1): agglomerated_by_rank
assays(1): relabundance
rownames(18): Actinobacteria Ascomycota ... Thaumarchaeota
               Verrucomicrobia
rowData names(9): kingdom phylum ... strain clade_name
colnames(140): AE1332 AE2332 ... VK1336 VK2336
colData names(18): sample id ... bact_firm_ratio bfratio
reducedDimNames(0):
mainExpName: NULL
altExpNames(0):
rowLinks: NULL
rowTree: NULL
colLinks: NULL
colTree: NULL

```