

DAA path abundance

0.1 Differential abundance analysis

- Group variable: **diet**
- Formula used: $\sim \text{diet} * \text{timepoint} + (1 | \text{id})$

Table 1: Table of significant features

feature	metadata	value	coef	qval_individual	qval_joint	model
GALACTAR...	timepoint	after	16.099	0.000	0.000	prevalence
GLUCARGA...	timepoint	after	16.099	0.000	0.000	prevalence
GALACTAR...	diet	oat:timepointafter	-17.240	0.000	0.000	prevalence
GLUCARGA...	diet	oat:timepointafter	-17.240	0.000	0.000	prevalence
GLYCOLYS...	timepoint	after	-6.976	0.000	0.000	prevalence
FASYN.IN...	timepoint	after	-1.027	0.007	0.009	abundance
PWY.622....	timepoint	after	-0.837	0.034	0.023	abundance
DAPLYSIN...	timepoint	after	-0.432	0.062	0.042	abundance
PWY.7115...	timepoint	after	-0.733	0.080	0.055	abundance
PWY0.106...	timepoint	after	-0.955	0.109	0.075	abundance
GALACTAR...	timepoint	after	-0.447	0.879	0.000	abundance
GLUCARGA...	timepoint	after	-0.447	0.879	0.000	abundance
GLYCOLYS...	timepoint	after	2.528	0.898	0.000	abundance
FASYN.IN...	timepoint	after	-3.102	0.907	0.009	prevalence
GALACTAR...	diet	oat:timepointafter	0.073	1.000	0.000	abundance
GLUCARGA...	diet	oat:timepointafter	0.073	1.000	0.000	abundance
PWY.622....	timepoint	after	0.000	1.000	0.023	prevalence
DAPLYSIN...	timepoint	after	NA	NA	0.042	prevalence
PWY.7115...	timepoint	after	NA	NA	0.055	prevalence
PWY0.106...	timepoint	after	NA	NA	0.075	prevalence







Figure 1: summary_plot.png




GLUCOSYLCTCAGLUCOBYPASS, superpathway of glycolysis, pyruvate dehydrogenase, TCA, and glyoxylate bypass




Value: after
FDR: 6.2e-05
Coefficient (in full model): -7.9e+00



Value: outtimepointafter
FDR: 2.0e-51
Coefficient (in full model): -1.7e+01



Value: outtimepointafter
FDR: 2.0e-51
Coefficient (in full model): -1.7e+01



Value: after
FDR: 6.2e-02
Coefficient (in full model): -4.3e-01