

Bacteroidetes/Firmicutes ratio

Muluh

Bacteroidetes/Firmicutes ratio

Group-wise comparisons

- Taxonomic level: Phylum
- Group variable: diet
- Multiple testing correction: fdr
- Statistical test Wilcoxon

Table of the top findings

Across-group

Before treatment

- Multiple testing correction: **fdr**
- Statistical test: **Wilcoxon**

Table 1: Table of Bacteroidetes/Firmicutes before Treatment


group1	group2	mean1	mean2	log2FC	p.adj
1	2	0.32	0.29	-0.12	0.41

After treatment

- Multiple testing correction: **fdr**
- Statistical test: **Wilcoxon**

Table 2: Table of Bacteroidetes/Firmicutes after Treatment

group1	group2	mean1	mean2	log2FC	p.adj
1	2	0.33	0.33	-0.02	0.68



Within-group

Paired treatment

- Multiple testing correction: **paired** -none
- Statistical test: **Wilcoxon**

Table 3: Table of Bacteroidetes/Firmicutes paired between timepoint (1 and 2)

diet	mean1	mean2	log2FC	p.value
1	0.32	0.33	0.28	0.80
2	0.29	0.33	1.07	0.37

Data Summary

class: TreeSummarizedExperiment
dim: 5 140

```
metadata(1): agglomerated_by_rank
assays(2): counts relabundance
rownames(5): Actinobacteria Bacteroidetes Firmicutes Other
  Proteobacteria
rowData names(10): kingdom phylum ... clade_name phylum_sub
colnames(140): AE1332 AK1371 ... TS2358 VK2336
colData names(15): sample id ... group bact_firm_ratio
reducedDimNames(0):
mainExpName: NULL
altExpNames(0):
rowLinks: NULL
rowTree: NULL
colLinks: NULL
colTree: NULL
```