

DAA Taxa

0.1 Differential abundance analysis

- Group variable: **diet**
- Formula used: $\sim \text{diet} * \text{time} + (1 | \text{id})$

Table 1: Table of significant features for species - Total features analyzed: 252

feature	metadata	value	coef	qval_individual	qval_joint	model
Blautia_wexlerae	diet	rice	10.106	0.000	0.000	prevalence
Lawsonibacter_asaccharolyticus	time	time	-2.711	0.011	0.011	prevalence
Clostridiales_bacterium_KLE1615	diet	rice:time	1.756	0.084	0.085	abundance
Clostridiales_bacterium_KLE1615	diet	rice	-3.024	0.086	0.087	abundance
GGB34797_SGB14322	diet	rice	-3.154	0.086	0.087	abundance
GGB34797_SGB14322	diet	rice	15.979	0.197	0.087	prevalence
Lawsonibacter_asaccharolyticus	time	time	-0.520	0.591	0.011	abundance
Blautia_wexlerae	diet	rice	0.025	1.000	0.000	abundance
Clostridiales_bacterium_KLE1615	diet	rice	1.358	1.000	0.087	prevalence
Clostridiales_bacterium_KLE1615	diet	rice:time	0.000	1.000	0.085	prevalence

Table 2: Table of significant features for genus - Total features analyzed: 160

feature	metadata	value	coef	qval_individual	qval_joint	model
Roseburia	diet	rice	10.106	0.000	0.000	prevalence
Lawsonibacter	time	time	-2.711	0.007	0.007	prevalence
Clostridiaceae_unclassified	diet	rice:time	1.078	0.077	0.080	abundance
Eubacteriales_unclassified	diet	rice:time	1.164	0.077	0.080	abundance
GGB34797	diet	rice	-3.154	0.077	0.080	abundance
Evtepia	diet	rice	15.971	0.088	0.092	prevalence
GGB34797	diet	rice	15.979	0.183	0.080	prevalence
Lawsonibacter	time	time	-0.520	0.430	0.007	abundance
Evtepia	diet	rice	-0.371	1.000	0.092	abundance
Roseburia	diet	rice	0.130	1.000	0.000	abundance
Clostridiaceae_unclassified	diet	rice:time	-1.318	1.000	0.080	prevalence
Eubacteriales_unclassified	diet	rice:time	2.000	1.000	0.080	prevalence

Table 3: Table of significant features for family - Total features analyzed: 77

feature	metadata	value	coef	qval_individual	qval_joint	model
Clostridiales_unclassified	time	time	-2.711	0.006	0.007	prevalence
FGB12107	diet	rice	-3.154	0.062	0.066	abundance
FGB12107	diet	rice	15.979	0.172	0.066	prevalence
Clostridiales_unclassified	time	time	-0.520	0.517	0.007	abundance

Table 4: Table of significant features for phylum - Total features analyzed: 11

feature	metadata	value	coef	qval_individual	qval_joint	model
*						

1 species






Figure 1: taxa_image18


2 family





3 genus





4 phylum





5 Associations-species





6 Associations-family



7 Associations-genus

