

CSS font-variant-caps Property

[Reference](#)

Example

Set a paragraph to a small-caps font:

```
p.normal {font-variant-caps: normal;}
p.small {font-variant-caps: small-caps;}
p.allsmall {font-variant-caps: all-small-caps;}
p.petite {font-variant-caps: petite-caps;}
p.allpetite {font-variant-caps: all-petite-caps;}
p.unicase {font-variant-caps: unicase;}
p.titling {font-variant-caps: titling-caps;}
```

[Try it Yourself »](#)

Definition and Usage


The `font-variant-caps` property controls the usage of alternate glyphs for capital letters.

[Show demo >](#)

Default value:	normal
Inherited:	yes
Animatable:	no. Read about animatable
Version:	CSS3

Browser Support

The numbers in the table specify the first browser version that fully supports the property.

Property					
font-variant-caps	52.0	79.0	34.0	Not supported	39.0

CSS Syntax

```
font-variant-caps: normal|small-caps|all-small-caps|petite-caps|all-petite-caps|unicase|titling-caps|initial|inherit|unset;
```

Property Values

Value	Description	Demo
normal	Deactivates the use of alternate glyphs	Demo >
small-caps	Displays small capitals	Demo >
all-small-caps	Displays small capitals for both upper and lowercase letters	Demo >
petite-caps	Displays petite capitals	Demo >
all-petite-caps	Displays petite capitals for both upper and lowercase letters	Demo >
unicase	Displays a mix of small capitals for uppercase letters with normal lowercase letters	Demo >
titling-caps	Displays titling capitals	Demo >
initial	Sets this property to its default value. Read about <i>initial</i>	
inherit	Inherits this property from its parent element. Read about <i>inherit</i>	
unset		

CSS tutorial: [CSS Font](#)

CSS reference: [font property](#).

HTML DOM reference: [fontVariant property](#).



Reference



50% OFF
All Courses and Certificates

Shop now!

From 7th of July 2023 - 1st of August 2023

Does not include
Bootcamps and Subscriptions



COLOR PICKER



Join our Mini CSS Bootcamp



“W3Schools Bootcamp is the best investment that I have ever made”
Student at W3Schools

Read more

Spaces

Upgrade

Newsletter

Get Certified

Report Error

Top Tutorials

- HTML Tutorial
- CSS Tutorial
- JavaScript Tutorial
- How To Tutorial

[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)

[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).



Menu ▼

🌟 Bootcamps

📦 Spaces

Sign Up

Log in

☰ HTML CSS JAVASCRIPT SQL

