Bootcamps   Spaces   Sign Up   Log in

HTML   CSS   JAVASCRIPT

CSS caret-color Property

❮   Reference   ❯

Example

Set the color of the cursor in input elements:

```
input {
  caret-color: red;
}
```

Try it Yourself »

Definition and Usage

The `caret-color` property specifies the color of the cursor (caret) in inputs, textareas, or any element that is editable.

Default value:	auto
Inherited:	yes
Animatable:	no. Read about _animatable_
Version:	CSS3
JavaScript syntax:	_object_.style.caretColor="red" Try it

The numbers in the table specify the first browser version that fully supports the property.

Property	Chrome	Edge	Firefox	Safari	Opera
caret-color	57.0	79.0	53.0	11.1	44.0

CSS Syntax

```
caret-color: auto|color|initial|inherit;
```

Property Values

| Value	Description
auto	Default. Browsers uses the currentColor for the caret
color	Specifies a color to use for the caret. All legal color values can be used (rgb, hex, named-color, etc). For more information on legal values, read our CSS Colors Tutorial
initial	Sets this property to its default value. Read about initial
inherit	Inherits this property from its parent element. Read about inherit

‹   **Reference**   ›

COLOR PICKER

Spaces

Upgrade

Newsletter

Get Certified

Report Error

Top Tutorials

Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

w3 schools