

CSS font-kerning Property

[Reference](#)

Example

Specify that font kerning is applied:

```
.ex1 {  
  font-kerning: normal;  
}
```

[Try it Yourself »](#)

Definition and Usage

The `font-kerning` property controls the usage of the kerning information stored in a font.

Tip: Kerning defines how letters are spaced.

Note: For fonts that do not include kerning data, this property will have no visible effect.

[Show demo >](#)

Default value:	auto
Inherited:	yes
Animatable:	no. Read about animatable
Version:	CSS3

Browser Support

The numbers in the table specify the first browser version that fully supports the property.

Numbers followed by -webkit- specify the first version that worked with a prefix.

Property					
font-kerning	33.0 29.0 -webkit-	79.0	34.0	9.1 7.0 -webkit-	20.1 16.0 -webkit-

CSS Syntax

```
font-kerning: auto|normal|none;
```

Property Values

Value	Description	Demo
auto	Default. The browser determines whether font kerning should be applied or not	Demo >
normal	Specifies that font kerning is applied	Demo >
none	Specifies that font kerning is not applied	

🎓🎓🎓🎓🎓🎓

All Courses and Certificates


Shop now!

From 7th of July 2023 - 1st of August 2023

Does not include
Bootcamps and Subscriptions



COLOR PICKER



Join our Mini CSS Bootcamp



*“W3Schools Bootcamp is the best
investment that I have ever made”
Student at W3Schools*

[Read more](#)

[Spaces](#)

[Upgrade](#)

[Newsletter](#)

[Get Certified](#)

[Report Error](#)

Top Tutorials

[HTML Tutorial](#)

[CSS Tutorial](#)

[JavaScript Tutorial](#)

[How To Tutorial](#)

[Java Tutorial](#)[C++ Tutorial](#)[jQuery Tutorial](#)

Top References

[HTML Reference](#)[CSS Reference](#)[JavaScript Reference](#)[SQL Reference](#)[Python Reference](#)[W3.CSS Reference](#)[Bootstrap Reference](#)[PHP Reference](#)[HTML Colors](#)[Java Reference](#)[Angular Reference](#)[jQuery Reference](#)

Top Examples

[HTML Examples](#)[CSS Examples](#)[JavaScript Examples](#)[How To Examples](#)[SQL Examples](#)[Python Examples](#)[W3.CSS Examples](#)[Bootstrap Examples](#)[PHP Examples](#)[Java Examples](#)[XML Examples](#)[jQuery Examples](#)

Get Certified

[HTML Certificate](#)[CSS Certificate](#)[JavaScript Certificate](#)[Front End Certificate](#)[SQL Certificate](#)[Python Certificate](#)[PHP Certificate](#)[jQuery Certificate](#)[Java Certificate](#)[C++ Certificate](#)[C# Certificate](#)[XML Certificate](#)[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.



Menu ▼

🌟 Bootcamps

📦 Spaces

Sign Up

Log in

☰ HTML CSS JAVASCRIPT SQL

