

CSS animation-name Property



Reference



Example

Specify a name for the @keyframes animation:

```
div {  
  animation-name: mymove;  
}
```

[Try it Yourself »](#)

Definition and Usage

The **animation-name** property specifies a name for the @keyframes animation.

Default value:	none
Inherited:	no
Animatable:	no. Read about animatable
Version:	CSS3
JavaScript syntax:	<code>object.style.animationName="myNEWmove"</code>

[Try it](#)



HTML

CSS

JAVASCRIPT



The numbers in the table specify the first browser version that fully supports the property.

Numbers followed by -webkit-, -moz-, or -o- specify the first version that worked with a prefix.

Property					
animation-name	43.0 4.0 -webkit-	10.0	16.0 5.0 -moz-	9.0 4.0 -webkit-	30.0 15.0 -webkit- 12.0 -o-

CSS Syntax

```
animation-name: keyframename|none|initial|inherit;
```

Property Values

Value	Description
<i>keyframename</i>	Specifies the name of the keyframe you want to bind to the selector
none	Default value. Specifies that there will be no animation (can be used to override animations coming from the cascade)
initial	Sets this property to its default value. Read about <i>initial</i>
inherit	Inherits this property from its parent element. Read about <i>inherit</i>

Related Pages

CSS tutorial: [CSS Animations](#)

HTML DOM reference: [animationName property](#)



Reference





Menu ▼

✦ Bootcamps

📁 Spaces

Sign Up

Log in



HTML

CSS

JAVASCRIPT



50% OFF

All Courses and Certificates

[Shop now!](#)

From 7th of July 2023 - 1st of August 2023

Does not include
Bootcamps and Subscriptions



COLOR PICKER



Join our Mini CSS Bootcamp



★★★★★

“W3Schools Bootcamp is the best investment that I have ever made. All the material from your catalog is really well explained, and has helped me to gain a great background.”

Student at W3Schools

Read more

- Spaces
- Upgrade
- Newsletter
- Get Certified
- Report Error

Top Tutorials



Menu ▼

✦ Bootcamps

📁 Spaces

Sign Up

Log in



HTML

CSS

JAVASCRIPT



[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)

Copyright 1999-2023 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

