

CSS Tutorial

- CSS HOME
- CSS Introduction
- CSS Syntax
- CSS Selectors
- CSS How To
- CSS Comments
- CSS Colors
- CSS Backgrounds
- CSS Borders
- CSS Margins
- CSS Padding
- CSS Height/Width
- CSS Box Model
- CSS Outline
- CSS Text
- CSS Fonts
- CSS Icons
- CSS Links
- CSS Lists
- CSS Tables
- CSS Display
- CSS Max-width
- CSS Position
- CSS Z-index
- CSS Overflow
- CSS Float
- CSS Inline-block
- CSS Align
- CSS Combinators
- CSS Pseudo-class
- CSS Pseudo-element
- CSS Opacity
- CSS Navigation Bar
- CSS Dropdowns
- CSS Image Gallery
- CSS Image Sprites
- CSS Attr Selectors
- CSS Forms
- CSS Counters
- CSS Website Layout
- CSS Units
- CSS Specificity
- CSS Important
- CSS Math Functions

CSS Advanced

- CSS Rounded Corners
- CSS Border Images
- CSS Backgrounds
- CSS Colors
- CSS Color Keywords
- CSS Gradients
- CSS Shadows
- CSS Text Effects
- CSS Web Fonts
- CSS 2D Transforms
- CSS 3D Transforms
- CSS Transitions
- CSS Animations
- CSS Tooltips
- CSS Style Images
- CSS Image Reflection
- CSS object-fit
- CSS object-position
- CSS Masking
- CSS Buttons
- CSS Pagination
- CSS Multiple Columns
- CSS User Interface
- CSS Variables
- CSS Box Sizing
- CSS Media Queries
- CSS MQ Examples
- CSS Flexbox

CSS Responsive

- RWD Intro
- RWD Viewport
- RWD Grnd View
- RWD Media Queries
- RWD Images
- RWD Videos
- RWD Frameworks
- RWD Templates

CSS Grid

- Grid Intro
- Grid Container
- Grid Item

CSS SASS

- SASS Tutorial

CSS Examples

- CSS Templates
- CSS Examples
- CSS Editor
- CSS Snippets
- CSS Quiz
- CSS Exercises
- CSS Bootcamp
- CSS Certificate

CSS References

- CSS Reference
- CSS Selectors
- CSS Functions
- CSS Reference Aural
- CSS Web Safe Fonts
- CSS Animatable
- CSS Units
- CSS PX-EM Converter
- CSS Colors
- CSS Color Values
- CSS Default Values
- CSS Browser Support

CSS Transitions

Previous

Next

CSS Transitions

CSS transitions allows you to change property values smoothly, over a given duration.

Mouse over the element below to see a CSS transition effect:






CSS

In this chapter you will learn about the following properties:

- transition
- transition-delay
- transition-duration
- transition-property
- transition-timing-function

Browser Support for Transitions

The numbers in the table specify the first browser version that fully supports the property.

Property					
transition	26.0	10.0	16.0	6.1	12.1
transition-delay	26.0	10.0	16.0	6.1	12.1
transition-duration	26.0	10.0	16.0	6.1	12.1
transition-property	26.0	10.0	16.0	6.1	12.1
transition-timing-function	26.0	10.0	16.0	6.1	12.1

How to Use CSS Transitions?

To create a transition effect, you must specify two things:

- the CSS property you want to add an effect to
- the duration of the effect

Note: If the duration part is not specified, the transition will have no effect, because the default value is 0.

The following example shows a 100px * 100px red <div> element. The <div> element has also specified a transition effect for the width property, with a duration of 2 seconds:

Example

```
div {
  width: 100px;
  height: 100px;
  background: red;
  transition: width 2s;
}
```

The transition effect will start when the specified CSS property (width) changes value.

Now, let us specify a new value for the width property when a user mouses over the <div> element:

Example

```
div:hover {
  width: 300px;
}
```

Try it Yourself »

Notice that when the cursor mouses out of the element, it will gradually change back to its original style.

Change Several Property Values

The following example adds a transition effect for both the width and height property, with a duration of 2 seconds for the width and 4 seconds for the height:

Example

```
div {
  transition: width 2s, height 4s;
}
```

Try it Yourself »

Specify the Speed Curve of the Transition

The `transition-timing-function` property specifies the speed curve of the transition effect.

The transition-timing-function property can have the following values:

- `ease` - specifies a transition effect with a slow start, then fast, then end slowly (this is default)
- `linear` - specifies a transition effect with the same speed from start to end
- `ease-in` - specifies a transition effect with a slow start
- `ease-out` - specifies a transition effect with a slow end
- `ease-in-out` - specifies a transition effect with a slow start and end
- `cubic-bezier(n,n,n,n)` - lets you define your own values in a cubic-bezier function

The following example shows some of the different speed curves that can be used:

Example

```
#div1 {transition-timing-function: linear;}
#div2 {transition-timing-function: ease;}
#div3 {transition-timing-function: ease-in;}
#div4 {transition-timing-function: ease-out;}
#div5 {transition-timing-function: ease-in-out;}
```

Save \$1118

Invest in your professional development!

Get Lifelong Access To All Current & Future Courses

Get Full Access

COLOR PICKER



SUMMER SALE 50% OFF

From 7th of July 2023 - 1st of August 2023

S

E

JS

Kickstart your Front- end Career!

Get certified today!

Does not include Bootcamps & Subscriptions

CSS Tutorial

- CSS HOME
- CSS Introduction
- CSS Syntax
- CSS Selectors
- CSS How To
- CSS Comments
- CSS Colors
- CSS Backgrounds
- CSS Borders
- CSS Margins
- CSS Padding
- CSS Height/Width
- CSS Box Model
- CSS Outline
- CSS Text
- CSS Fonts
- CSS Icons
- CSS Links
- CSS Lists
- CSS Tables
- CSS Display
- CSS Max-width
- CSS Position
- CSS Z-index
- CSS Overflow
- CSS Float
- CSS Inline-block
- CSS Align
- CSS Combinators
- CSS Pseudo-class
- CSS Pseudo-element
- CSS Opacity
- CSS Navigation Bar
- CSS Dropdowns
- CSS Image Gallery
- CSS Image Sprites
- CSS Attr Selectors
- CSS Forms
- CSS Counters
- CSS Website Layout
- CSS Units
- CSS Specificity
- CSS Important
- CSS Math Functions

CSS Advanced

- CSS Rounded Corners
- CSS Border Images
- CSS Backgrounds
- CSS Colors
- CSS Color Keywords
- CSS Gradients
- CSS Shadows
- CSS Text Effects
- CSS Web Fonts
- CSS 2D Transforms
- CSS 3D Transforms
- CSS Transitions
- CSS Animations
- CSS Tooltips
- CSS Style Images
- CSS Image Reflection
- CSS object-fit
- CSS object-position
- CSS Masking
- CSS Buttons
- CSS Pagination
- CSS Multiple Columns
- CSS User Interface
- CSS Variables
- CSS Box Sizing
- CSS Media Queries
- CSS MQ Examples
- CSS Flexbox

CSS Responsive

- RWD Intro
- RWD Viewport
- RWD Grnd View
- RWD Media Queries
- RWD Images
- RWD Videos
- RWD Frameworks
- RWD Templates

CSS Grid

- Grid Intro
- Grid Container
- Grid Item

CSS SASS

- SASS Tutorial

CSS Examples

- CSS Templates
- CSS Examples
- CSS Editor
- CSS Snippets
- CSS Quiz
- CSS Exercises
- CSS Bootcamp
- CSS Certificate

CSS References

- CSS Reference
- CSS Selectors
- CSS Functions
- CSS Reference Aural
- CSS Web Safe Fonts
- CSS Animatable
- CSS Units
- CSS PX-EM Converter
- CSS Colors
- CSS Color Values
- CSS Default Values
- CSS Browser Support

Delay the Transition Effect

The `transition-delay` property specifies a delay (in seconds) for the transition effect.

The following example has a 1 second delay before starting:

Example

```
div {
  transition-delay: 1s;
}
```

Try it Yourself »

Transition + Transformation

The following example adds a transition effect to the transformation:

Example

```
div {
  transition: width 2s, height 2s, transform 2s;
}
```

Try it Yourself »

More Transition Examples

The CSS transition properties can be specified one by one, like this:

Example

```
div {
  transition-property: width;
  transition-duration: 2s;
  transition-timing-function: linear;
  transition-delay: 1s;
}
```

Try it Yourself »

or by using the shorthand property `transition`:

Example

```
div {
  transition: width 2s linear 1s;
}
```

Try it Yourself »

Test Yourself With Exercises

Exercise:

Add a 2 second transition effect for width changes of the <div> element.

```
<style>
div {
  width: 100px;
  height: 100px;
  background: red;
  _____;
}

div:hover {
  width: 300px;
}
</style>

<body>
  <div>This is a div</div>
</body>
```

Submit Answer »

[Start the Exercise](#)

CSS Transition Properties

The following table lists all the CSS transition properties:

Property	Description
transition	A shorthand property for setting the four transition properties into a single property
transition-delay	Specifies a delay (in seconds) for the transition effect
transition-duration	Specifies how many seconds or milliseconds a transition effect takes to complete
transition-property	Specifies the name of the CSS property the transition effect is for
transition-timing-function	Specifies the speed curve of the transition effect

◀ Previous

Log in to track progress

Next ▶

CSS Tutorial

- CSS HOME
- CSS Introduction
- CSS Syntax
- CSS Selectors
- CSS How To
- CSS Comments
- CSS Colors
- CSS Backgrounds
- CSS Borders
- CSS Margins
- CSS Padding
- CSS Height/Width
- CSS Box Model
- CSS Outline
- CSS Text
- CSS Fonts
- CSS Icons
- CSS Links
- CSS Lists
- CSS Tables
- CSS Display
- CSS Max-width
- CSS Position
- CSS Z-index
- CSS Overflow
- CSS Float
- CSS Inline-block
- CSS Align
- CSS Combinators
- CSS Pseudo-class
- CSS Pseudo-element
- CSS Opacity
- CSS Navigation Bar
- CSS Dropdowns
- CSS Image Gallery
- CSS Image Sprites
- CSS Attr Selectors
- CSS Forms
- CSS Counters
- CSS Website Layout
- CSS Units
- CSS Specificity
- CSS Important
- CSS Math Functions

CSS Advanced

- CSS Rounded Corners
- CSS Border Images
- CSS Backgrounds
- CSS Colors
- CSS Color Keywords
- CSS Gradients
- CSS Shadows
- CSS Text Effects
- CSS Web Fonts
- CSS 2D Transforms
- CSS 3D Transforms

CSS Transitions

- CSS Animations
- CSS Tooltips
- CSS Style Images
- CSS Image Reflection
- CSS object-fit
- CSS object-position
- CSS Masking
- CSS Buttons
- CSS Pagination
- CSS Multiple Columns
- CSS User Interface
- CSS Variables
- CSS Box Sizing
- CSS Media Queries
- CSS MQ Examples
- CSS Flexbox

CSS Responsive

- RWD Intro
- RWD Viewport
- RWD Grid View
- RWD Media Queries
- RWD Images
- RWD Videos
- RWD Frameworks
- RWD Templates

CSS Grid

- Grid Intro
- Grid Container
- Grid Item

CSS SASS

- SASS Tutorial

CSS Examples

- CSS Templates
- CSS Examples
- CSS Editor
- CSS Snippets
- CSS Quiz
- CSS Exercises
- CSS Bootcamp
- CSS Certificate

CSS References

- CSS Reference
- CSS Selectors
- CSS Functions
- CSS Reference Aural
- CSS Web Safe Fonts
- CSS Animatable
- CSS Units
- CSS PX-EM Converter
- CSS Colors
- CSS Color Values
- CSS Default Values
- CSS Browser Support

Top Tutorials

- HTML Tutorial
- CSS Tutorial
- JavaScript Tutorial
- How To Tutorial
- SQL Tutorial
- Python Tutorial
- W3.CSS Tutorial
- Bootstrap Tutorial
- PHP Tutorial
- Java Tutorial
- C++ Tutorial
- jQuery Tutorial

Top References

- HTML Reference
- CSS Reference
- JavaScript Reference
- SQL Reference
- Python Reference
- W3.CSS Reference
- Bootstrap Reference
- PHP Reference
- HTML Colors
- Java Reference
- Angular Reference
- jQuery Reference

Top Examples

- HTML Examples
- CSS Examples
- JavaScript Examples
- How To Examples
- SQL Examples
- Python Examples
- W3.CSS Examples
- Bootstrap Examples
- PHP Examples
- Java Examples
- XML Examples
- jQuery Examples

Get Certified

- HTML Certificate
- CSS Certificate
- JavaScript Certificate
- Front End Certificate
- SQL Certificate
- Python Certificate
- PHP Certificate
- jQuery Certificate
- Java Certificate
- C++ Certificate
- C# Certificate
- XML Certificate

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2023 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

