









HTML

CSS JAVASCRIPT







CSS break-inside Property



Reference



Example

Avoid a page-break inside an element:

```
@media print {
  img {
    display: block;
    break-inside: avoid;
  }
}
```

Definition and Usage

The **break-inside** property specifies whether or not a page break, column break, or region break should occur inside the specified element.

The break-inside property extends then CSS2 page-break-inside property.

With break-inside, you can tell the browser to avoid breaks inside images, code snippets, tables, and lists.

Default value:

auto











Browser Support

The numbers in the table specify the first browser version that fully supports the property.

Property	0	C	(4)		0
break-inside	50.0	10.0	65.0	10.0	37.0

CSS Syntax

break-inside: auto|all|always|avoid|avoid-column|avoid-page|avoidregion|column|left|page|recto|region|right|verso|initial|inherit;

Property Values

Value	Description
auto	Default. Automatic page/column/region break inside the element
avoid	Avoid a page/column/region break inside the element
avoid-column	Avoid a column-break inside the element
avoid-page	Avoid a page-break inside the element
avoid-region	Avoid a region-break inside the element
initial	Sets this property to its default value. Read about initial
inherit	Inherits this property from its parent element. Read about inherit



¥ Bootcamps





HTML

CSS JAVASCRIPT







Example

Avoid a page-break inside a , , elements::

```
@media print {
   table, ul, ol {
     break-inside: avoid;
   }
}
```



Reference





COLOR PICKER





🟅 Bootcamps







Spaces
Upgrade
Newsletter
Get Certified
Report Error









HTML CSS **JAVASCRIPT**

0



JavaScript Tutorial How To Tutorial SQL Tutorial Python Tutorial W3.CSS Tutorial **Bootstrap Tutorial** PHP Tutorial Java Tutorial C++ Tutorial jQuery Tutorial

Top References

HTML Reference **CSS Reference** JavaScript Reference SQL Reference Python Reference W3.CSS Reference **Bootstrap Reference** PHP Reference **HTML Colors** Java Reference Angular Reference jQuery Reference


Top Examples

HTML Examples CSS Examples JavaScript Examples How To Examples **SQL Examples** Python Examples W3.CSS Examples **Bootstrap Examples** PHP Examples Java Examples XML Examples **jQuery Examples**

Get Certified

HTML Certificate **CSS** Certificate JavaScript Certificate Front End Certificate SQL Certificate Python Certificate PHP Certificate jQuery Certificate Java Certificate C++ Certificate











HTML

CSS JAVASCRIPT







W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content.

While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2023 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

