

CSS background-position Property

[Reference](#)

Example

How to position a background-image:

```
body {  
  background-image: url('w3css.gif');  
  background-repeat: no-repeat;  
  background-attachment: fixed;  
  background-position: center;  
}
```

[Try it Yourself »](#)

More "Try it Yourself" examples below.

Definition and Usage

The **background-position** property sets the starting position of a background image.

Tip: By default, a background-image is placed at the top-left corner of an element, and repeated both vertically and horizontally.

[Show demo >](#)

HTMLCSSJAVASCRIPT

Animatable:

yes. [Read about animatable](#)

Try it

Version:

CSS1






JavaScript syntax:

`object.style.backgroundPosition="center"`

Try it

Browser Support

The numbers in the table specify the first browser version that fully supports the property.

Property					
background-position	1.0	4.0	1.0	1.0	3.5

CSS Syntax

```
background-position: value;
```

Property Values

Value	Description	Demo
left top left center left bottom right top right center right bottom center top center center center bottom	If you only specify one keyword, the other value will be "center"	Demo >



HTML

CSS

JAVASCRIPT



value will be 50%. Default value is: 0% 0%

xpos ypos

The first value is the horizontal position and the second value is the vertical. The top left corner is 0 0. Units can be pixels (0px 0px) or any other [CSS units](#). If you only specify one value, the other value will be 50%. You can mix % and positions

Demo >

initial

Sets this property to its default value. [Read about *initial*](#)

inherit

Inherits this property from its parent element. [Read about *inherit*](#)

More Examples

Example

How to position a background-image to be centered at top:

```
body {  
  background-image: url('w3css.gif');  
  background-repeat: no-repeat;  
  background-attachment: fixed;  
  background-position: center top;  
}
```

Try it Yourself »

Example

How to position a background-image to be bottom right:

```
body {  
  background-image: url('w3css.gif');  
  background-repeat: no-repeat;  
  background-attachment: fixed;
```



HTML

CSS

JAVASCRIPT



Try it Yourself »

Example

How to position a background-image using percent:

```
body {  
  background-image: url('w3css.gif');  
  background-repeat: no-repeat;  
  background-attachment: fixed;  
  background-position: 50% 50%;  
}
```

Try it Yourself »

Example

How to position a background-image using pixels:

```
body {  
  background-image: url('w3css.gif');  
  background-repeat: no-repeat;  
  background-attachment: fixed;  
  background-position: 50px 150px;  
}
```

Try it Yourself »

Example

Use different background properties to create a "hero" image:

```
.hero-image {  
  background-image: url("photographer.jpg"); /* The image used */
```

```
background-size: cover; /* Resize the background image to cover the  
entire container */  
}
```

[Try it Yourself »](#)

Related Pages

CSS tutorial: [CSS Background](#)

CSS reference: [background-image property](#).

HTML DOM reference: [backgroundPosition property](#).


[Reference](#)

COLOR PICKER




SUMMER SALE 50% OFF

From 7th of July 2023 - 1st of August 2023




Kickstart your

Front- end Career!



Get certified today!

Does not include Bootcamps & Subscriptions



- Spaces
- Upgrade
- Newsletter



Menu ▼

✦ Bootcamps

📁 Spaces

Sign Up

Log in



HTML

CSS

JAVASCRIPT



Top Tutorials

- HTML Tutorial
- CSS Tutorial
- JavaScript Tutorial
- How To Tutorial
- SQL Tutorial
- Python Tutorial
- W3.CSS Tutorial
- Bootstrap Tutorial
- PHP Tutorial
- Java Tutorial
- C++ Tutorial
- jQuery Tutorial

Top References

- HTML Reference
- CSS Reference
- JavaScript Reference
- SQL Reference
- Python Reference
- W3.CSS Reference
- Bootstrap Reference
- PHP Reference
- HTML Colors
- Java Reference
- Angular Reference
- jQuery Reference

Top Examples

- HTML Examples
- CSS Examples
- JavaScript Examples
- How To Examples
- SQL Examples
- Python Examples
- W3.CSS Examples
- Bootstrap Examples
- PHP Examples
- Java Examples
- XML Examples
- jQuery Examples

Get Certified

- HTML Certificate
- CSS Certificate
- JavaScript Certificate
- Front End Certificate



Menu ▼

[Bootcamps](#)[Spaces](#)[Sign Up](#)[Log in](#)[HTML](#)[CSS](#)[JAVASCRIPT](#)[C++ Certificate](#)[C# Certificate](#)[XML Certificate](#)[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content.

While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2023 by Refsnes Data. All Rights Reserved.

W3Schools is Powered by W3.CSS.

