









HTML

CSS JAVASCRIPT







CSS background Property



Reference



Example

Set different background properties in one declaration:

```
body {
  background: lightblue url("img_tree.gif") no-repeat fixed center;
}
```

Try it Yourself »

Definition and Usage

The background property is a shorthand property for:

- background-color
- background-image
- background-position
- background-size
- background-repeat
- background-origin
- background-clip
- background-attachment


It does not matter if one of the values above are missing, e.g. background:#ff0000 url(smiley.gif); is allowed.











Browser Support

The numbers in the table specify the first browser version that fully supports the property.

Property	0	C	6		0
background	1.0	4.0	1.0	1.0	3.5

Note: See individual browser support for each value below.

CSS Syntax

background: bg-color bg-image position/bg-size bg-repeat bg-origin bg-clip bg-attachment initial|inherit;

Note: If one of the properties in the shorthand declaration is the bg-size property, you must use a / (slash) to separate it from the bg-position property, e.g. background:url(smiley.gif) 10px 20px/50px 50px; will result in a background image, positioned 10 pixels from the left, 20 pixels from the top, and the size of the image will be 50 pixels wide and 50 pixels high.

Note: If using multiple background-image sources but also want a background-color, the background-color parameter needs to be last in the list.

Property Values









≡	HTML CSS	JAVASCRIPT	a	• •	Q
	<u>background-image</u>	Specifies ONE or MORE background images to be used	1	Demo >	
	<u>background-position</u>	Specifies the position of the background images	1	Demo >	
	<u>background-size</u>	Specifies the size of the background images	3	Demo 🕽	
	<u>background-repeat</u>	Specifies how to repeat the background images	1	Demo >	
	<u>background-origin</u>	Specifies the positioning area of the background images	3	Demo 🕽	
	<u>background-clip</u>	Specifies the painting area of the background images	3	Demo >	
	<u>background-attachmer</u>	Specifies whether the background images are fixed or scrolls with the rest of the page	1		
	initial	Sets this property to its default value. Read about <i>initial</i>	3		
	inherit	Inherits this property from its parent element. <u>Read about <i>inherit</i></u>	2		

Related Pages

CSS tutorial: CSS Background, CSS Backgrounds (advanced)

HTML DOM reference: background property




Reference





CSS

HTML









COLOR PICKER








¥ Bootcamps











Top Tutorials









HTML CSS **JAVASCRIPT**

0



Python Tutorial W3.CSS Tutorial **Bootstrap Tutorial** PHP Tutorial Java Tutorial C++ Tutorial jQuery Tutorial

Top References

HTML Reference **CSS** Reference JavaScript Reference SQL Reference Python Reference W3.CSS Reference **Bootstrap Reference** PHP Reference **HTML Colors** Java Reference Angular Reference jQuery Reference

Top Examples

HTML Examples **CSS Examples** JavaScript Examples How To Examples SQL Examples Python Examples W3.CSS Examples **Bootstrap Examples** PHP Examples Java Examples XML Examples jQuery Examples

Get Certified


HTML Certificate **CSS Certificate** JavaScript Certificate Front End Certificate **SQL** Certificate Python Certificate PHP Certificate jQuery Certificate Java Certificate C++ Certificate C# Certificate XML Certificate



CSS

JAVASCRIPT

HTML







•

•

O

Copyright 1999-2023 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

