

Q:16:

Configure a network policy.

Configure a network policy using the dalhousie and calicut projects with the following requirements:

The dalhousie project has network policy with the name db-allow-mysql-conn based on pod selector label network.openshift.io/policy-group

Connections to the dalhousie project are restricted to deployments from the calicut project

The network policy is filtered by project selector using the team:devsecops label and pod selector using the deploymentdb-mysql label

The application can establish a connection to port 3306/TCP

You can check your work by examining the logs in the calicut project.

Answer:

1. List all the Labels for the below.

```
$ oc get pods -n dalhousie --show-labels
```

```
$ oc get namespace calicut --show-labels
```

```
$ oc get pods -n calicut --show-labels
```

```
[student@workstation ~]$ oc get namespace calicut --show-labels
NAME      STATUS   AGE      LABELS
calicut   Active   12s      kubernetes.io/metadata.name=calicut,pod-security.kubernetes.io/audit-version=v1.24,pod-security.kubernetes.io/audit=restricted,pod-security.kubernetes.io/warn-version=v1.24,pod-security.kubernetes.io/warn=restricted
```

```
[student@workstation ~]$ oc apply -f mysql-deployment.yaml -n dalhousie
deployment.apps/db-mysql created
```

```
[student@workstation ~]$ oc apply -f checker.yaml
deployment.apps/checker created
[student@workstation ~]$ oc get pod
NAME                                READY   STATUS             RESTARTS
checker-58c44dc9d8-l4lfw            0/1     ContainerCreating   0
[student@workstation ~]$ oc get deployment
NAME      READY   UP-TO-DATE   AVAILABLE   AGE
checker  0/1     1             0           11s
```

```

student@workstation ~]$ oc get pods -n dalhousie
NAME                                READY   STATUS    RESTARTS   AGE
b-mysql-7cf5c8468d-gx76l           1/1     Running   0           21m
student@workstation ~]$ oc get pods -n calicut
NAME                                READY   STATUS              RESTARTS   AGE
hecker-58c44dc9d8-l4lfw             0/1     ImagePullBackOff    0           7m
student@workstation ~]$ oc get pods -n dalhousie --show-labels
oc get pods -n calicut --show-labels
oc get namespace calicut --show-labels

```

```

student@workstation ~]$ vim network-policy.yaml
student@workstation ~]$ oc apply -f network-policy.yaml
networkpolicy.networking.k8s.io/db-allow-mysql-conn created
student@workstation ~]$ oc get networkpolicy -n dalhousie
oc describe networkpolicy db-allow-mysql-conn -n dalhousie
NAME                                POD-SELECTOR   AGE
b-allow-mysql-conn                 deployment=db-mysql  23s
Name:                               db-allow-mysql-conn
Namespace:                           dalhousie
Created on:                          2025-12-09 23:51:05 -0500 EST
Labels:                               <none>

```

```

student@workstation ~]$ oc run test --image=busybox --restart=Never -- sh -c "sleep 3600"
Warning: would violate PodSecurity "restricted:v1.24": allowPrivilegeEscalation != false (container "test" must set securityContext.allowPrivilegeEscalation=false), unrestricted capabilities (container "test" must set securityContext.capabilities.drop=["ALL"]), runAsNonRoot != true (pod or container "test" must set securityContext.runAsNonRoot=true), seccompProfile (pod or container "test" must set securityContext.seccompProfile.type to "RuntimeDefault" or "localhost")
pod/test created
student@workstation ~]$ oc exec test -- nc -zv mysql.dalhousie.svc.cluster.local 3306
error: unable to upgrade connection: container not found ("test")
student@workstation ~]$

```