

Tag	Children	
a		
	href	
algorithm		
alt	plot, p, pre, b, ul, li, em, strong, h1, h2, h3, i, hr, br, a, table, figure, hidden, ignore, asset, qmath, right, solution, code, div, span, snippet, asciimath	
	class	
	lang	
	method	
	hashkey	
answer	hide, parsed, text	
args		
asciimath		
asset		
	name	
b	p	
	class	
blacklist	token	
br		
button		
	onclick	
	style	
choice	alt, figure, text	
	correct	
	key	
	order	
code		
comment	alt	
	hashkey	
config	func	
data	func	
difficulty		
div		
	id	
em	p, a	
	class	
equality		
exercise	exercisename, global, text, question, studentasset, macros, solution, figure, right, ignore, hidden	
	updated	
	by	
	exercise_key	
exercisename	alt	
	hashkey	
expression		
	label	
figure		
func	token, args, value, tex	
funcs		
functions	func	
global	blacklist, vars, ops, funcs, oneforms, op, var, hint, func	

	type	
h1		
h2		
h3		
hidden	any	
hide	answer, hint, solution, text	
hint	hide, hint, image, text, comment, regex	
	label	
	lang	
hr		
html	plot, p, pre, b, ul, li, em, strong, h1, h2, h3, i, hr, br, a, table	
i		
if-not-so		
if-so		
ignore	any	
image		
	type	
	width	
import		
instructions		
incorrect		
isfalse	if-so, if-not-so	
isincorrect		
istrue	if-so, if-not-so	
	sufficient	
layout	func	
li	b, p, button, br, em	
link		
	rel	
	href	
local	blacklist, var	
log	logitem	
logitem		
	date	
macros		
name		
name7		
notes		
oneforms		
op		
ops		
osolution	image	
p	b, em, br, figure, i, p, ul	
parsed		
plot	data, layout, config, vars	
pre		
qmath		
querypath		

question	blacklist, ops, oneforms, funcs, vars, hint, parsed, text, source, var, func, choice, equality, expression, istrue, isfalse, iscorrect, isincorrect, rate, querypath, resources, instructions, w1, import, variables, local, functions, macros, hidden, ignore	
	exposeglobals	
	points	
	key	
	precision	
	validate	
	silent	
	hidden	
	showerrors	
	type	
	mode	
	function	
	file	
	answerbox	
rate		
regex		
	present	
resources		
right	plot, p, pre, b, ul, li, em, strong, h1, h2, h3, i, hr, br, a, table, figure	
script		
	src	
	type	
	module	
	nomodule	
	async	
	defer	
	crossorigin	
	integrity	
	referrerpolicy	
snippet	plot, p, pre, b, ul, li, em, strong, h1, h2, h3, i, hr, br, a, table, span, button, div, text, script, style, link	
	id	
solution	plot, p, pre, b, ul, li, em, strong, h1, h2, h3, i, hr, br, a, table, figure, hint, image, qmath, solution, text, asset	
	label	
solutionsheet		
source		
span		
strong		
studentasset		
style		
table	tr, thead, tbody	
	class	
tbody	tr	
td	b, qmath, em	
tex		

text	plot, p, pre, b, ul, li, em, strong, h1, h2, h3, i, hr, br, a, table, alt, figure, hidden, ignore, asset, qmath, right, solution, code, div, span, snippet, asciimath	
	class	
	hidden	
	lang	
	method	
	hashkey	
th		
thead	tr	
thecorrectanswer		
	id	
	lang	
	question	
	questionkey	
token		
tr	td, th	
ul	figure, p, li	
value		
var	token, tex, value	
variables	blacklist, var	
vars	func	
wl		