

NAV2 11:20080142 C>T (1-based)

Orange: mutation

Protein context

Varcode: reference + nominated edit only

Isovar
Assembly on

G T A Q S A D L R I R R Q H S S D S V S S I N S **V** T S H S S V G S N I E S D S K K K K R K N W

47 aa · 23 × 25-mers
13 templates

Isovar
Assembly off

G T A Q S A D L R I R R Q H S S D S V S S I N S **V** T S H S S V G S N I E S D S K K K K R K N W

47 aa · 23 × 25-mers
13 templates

Varcode 1
(3 transcripts)


G T A Q S A D L R I R R Q H S S D S V S S I N S **V** T S H S S V G S N I E S D S K K K K R K N W L R

p.A1689V
p.A1753V
+1 effect labels in notes


Varcode 2
(4 transcripts)

G T A Q S A D L R I R R Q H S S D S V S S I N S **V** T S H S S V G S N I E S D S K K K K R K N W V N

p.A1753V
p.A1809V



NAV2 11:20080142 C>T (1-based)




NAV2 11:20080142 C>T (1-based)

Read overlaps

Orange: mutation

13 templates
4 spanning read objects
14 total read objects



NAV2 11:20080142 C>T (1-based)

Transcript models

Orange: mutation

8 models

Isoform not established

Black: contributes RNA protein

Gray: prediction only

ENST00000349880 →
(NAV2-003)

ENST00000360655 →
(NAV2-008)

ENST00000396085 →
(NAV2-002)

ENST00000396087 →
(NAV2-001)

ENST00000525322 →
(NAV2-006)

ENST00000527559 →
(NAV2-201)

ENST00000533917 →
(NAV2-005)

ENST00000540292 →
(NAV2-202)

RNA junctions

No retained junction evidence

20,080,062

20,080,141

20,080,216

Genomic position (0-based, forward strand)