

TECPR1 7:98241128 G>- (1-based)

Protein context

Varcode: reference + nominated edit only

Orange: mutation

Isovar
Assembly on

S S W S L L D T P G E V V Q I S C G P H D L L W

A H S G R D R P W S G K E S T G A I P K E V P G P

49 aa · 25 × 25-mers
15 templates

Isovar
Assembly off

V Q I S C G P H D L L W

A H S G R D R P W S G K E S T G A I P K E V P G P

37 aa · 13 × 25-mers
16 templates

Varcode 1
(1 transcript)

S S W S L L D T P G E V V Q I S C G P H D L L W

A H S G R D R P W S G K E S T G A I P K E V P G P

p.T259fs

-20

-10


0

10

20

Amino-acid offset from mutation (N → C)

TECPR1 7:98241128 G>- (1-based)




TECPR1 7:98241128 G>- (1-based)

Read overlaps

Orange: mutation

15 templates
0 spanning read objects
16 total read objects

Reconstructed cDNA



TECPR1 7:98241128 G>- (1-based)

Transcript models

Orange: mutation

1 model

Isoform not established

// compressed genomic gap

ENST00000447648 ←
(TECPR1-001)

RNA junctions

//

6

98,240,929

98,241,127

98,241,207

Genomic position (0-based, forward strand)

