

SLC25A12 2:171813470 A>G (1-based)

Protein context

Varcode: reference + nominated edit only

Orange: mutation

Isovar
Assembly on

I A E S A Y R F T L G S V A G A V G A T A V Y P T D L V K T R M Q N Q R G S G S V V G E L M Y K N

49 aa · 25 × 25-mers
35 templates

Isovar
Assembly off

I A E S A Y R F T L G S V A G A V G A T A V Y P T D L V K T R M Q N Q R G S G S V V G E

44 aa · 20 × 25-mers
35 templates

Varcode 1
(1 transcript)

I A E S A Y R F T L G S V A G A V G A T A V Y P T D L V K T R M Q N Q R G S G S V V G E L M Y K N

p.I347T

-20

-10


0

10

20

Amino-acid offset from mutation (N → C)

SLC25A12 2:171813470 A>G (1-based)




SLC25A12 2:171813470 A>G (1-based)

Read overlaps

Orange: mutation

35 templates
0 spanning read objects

Reconstructed cDNA



SLC25A12 2:171813470 A>G (1-based)

Transcript models

Orange: mutation

1 model
Isoform not established
// compressed genomic gap

ENST00000422440 ←
(SLC25A12-001)

RNA junctions

171,813,390

171,813,469

171,815,172

Genomic position (0-based, forward strand)

//

27