

DIAPH1 5:141526090 C>A (1-based)

Protein context

Varcode: reference + nominated edit only

Orange: mutation

Isovar
Assembly on

K E N Q K R R E T E E K M R R A K L A K E K A E N E R L E K Q Q K R E Q L I D M N A E G D E T G V

49 aa · 25 × 25-mers
13 templates

Isovar
Assembly off


E E K M R R A K L A K E K A E N E R L E K Q Q K R E Q L I D M N A E G D E T G V

40 aa · 16 × 25-mers
14 templates


Varcode 1
(5 transcripts)

K E N Q K R R E T E E K M R R A K L A K E K A E N E R L E K Q Q K R E Q L I D M N A E G D E T G V

p.K1130N
p.K1165N
+1 effect labels in notes



DIAPH1 5:141526090 C>A (1-based)




DIAPH1 5:141526090 C>A (1-based)

Read overlaps

Orange: mutation

13 templates
0 spanning read objects

Reconstructed cDNA




DIAPH1 5:141526090 C>A (1-based)

Transcript models

Orange: mutation

5 models
Isoform not established
// compressed genomic gap



SLC25A12 2:171813470 A>G (1-based)

Protein context

Varcode: reference + nominated edit only

Orange: mutation

Isovar
Assembly on

I A E S A Y R F T L G S V A G A V G A T A V Y P T D L V K T R M Q N Q R G S G S V V G E L M Y K N

49 aa · 25 × 25-mers
35 templates

Isovar
Assembly off

I A E S A Y R F T L G S V A G A V G A T A V Y P T D L V K T R M Q N Q R G S G S V V G E

44 aa · 20 × 25-mers
35 templates

Varcode 1
(1 transcript)

I A E S A Y R F T L G S V A G A V G A T A V Y P T D L V K T R M Q N Q R G S G S V V G E L M Y K N

p.I347T

-20

-10


0

10

20

Amino-acid offset from mutation (N → C)

SLC25A12 2:171813470 A>G (1-based)




SLC25A12 2:171813470 A>G (1-based)

Read overlaps

Orange: mutation

35 templates
0 spanning read objects

Reconstructed cDNA



SLC25A12 2:171813470 A>G (1-based)

Transcript models

Orange: mutation

1 model
Isoform not established
// compressed genomic gap

ENST00000422440 ←
(SLC25A12-001)


RNA junctions

171,813,390

171,813,469

171,815,172

Genomic position (0-based, forward strand)



TECPR1 7:98241128 G>- (1-based)

Protein context

Varcode: reference + nominated edit only

Orange: mutation

Isovar
Assembly on

S S W S L L D T P G E V V Q I S C G P H D L L W

A H S G R D R P W S G K E S T G A I P K E V P G P

49 aa · 25 × 25-mers
15 templates

Isovar
Assembly off

V Q I S C G P H D L L W

A H S G R D R P W S G K E S T G A I P K E V P G P

37 aa · 13 × 25-mers
16 templates

Varcode 1
(1 transcript)

S S W S L L D T P G E V V Q I S C G P H D L L W

A H S G R D R P W S G K E S T G A I P K E V P G P

p.T259fs

-20

-10


0

10

20

Amino-acid offset from mutation (N → C)

TECPR1 7:98241128 G>- (1-based)




TECPR1 7:98241128 G>- (1-based)

Read overlaps

Orange: mutation

15 templates
0 spanning read objects
16 total read objects

Reconstructed cDNA



TECPR1 7:98241128 G>- (1-based)

Transcript models

Orange: mutation

1 model

Isoform not established

// compressed genomic gap

ENST00000447648 ←
(TECPR1-001)

RNA junctions

//

6

98,240,929

98,241,127

98,241,207

Genomic position (0-based, forward strand)

DYNC1H1 14:101980529 G>A (1-based)

Protein context

Varcode: reference + nominated edit only

Orange: mutation

Isovar
Assembly on

R E S P E V L L T L D I L K H G K R F H A T I S F D T D T G L K Q A L E T V N D Y N P L M

45 aa · 21 × 25-mers
39 templates

Isovar
Assembly off

R E S P E V L L T L D I L K H G K R F H A T I S F D T D T G L K Q A L E T V N D Y N P L M

45 aa · 21 × 25-mers
39 templates

Varcode 1
(1 transcript)

E K R E S P E V L L T L D I L K H G K R F H A T I S F D T D T G L K Q A L E T V N D Y N P L M K D

p.V314I

-20

-10


0

10

20

Amino-acid offset from mutation (N → C)

DYNC1H1 14:101980529 G>A (1-based)



DYNC1H1 14:101980529 G>A (1-based)


Read overlaps

Orange: mutation

39 templates
39 spanning read objects

Reconstructed cDNA

x39



DYNC1H1 14:101980529 G>A (1-based)

Transcript models

Orange: mutation

1 model

Isoform not established

```
// compressed genomic gap
```

ENST00000360184 →
(DYNC1H1-001)

RNA junctions

//

39

101,980,455

101,980,528

Genomic position (0-based, forward strand)

101,983,070

DYNC1H1 14:102030200 G>T (1-based)

Protein context

Varcode: reference + nominated edit only

Orange: mutation

Isovar
Assembly on

M V K D Q Q E A E K K K V M S Q E I Q E Q L H K H Q E V I A D K Q M S V K E D L D K V E P A V I E

49 aa · 25 × 25-mers
33 templates

Isovar
Assembly off


V K D Q Q E A E K K K V M S Q E I Q E Q L H K H Q E V I A D K Q M S V K E D L D K V E P A V I E

48 aa · 24 × 25-mers
33 templates


Varcode 1
(1 transcript)

M V K D Q Q E A E K K K V M S Q E I Q E Q L H K H Q E V I A D K Q M S V K E D L D K V E P A V I E

p.Q3267H



DYNC1H1 14:102030200 G>T (1-based)




DYNC1H1 14:102030200 G>T (1-based)

Read overlaps

Orange: mutation

33 templates
0 spanning read objects

Reconstructed cDNA



DYNC1H1 14:102030200 G>T (1-based)

Transcript models


Orange: mutation

1 model
Isoform not established
// compressed genomic gap

ENST00000360184 →
(DYNC1H1-001)



RNA junctions



102,029,897 102,030,199 102,030,279

Genomic position (0-based, forward strand)

H1-2 6:26055825 CCTTGGGCTTAGCGG>- (1-based)

Protein context

Varcode: reference + nominated edit only

Orange: mutation

Isovar
Assembly on

A K V A K P K K A A K S A A K A V K P K **V** V K P K K A A P K K K *

32 aa · 8 × 25-mers
40 templates

Isovar
Assembly off

A K V A K P K K A A K S A A K A V K P K **V** V K P K K A A P K K K *

32 aa · 8 × 25-mers
40 templates


Varcode 1
(1 transcript)

S P K K A K V A K P K K A A K S A A K A V K P K **V** V K P K K A A P K K K


p.AAKPK196del



H1-2 6:26055825 CCTTGGGCTTAGCGG>- (1-based)



H1-2 6:26055825 CCTTGGGCTTAGCGG>- (1-based)



H1-2 6:26055825 CCTTGGGCTTAGCGG>- (1-based)

Transcript models

Orange: mutation

1 model

Isoform not established

```
// compressed genomic gap
```

ENST00000343677 ←
(HIST1H1C-001)

//

RNA junctions

No retained junction evidence

26,055,756

26,055,824

26,055,906

Genomic position (0-based, forward strand)

MAP2 2:209694769 CTGGGCTACT... (22 nt)>- (1-based)

Protein context

Varcode: reference + nominated edit only

Orange: mutation

Isovar
Assembly on

No translated protein

1 alternate read objects

Isovar
Assembly off

No translated protein

1 alternate read objects

Varcode 1
(2 transcripts)

S R T G L P P V T D E N H V I V K T D S Q L E D **S T Q S H C H H L F K T V R I Y Q G R V V P F T K**

p.L863fs
p.L867fs

-20

-10

0

10

20

Amino-acid offset from mutation (N → C)

MAP2 2:209694769 CTGGGGCTACT... (22 nt)>- (1-based)

RNA coverage

No reconstructed cDNA meeting the current thresholds

MAP2 2:209694769 CTGGGCTACT... (22 nt)>- (1-based)

Read overlaps

Orange: mutation

No translated assembly to display

MAP2 2:209694769 CTGGGCTACT... (22 nt)>- (1-based)

Transcript models

Orange: mutation

2 models

Isoform not established

Black: contributes RNA protein

Gray: prediction only

ENST00000360351 →
(MAP2-001)

ENST00000447185 →
(MAP2-014)

RNA junctions

No retained junction evidence

209,694,763

209,694,768

209,694,795

Genomic position (0-based, forward strand)

NAV2 11:20080142 C>T (1-based)

Orange: mutation

Protein context

Varcode: reference + nominated edit only

Isovar
Assembly on

G T A Q S A D L R I R R Q H S S D S V S S I N S **V** T S H S S V G S N I E S D S K K K K R K N W

47 aa · 23 × 25-mers
13 templates

Isovar
Assembly off

G T A Q S A D L R I R R Q H S S D S V S S I N S **V** T S H S S V G S N I E S D S K K K K R K N W

47 aa · 23 × 25-mers
13 templates

Varcode 1
(3 transcripts)


G T A Q S A D L R I R R Q H S S D S V S S I N S **V** T S H S S V G S N I E S D S K K K K R K N W L R

p.A1689V
p.A1753V
+1 effect labels in notes


Varcode 2
(4 transcripts)

G T A Q S A D L R I R R Q H S S D S V S S I N S **V** T S H S S V G S N I E S D S K K K K R K N W V N

p.A1753V
p.A1809V



NAV2 11:20080142 C>T (1-based)




NAV2 11:20080142 C>T (1-based)

Read overlaps

Orange: mutation

13 templates
4 spanning read objects
14 total read objects



NAV2 11:20080142 C>T (1-based)

Transcript models

Orange: mutation

8 models

Isoform not established

Black: contributes RNA protein

Gray: prediction only

ENST00000349880 →
(NAV2-003)

ENST00000360655 →
(NAV2-008)

ENST00000396085 →
(NAV2-002)

ENST00000396087 →
(NAV2-001)

ENST00000525322 →
(NAV2-006)

ENST00000527559 →
(NAV2-201)

ENST00000533917 →
(NAV2-005)

ENST00000540292 →
(NAV2-202)

RNA junctions

No retained junction evidence

20,080,062

20,080,141

20,080,216

Genomic position (0-based, forward strand)

NTF3 12:5494381 A>G (1-based)

Protein context

Varcode: reference + nominated edit only

Orange: mutation

Isovar
Assembly on

N K L S K Q M V D V S E N Y Q S T L P K

20 aa · 0 × 25-mers
9 templates

Isovar
Assembly off

N K L S K Q M V D V S E N Y Q S T L P K

20 aa · 0 × 25-mers
9 templates

Varcode 1
(2 transcripts)

N S L I I K L I Q A D I L K N K L S K Q M V D V R E N Y Q S T L P K A E A P R E P E R G G P A K S

p.K56R
p.K69R

-20

-10


0

10

20

Amino-acid offset from mutation (N → C)

NTF3 12:5494381 A>G (1-based)



NTF3 12:5494381 A>G (1-based)

Read overlaps


Orange: mutation

9 templates

9 spanning read objects

Reconstructed cDNA

×9



NTF3 12:5494381 A>G (1-based)

Transcript models

Orange: mutation

2 models

Isoform not established

ENST00000331010 →
(NTF3-002)

ENST00000423158 →
(NTF3-001)

RNA junctions

No retained junction evidence

5,494,344

5,494,380

5,494,416

Genomic position (0-based, forward strand)



PIP5K1A 1:151242179 G>- (1-based) · PIP5K1A-T1-ONT

Protein context

Varcode: reference + nominated edit only

Orange: mutation

Isovar
Assembly on

V F K K I P L K P S P S K K F R S G S S F S R R A A P V A T P A L L T S H R S L G N T R H K *

46 aa · 21 × 25-mers
2 templates

Isovar
Assembly off


V F K K I P L K P S P S K K F R S G S S F S R R A A P V A T P A L L T S H R S L G N T R H K *

46 aa · 21 × 25-mers
2 templates


Varcode 1
(4 transcripts)

F K K I P L K P S P S K K F R S G S S F S R R A A P V A T P A L L T S H R S L G N T R H K

p.G434fs
p.G461fs
+2 effect labels in notes



PIP5K1A 1:151242179 G>- (1-based) · PIP5K1A-T1-ONT



PIP5K1A 1:151242179 G>- (1-based) · PIP5K1A-T1-ONT

Read overlaps


Orange: mutation

2 templates

2 spanning read objects

Reconstructed cDNA

×2



PIP5K1A 1:151242179 G>- (1-based) · PIP5K1A-T1-ONT

Transcript models

Orange: mutation

4 models

Isoform not established

// compressed genomic gap

ENST00000349792 →
(PIP5K1A-001)

//

ENST00000368888 →
(PIP5K1A-003)

ENST00000409426 →
(PIP5K1A-015)

ENST00000441902 →
(PIP5K1A-016)

RNA junctions

2

151,240,015

151,242,178

151,242,258

Genomic position (0-based, forward strand)

PIP5K1A 1:151242179 G>- (1-based) · PIP5K1A-T1-Illumina

Protein context

Varcode: reference + nominated edit only

Orange: mutation

Isovar
Assembly on

No translated protein

1 alternate read objects

Isovar
Assembly off

No translated protein

1 alternate read objects

Varcode 1
(4 transcripts)

F K K I P L K P S P S K K F R S G S S F S R R A **A P V A T P A L L T S H R S L G N T R H K**

p.G434fs
p.G461fs
+2 effect labels in notes

-20

-10

0

10

20

Amino-acid offset from mutation (N → C)

PIP5K1A 1:151242179 G>- (1-based) · PIP5K1A-T1-Illumina

RNA coverage

No reconstructed cDNA meeting the current thresholds

PIP5K1A 1:151242179 G>- (1-based) · PIP5K1A-T1-Illumina

Read overlaps

Orange: mutation

No translated assembly to display

PIP5K1A 1:151242179 G>- (1-based) · PIP5K1A-T1-Illumina

Transcript models

Orange: mutation

4 models

Isoform not established

Black: contributes RNA protein

Gray: prediction only

ENST00000349792 →
(PIP5K1A-001)

ENST00000368888 →
(PIP5K1A-003)

ENST00000409426 →
(PIP5K1A-015)

ENST00000441902 →
(PIP5K1A-016)

RNA junctions

No retained junction evidence

151,242,173

151,242,178

151,242,184

Genomic position (0-based, forward strand)