



Agreement map for the vaccine SLP cleavage atlas

SLPs clustered by within-model candidate-site fraction



Predictor agreement at shared peptide bonds




Clustering organizes the atlas; it does not create an ensemble probability. Sequence pages follow the left-panel SLP order. The left panel uses a common display threshold on native 0-1 outputs. The right panel correlates native scores only where both models assess the same bond.

V G A T A V Y P T D L V K T R M Q



Proteasome and ER evidence is conditional on intracellular access.

P P K L S R E E S S N P F L A F V



incompatible native scales; no cutoff

extracellular / plasma

cytosol / ER

cleavage after numbered left residue

Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

MT-ND5 p.Ala220Thr | CeGaT | 17 aa

P L L G L L L A T A G K S A Q L G




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

ZNF436 p.Ser207Cys | CeGaT | 16 aa

G K S F G R S C H L I Q H Q T I




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

DYNC1H1 p.Val314Ile | CeGaT | 18 aa

K H G K R F H A T I S F D T D T G L




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

MYO15B fs | JLF V2, JLF V1 | 17 aa

A G R R A Q A P T R V L G L A P P




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

NME1 p.Gly24Arg | CeGaT | 13 aa

P P I S S C D T R T M A N



Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

CUL9 p.Asp403Tyr | JLF V2 | 23 aa

R M L D Y Y E E I S A G D E G E F R Q S K K K




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

SMC5 p.Arg371Lys | JLFV3 | 21 aa

D R Q K R I G N T R K M I E D L Q N E L K




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

VPS72 p.Lys115Arg | JLF V3 | 27 aa

G S S Q K A R E E R A L L P L E L Q D D G S D S R K S




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

EXOC4 p.Ser34Ile | JLF V3, JLF V2 | 23 aa

K K S V I R T L S T I D D V E D R E N E K G R




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

EPG5 p.Ala869Thr | CeGaT | 23 aa

K K S V I R T L S T I D D V E D R E N E K G R




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

TECPR1 p.Thr259fs | CeGaT | 16 aa

L W A H S G R D R P W S G K E S





Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

S V I R T L S T I D D V E D R E N



0.8
0.6
0.4
0.2
relative model output

incompatible native scales; no cutoff

extracellular / plasma


cytosol / ER

cleavage after numbered left residue

Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed.

PIP5K1A p.Gly474fs | JLF V3 | 20 aa

S S F S R R A A P V A T P A L L T S H R



cleavage after numbered left residue

Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

PTH1R p.Ile237Phe | JLF V3 | 23 aa

S F M L R A V S F F V K D A V L Y S G A K K K




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

SLC25A12 p.Ile347Thr | JLF V2, JLF V1 | 26 aa

G S V A G A V G A T A V Y P T D L V K T R M Q N Q R




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

VPS13B p.Ser3756Phe | JLF V3 | 21 aa

R Q L P E S L G E G L R Q G L F R L G I S




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

MYO9A p.Asp523Val | JLF V2 | 25 aa

K K F D W I V F R I N H A L L N S K V L E H N T K




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

VPS13B p.Ser3756Phe | CeGaT | 20 aa

G E G L R Q G L F R L G I S L L G A I A




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

BMP1 p.Ser366Thr | JLFV3 | 23 aa

R I S V T P G E K I I L N F T T L D L Y R S R





Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

MAP2 p.Leu867fs | JLF V3 | 23 aa

K T V R I Y Q G R V V P F T K A L M I K F E E



MAP2 p.Leu867fs | JLF V2, JLF V1 | 24 aa

K T V R I Y Q G R V V P F T K A L M I K F E E I





Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

R P T L S K E L Y A L G V V D G L H T V H G T



0.8
0.6
0.4
0.2
relative model output

incompatible native scales; no cutoff

extracellular / plasma

cytosol / ER

cleavage after numbered left residue

Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed.

TECPR1 p.Thr259fs | JLF V3, JLF V2, JLF V1 | 22 aa

G S E E A S T L T I P A A P V G L R W L V R




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

TECPR1 p.Thr259fs | JLF V2, JLF V1 | 17 aa

T S R W E S A W S G L S P R T G R




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

ADGRF5 p.Asn1279Ser | JLF V2 | 22 aa

V Q E A L L S K F S L S R W S S Q H S K S T




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

WWC1 p.Val179Gly | JLF V3 | 20 aa

N K L K R E M G H L Q H E L Q F K E R G




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

GLIS3 p.Ser775fs | JLF V3 | 80 aa - segment 1/3, bonds 1-27

residues 1-28: Q P P E S S S S F F N T A K N T A S L Y P A A I R F T P




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

GLIS3 p.Ser775fs | JLF V3 | 80 aa - segment 2/3, bonds 28-54

residues 28-55: P E V L S A R N K L F F S T K W Y P C P W I L W A A A E




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

GLIS3 p.Ser775fs | JLF V3 | 80 aa - segment 3/3, bonds 55-79

residues 55-80: E V L S P T L P R F P E N C A A C Q L L Q C G A F V




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

KIF1C p.Glu456Lys | JLF V2,JLF V1 | 21 aa

T E K I I A E L N K T W E E K L R K T E A




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

CENPL p.Pro26His | JLF V3 | 23 aa

S S R P E D Y F I G A T H L Q K R L E S V R K




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

CD109 p.Arg1310Met | JLF V3 | 23 aa

S F S G P G M S G M A L M E V N L L S G K K K





Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

G K R F H A T I S F D T D T G L K Q A L E T K K



ncompatible native scales; no cutoff

extracellular / plasma

cytosol / ER

cleavage after numbered left residue

Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models; not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed.

Proteasome and ER evidence is conditional on intracellular access.

CDC40 p.Trp475Ser | JLF V3 | 25 aa

H S M P A V T L S P N G K S L A C Q S M D N Q K K




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

KDM3B p.Pro633Ser | JLF V2, JLF V1 | 26 aa

H E N L F L Q P P K L S R E E S S N P F L A F V E K




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

EPG5 p.Ala869Thr | JLF V1 | 20 aa

K E L P L Y L W Q P S T S E I A V I R D




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

EPG5 p.Ala869Thr | JLF V2 | 23 aa

K E L P L Y L W Q P S T S E I A V I R D W K K




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

NR2F2 p.Gly65Val | CeGaT | 17 aa

A G G Q G G P G V P G S D K Q Q Q




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

NR2F2 p.Gly65Val | JLF V2 | 26 aa

A Q T A A G G Q G G P G V P G S D K Q Q Q Q Q H I E




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.

H1-2 p.Ala197_Lys201del | CeGaT | 16 aa

A A K A V K P K V V K P K K A A




Figure legend. Scores are model-native and not calibrated across rows; 0.5 is a display threshold only. Concurrence is hits/assessable models, not a cleavage probability. Filled motif cells are partial recognition-rule matches; white is assessed/no match and gray is not assessed. Proteasome and ER evidence is conditional on intracellular access.