


NME1 p.Gly24Arg | CeGaT | 13 aa

minimal epitope/window not disclosed for this SLP

CYTOSOLIC CROSS-PRESENTATION - conditional after SLP uptake/export

four model-native tracks



MHC-I: 1 shown / 1 eligible (top-10 cap)

C01:02 1.1%



MHC-II: none <= 5% rank

1

5

10

13

ENDOLYSOSOMAL / CLASS-II PROCESSING - primary SLP uptake route

NetCleave-II is not a named-cathepsin assay

NetCleave II native 0-1

0.5 display

EXTRACELLULAR ENZYME EVIDENCE - requires enzyme exposure




DPP4 / qPISA
N-terminal 2-residue removal


NOT SCORED / OUTSIDE MODEL SCOPE

Dataset EV2 has missing coefficients for P1=P: P2:P


1 motif match / 12 assessed bonds - partial recognition rule



0 motif matches / 12 assessed bonds - partial recognition rule



1 motif match / 1 assessed bond - partial recognition rule



0 motif matches / 1 assessed bond - partial recognition rule



0 motif matches / 1 assessed bond - partial recognition rule



M = motif match | hollow circle = assessed, no motif match | NA = not assessed. Enzyme presence and exposure are not measured.

DPP4: predicted log2(buffer control / treated substrate), source assay 4 h. Motifs have no numeric score; neither view gives a cleavage rate.

SCORES Separate native 0-1 tracks; joined assessed bonds are not smoothed. Dashed = 0.5 display threshold; gaps = unassessed.

RED All four cytosolic tracks assessed the bond and >=3 reached 0.5. Four filled/open beads show model concurrence, never probability.

MHC Up to 10/class: intended overlap, then allele diversity, then native rank. Red ticks inside bars are pre-binding cut evidence; full results stay in CSV.