

SMC5 p.Arg371Lys | JLF V3 | 21 aa

disclosed minimal epitope RQKRIGNTR at 2-10

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks

higher native score upward

NetChop Cterm (ligand) native 0-1

0.5 display

Pepsickle human (in vivo) native 0-1

0.5 display

NetCleave I native 0-1

0.5 display

NetChop 20S (in vitro) native 0-1

0.5 display

ERAP1 / ERAMER

cytosol / ER motifs

NPEPP5

TPP2

+29 more in CSV

C07:01 0.31%

B27:05 0.58%

B27:05 0.54%

A01:01 0.87%

B27:05 0.2%

C01:02 0.019%

D

R

Q

K

R

I

G

N

T

R

K

M

I

E

D

L

Q

N

E

L

K

1

DR08:01 3.2%

DR08:01 2.9%

20

21

MHC-II candidate ligands

ENDOLYSOSOMAL / CLASS-II PROCESSING - C-terminal score track

higher native score downward

NetCleave II native 0-1

0.5 display

SERUM / EXTRACELLULAR - native scores and recognition motifs

DPP4 native (intact SLP)

serum / extracellular motifs

ENPEP

MME

MME

MME

ACE+MME

CPB2+CPW1

SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.

RED BOND MARKS All four intracellular tracks assess the bond; ≥ 3 reach 0.5. Four beads show support (filled = hit, open = miss), not probability.

MHC WINDOWS $\leq 2\% / \leq 5\%$ rank; display favors intended overlap, then allele diversity, then rank. Internal red ticks are pre-binding cut evidence; all predictions remain in CSV.