

BTD p.Phe445Val | JLF V3, JLF V2, JLF V1 | 23 aa

disclosed minimal epitope GVVDGLHTV at 12-20

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks

higher native score upward

NetChop Cterm (ligand) native 0-1

0.5 display

Pepsickle human (in vivo) native 0-1

0.5 display

NetCleave I native 0-1

0.5 display

NetChop 20S (in vitro) native 0-1

0.5 display

ERAP1 / ERAMER
cytosol / ER motifs

XPNPEP1+ERAP2

DPP8+DPP9+PPEP

TPP2

+9 more in CSV

MHC-I candidate ligands

C01:02 0.59%

C01:02 0.22%

C01:02 0.052%

R | P | T | L | S | K | E | L | Y | A | L | G | V | V | D | G | L | H | T | V | H | G | T

MHC-II candidate ligands

DP01:03/04:01 3.9%

DP01:03/04:01 4.7%

DP01:03/04:01 5%

ENDOLYSOSOMAL / CLASS-II PROCESSING - C-terminal score track

higher native score downward

NetCleave II native 0-1

0.5 display

SERUM / EXTRACELLULAR - native scores and recognition motifs

DPP4 native (intact SLP)

3.1

serum / extracellular motifs

XPNPEP2

FAP

MME

MME

MME

MME

MME

ACE

SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.

RED BOND MARKS All four intracellular tracks assess the bond; >=3 reach 0.5. Four beads show support (filled = hit, open = miss), not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.