



Agreement map for the vaccine SLP cleavage atlas

SLPs clustered by within-model candidate-site fraction



Predictor agreement at shared peptide bonds




Clustering organizes the atlas; it does not create an ensemble probability. Sequence pages follow the left-panel SLP order. The figure shows human-only Pepsickle, both biologically distinct NetChop modes, NetCleave-I, and NetCleave-II; the near-redundant all-mammal Pepsickle track remains in the tables. The left panel uses a common display threshold on native 0-1 outputs. The right panel correlates native scores only where both models assess the same bond.

SLC25A12 p.Ile347Thr | CeGaT | 17 aa

disclosed minimal epitope ATAVYPTDL at 3-11

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

KDM3B p.Pro633Ser | CeGaT | 17 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

MT-ND5 p.Ala220Thr | CeGaT | 17 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

ZNF436 p.Ser207Cys | CeGaT | 16 aa

disclosed minimal epitope KSFGRSCHL at 2-10

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

VPS13B p.Ser3756Phe | JLF V3 | 21 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

VPS13B p.Ser3756Phe | CeGaT | 20 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

MYO9A p.Asp523Val | JLF V2 | 25 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score ≥ 0.5 . The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed $\leq 2\%$ / $\leq 5\%$ rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

TECPR1 p.Thr259fs | JLF V3, JLF V2, JLF V1 | 22 aa

disclosed minimal epitope TIPAAPVGL at 9-17

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

TECPR1 p.Thr259fs | JLF V2, JLF V1 | 17 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score ≥ 0.5 . The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed $\leq 2\%$ / $\leq 5\%$ rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

ADGRF5 p.Asn1279Ser | JLF V2 | 22 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

WWC1 p.Val179Gly | JLF V3 | 20 aa

disclosed minimal epitope GHLQHELQF at 8-16

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

BTD p.Phe445Val | JLF V3, JLF V2, JLF V1 | 23 aa

disclosed minimal epitope GVVDGLHTV at 12-20

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

GLIS3 p.Ser775fs | JLF V3 | 80 aa - segment 1/3, bonds 1-27

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score ≥ 0.5 . The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed $\leq 2\%$ / $\leq 5\%$ rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

GLIS3 p.Ser775fs | JLF V3 | 80 aa - segment 2/3, bonds 28-54

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs

DPP4 native

serum / extracellular motifs

SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score ≥ 0.5 . The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed $\leq 2\%$ / $\leq 5\%$ rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

GLIS3 p.Ser775fs | JLF V3 | 80 aa - segment 3/3, bonds 55-79


minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



ERAP1 / ERAMER
cytosol / ER motifs

+4 additional spans
in CSV



MHC-II: none <= 5% rank in this segment

55 60 65 70 75 80

NetCleave II 0-1

SERUM / EXTRACELLULAR - native scores and recognition motifs

DPP4 native

serum / extracellular motifs

ACE ▼

SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

KIF1C p.Glu456Lys | JLF V2, JLF V1 | 21 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score ≥ 0.5 . The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed $\leq 2\%$ / $\leq 5\%$ rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

CD109 p.Arg1310Met | JLF V3 | 23 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks




SERUM / EXTRACELLULAR - native scores and recognition motifs



CENPL p.Pro26His | JLF V3 | 23 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

DYNC1H1 p.Val314Ile | JLF V3, JLF V2 | 24 aa

disclosed minimal epitope KRFHATISF at 2-10

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

CDC40 p.Trp475Ser | JLF V3 | 25 aa

disclosed minimal epitope TLSPNGKSL at 7-15

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks




SERUM / EXTRACELLULAR - native scores and recognition motifs



DYNC1H1 p.Val314Ile | CeGaT | 18 aa

disclosed minimal epitope KRFHATISF at 4-12

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score ≥ 0.5 . The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed $\leq 2\%$ / $\leq 5\%$ rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

SMC5 p.Arg371Lys | JLF V3 | 21 aa

disclosed minimal epitope RQKRIGNTR at 2-10

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score ≥ 0.5 . The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed $\leq 2\%$ / $\leq 5\%$ rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

CUL9 p.Asp403Tyr | JLF V2 | 23 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

NME1 p.Gly24Arg | CeGaT | 13 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

MYO15B fs | JLF V2, JLF V1 | 17 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.


VPS72 p.Lys115Arg | JLF V3 | 27 aa

disclosed minimal epitope ERALLPEL at 9-17

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs




SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.

RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

minimal epitope/window not disclosed for this SLP


Osteosarc vaccine cleavage atlas - page 28 of 43



EPG5 p.Ala869Thr | CeGaT | 23 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs

DPP4 native

serum / extracellular motifs

SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score ≥ 0.5 . The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed $\leq 2\%/\leq 5\%$ rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

TECPR1 p.Thr259fs | CeGaT | 16 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.

RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

EXOC4 p.Ser34Ile | CeGaT | 17 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks

NetChop Cterm (ligand) 0-1

Pepsickle human (in vivo) 0-1

NetCleave I 0-1


NetChop 20S (in vitro) 0-1

ERAP1 / ERAMER
cytosol / ER motifs

MHC-I candidate ligands

MHC-II candidate ligands

NetCleave II 0-1



SERUM / EXTRACELLULAR - native scores and recognition motifs

DPP4 native

serum / extracellular motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

SLC25A12 p.Ile347Thr | JLF V2, JLF V1 | 26 aa

disclosed minimal epitope ATAVYPTDL at 9-17

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score ≥ 0.5 . The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed $\leq 2\%$ / $\leq 5\%$ rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

PTH1R p.Ile237Phe | JLF V3 | 23 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

PIP5K1A p.Gly474fs | JLF V3 | 20 aa

disclosed minimal epitope AAPVATPAL at 7-15

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

KDM3B p.Pro633Ser | JLF V2, JLF V1 | 26 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks




SERUM / EXTRACELLULAR - native scores and recognition motifs



EPG5 p.Ala869Thr | JLF V1 | 20 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

EPG5 p.Ala869Thr | JLF V2 | 23 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

MAP2 p.Leu867fs | JLF V3 | 23 aa

disclosed minimal epitope RVVPFTKAL at 9-17

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score ≥ 0.5 . The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed $\leq 2\%$ / $\leq 5\%$ rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

MAP2 p.Leu867fs | JLF V2, JLF V1 | 24 aa

disclosed minimal epitope RVVPFTKAL at 9-17

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score ≥ 0.5 . The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed $\leq 2\%$ / $\leq 5\%$ rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.


BMP1 p.Ser366Thr | JLF V3 | 23 aa

disclosed minimal epitope KIILNFTTL at 9-17

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.


NR2F2 p.Gly65Val | JLF V2 | 26 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks




SERUM / EXTRACELLULAR - native scores and recognition motifs



NR2F2 p.Gly65Val | CeGaT | 17 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.


RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.

H1-2 p.Ala197_Lys201del | CeGaT | 16 aa

minimal epitope/window not disclosed for this SLP

INTRACELLULAR / CLASS-I PROCESSING - four complementary score tracks



SERUM / EXTRACELLULAR - native scores and recognition motifs



SCORES Native 0-1 bond scores; lines join adjacent assessed bonds only (no smoothing). Dashed line = 0.5 display threshold; gaps = unassessed.

RED CUTS All four intracellular tracks must assess the bond and at least three must score >=0.5. The 3/4 or 4/4 label is support, not probability.

MHC WINDOWS Blue/purple tint and outlines show displayed <=2%/<=5% rank candidates; internal red ticks are pre-binding cut evidence. All candidates remain in CSV.