

Zoho CRM → PMS Webhook: Integration Checklist

FACE Prep Campus — Placement Management System · 19 Aug 2026 · for the Zoho CRM administrator · based on the current “Send Deals to PMS” webhook + “CRM Deals x PMS” workflow rule

What already looks good: Deals module, POST with form-data body, the snake_case parameter names, sourcing from Accounts / Contacts / Deals, and the fixed mm-dd-yyyy date format. Please keep all of that as is.

One rule governs everything below: the PMS validates every payload against the same rules its own form uses, and it **refuses rather than converts**. A picklist value that is not an exact match, or a missing required field, means the whole Deal is refused and lands as a draft for the AE to redo. So exact values matter more than anything else on this list.

1 Webhook configuration changes

✓	Item	What to do
☐	Add the Deal record ID	Add parameter <code>zoho_record_id</code> = Deal Id. This is how the PMS de-duplicates retries and how it fetches the JD attachment. Without it the integration cannot work.
☐	Add the Deal owner's email	Add parameter <code>owner_email</code> = Deal Owner → Email. The PMS matches it to the Account Executive's PMS login. No match → the Deal is refused.
☐	Authorization header	Currently “General” with no header. Before the real URL goes in, add a custom header (name and secret value will be provided) so only Zoho can call the endpoint.
☐	Workflow trigger condition	“Execute On: Modified” fires on every edit, including half-filled Deals. Change to fire once, deliberately — e.g. when a Stage / picklist becomes “ <i>Submit to PMS</i> ”. Re-fires are tolerated (de-duplicated) but create noise.
☐	Replace the test URL	<code>webhook.site/...</code> is fine for testing. The production URL (a Supabase Edge Function) will be provided together with the auth header secret.

2 Parameters to ADD to the webhook body

✓	Parameter name	Source / type in Zoho	Notes
☐	zoho_record_id	Deal Id	Required — see §1
☐	owner_email	Deal Owner email	Required — see §1
☐	rounds	Multi-line text field on the Deal	Required. Exact format in §4. A Deal with no rounds is refused.
☐	joining_timeline	New picklist: immediate / later	Required at submission
☐	joining_immediate_notes	Single-line text	Optional; only meaningful when timeline is immediate
☐	joining_later_notes	Single-line text	Optional; only meaningful when timeline is later
☐	min_overall_cgpa	Number (decimal)	Optional cutoff. Judged on the scale below: 65 is a valid percentage and an invalid CGPA
☐	min_overall_cgpa_scale	New picklist: cgpa / percentage	States which scale the cutoff was declared on
☐	min_tenth_percentage	Number (decimal)	Optional 10th-standard bar
☐	min_twelfth_percentage	Number (decimal)	Optional 12th-standard bar
☐	arrears_policy	New picklist — values in §3	Required (defaults to flexible if truly unknown)
☐	mandatory_skills	Text	Optional
☐	shift_night_timing	Single-line text, e.g. “9 PM – 6 AM”	Required when shift_type = night ; must be empty otherwise
☐	spoc_designation	Contact → Title	Optional but wanted
☐	spoc_phone	Contact → Phone	Optional but wanted
☐	additional_designations	Text, semicolon-separated	Optional: other job titles covered by the same interview process

3 Picklist values — must match EXACTLY (lowercase, underscores)

Six fields carry fixed vocabularies. The stored picklist **value** must be the code below; the display label shown to the AE can be the friendly text.

✓	Field	Exact values (stored)	Display labels (suggested)
☐	role_category (most critical — routes the drive to students)	software_technical technical_support_it_ops digital_marketing sales operations_business	Software / Technical Technical Support / IT Operations Digital Marketing Sales Operations and Business Roles
☐	drive_type_raw → please rename to drive_type	placement internship_convertible internship	Placement Internship (convertible to placement) Internship only
☐	drive_mode_raw → please rename to drive_mode	on_campus physical_outside_campus virtual pooled	On campus Physical, outside campus Virtual Pooled
☐	shift_type	day night rotational flexible	Day Night (hours required) Rotational Flexible
☐	arrears_policy	no_standing no_history flexible	No standing arrears No arrear history at all Flexible
☐	joining_timeline	immediate later	Immediate Later
☐	min_overall_cgpa_scale	cgpa percentage	CGPA (10-point) Percentage

The `_raw` suffix on the current `drive_mode_raw` / `drive_type_raw` suggests sending display labels for the PMS to translate — please don't: send the exact codes above and drop the suffix. The PMS refuses anything else by design.

4 Field formats

✓	Field	Format	Example
☐	rounds	Round N – Name , separated by semicolons, in order	Round 1 – Aptitude Test; Round 2 – Technical Interview; Round 3 – HR
☐	eligible_passing_years	Multi-select; years separated by semicolons	2026;2027
☐	additional_designations	Titles separated by semicolons; no repeats of the Deal Name	Associate Engineer; Graduate Trainee
☐	ctc_min_lpa / ctc_max_lpa	Plain numbers in LPA — never text like “4.5 LPA + variable”	4.5 (prose goes in ctc_breakup)
☐	bond_duration_months	Whole number of months (0 or empty = no bond)	12
☐	tentative_date	mm-dd-yyyy (as already configured)	09-15-2026

5 The Job Description attachment

- ☐ The JD is attached **to the Deal record itself** as a **PDF, maximum 5 MB**, before submission. The PMS pulls it via the Zoho API using the record ID.
- ☐ If several files are attached, the JD should be the one whose filename contains “JD” — please agree a naming convention with the AE team (e.g. <Company>-JD.pdf).

6 API access (for pulling the JD + verification)

- ☐ Create a **Self Client** in the Zoho API Console (**accounts.zoho.in** — the .in data centre) and share the Client ID, Client Secret and a grant token for scopes: `ZohoCRM.modules.deals.READ` , `ZohoCRM.Attachments.READ` , `ZohoCRM.users.READ` .
- ☐ Hand the credentials over **directly** (not by chat/email in plain text) — they will be stored as server secrets, never in code.

7 What the PMS does with each Deal (for reference)

- A valid Deal becomes a submitted PIF in the **Delivery Head’s approval queue**, owned by the AE matched via `owner_email` .
- An invalid Deal lands as a **draft** and the AE is notified in the PMS with the exact problems. The fix is a **fresh Deal submission from Zoho** — drafts are not edited.
- Duplicate/retried webhook calls for the same `zoho_record_id` are ignored — no duplicate drives.
- Edits in Zoho after submission are **not** synced. Sent-back PIFs are resubmitted as fresh Deals.

Testing (no sandbox): we will jointly run one end-to-end test using a clearly named dummy Deal (e.g. Account “ZZ-TEST — DO NOT USE”) against the production PMS; everything it creates is removed afterwards. Please keep the `webhook.site` URL until we hand over the production endpoint + auth secret.