

Debugging Errors: Takeaways

by Dataquest Labs, Inc. - All rights reserved © 2018

Syntax

- `SyntaxError` occurs when the Python interpreter can't parse the code as valid Python code:

- Input:

```
the_answer= "42
```

- Output:

```
File "ipythoninput1-85ffad3b5465" line 1
    the_answer= "42
    ^
SyntaxError: EOL while scanning string literal
```

- `IndentError` occurs when the Python interpreter can't accurately determine a line's intended indentation:

- Input:

```
def find():
    print("42")
    print("whatreally?")
```

- Output:

```
File "ipythoninput2-dd6a6ca22a8f" line 3
    print("whatreally?")
    ^
IndentationError: unexpected indent
```

- `TypeError` occurs when the Python interpreter didn't know how to apply a function or operator to a specific value type:

- Input:

```
42 + "42"
```

- Output:

```
TypeError
ipythoninput5-6061d7365225n ()
    42 + "42"
TypeError unsupported operand type(s) for +: 'int' and 'str'
```

- `ValueError` occurs when an operation or function received a value of the right type but an inappropriate value:

- Input:

```
float("guardians")
```

- Output:

```
ValueError
ipythoninput8-325ad4dda32an ()
    float("guardians")
ValueError could not convert string to float: 'guardians'
```

- IndexError:

- Input:

```
lives= [1,2,3]

lives[4]
```

- Output:

```
IndexError                                Traceback (most recent call last)

ipython input 9-e6921ecc6ecan ()

      1 lives= [1,2,3]

--> 2 lives[4]

IndexError: list index out of range
```

- AttributeError:

- Input:

```
f = open("story.txt")

f.split("")
```

- Output:

```
AttributeError                            Traceback (most recent call last)

ipython input 10-4cad13e731can ()

      1 f = open("story.txt")

--> 2 f.split("")

AttributeError: '_io.TextIOWrapper' object has no attribute 'split'
```

Concepts

- The two main types of errors are:
 - Syntax errors. Some examples of syntax errors include:
 - Missing ending quotes or starting quotes
 - Using improper indentation
 - Using improper keywords
 - Runtime errors. Some examples of runtime errors include:
 - Calling a function before it's defined
 - Calling a method or attribute that the object doesn't contain
 - Attempting to convert a value to an incompatible data type

Resources

- [Python Documentation: Errors and Exceptions](#)

- [PYTHON DOCUMENTATION: ERRORS AND EXCEPTIONS](#)



Takeaways by Dataquest Labs, Inc. - All rights reserved © 2018