name: <unnamed>

log: /Users/nabarun/Dropbox/Projects/Dix Park Intake/DixIntakeLedgerCodebook.txt

log type: text

opened on: 28 Jan 2020, 13:56:42

codebook, h n

Dataset: DixLedgerDeidentified clean.dta

Last saved: 28 Jan 2020 13:56

DATA HAVE CHANGED SINCE LAST SAVED

Label: [none]
Number of variables: 58
Number of observations: 7,479

Size: 4,913,703 bytes ignoring labels, etc.

dta:

1. Dataset for Dix Park (Raleigh) Intake Ledger. Dataset created by N. Dasgupta based on original data from Sarah Almong. See OpioidData.org for more details.

patientid Patient ID

type: numeric (int)

range: [0,7491] units: 1

unique values: 7,467 missing .: 0/7,479

mean: 3740.22 std. dev: 2165.71

percentiles: 10% 25% 50% 75% 90% 744 1864 3732 5624 6746

patientnumberext Patient Number Ext

type: string (str1)

unique values: 2 missing "": 7,470/7,479

tabulation: Freq. Value

7,470 ""
5 "A"
4 "B"

located In

type: numeric (int)

range: [1,7480] units: 1

unique values: 318 missing .: 0/7,479

mean: 3742.65 std. dev: 2157.36

percentiles: 10% 25% 50% 75% 90% 725 1877 3756 5621 6733

occupationastranscribed Occupation as Transcribed

type: string (str39)

unique values: 554 missing "": 1,542/7,479

examples: ""

"Farmer"
"House work"
"Mill operator"

warning: variable has embedded blanks

occupationcleaned Occupation Cleaned

type: string (str34)

unique values: 242 missing "": 25/7,479

examples: "farmer"

"housewife"
"minister"
"no entry"

warning: variable has embedded blanks

occupationcategory Occupation Category

type: string (str33)

unique values: 41 missing "": 34/7,479

examples: "agriculture"

"household"
"none"
"unknown"

warning: variable has embedded blanks

dateofadmission Date of Admission

type: string (str10)

unique values: 5,500 missing "": 29/7,479

examples: "1882-12-15"

"1897-11-08" "1906-12-01" "1913-05-08"

type: numeric daily date (float)

range: [-37933,-15341] units: 1
or equivalently: [22feb1856,31dec1917] units: days
unique values: 5,498 missing :: 31/7,479

mean: -22796.8 = 01aug1897 (+ -19 hours)

std. dev: 6331.5

percentiles: 10% 25% 50% 75% 90%

-33839 -26485 -21079.5 -17568 -16389 09may1867 27jun1887 15apr1902 26nov1911 17feb1915

disdate Date of discharge (cleaned)

type: numeric daily date (float)

range: [-40170,-4052] units: 1 or equivalently: [07jan1850,27nov1948] units: days

unique values: 3,373 missing .: 1,254/7,479

mean: -22823.4 = 05jul1897 (+ -10 hours)

std. dev: 6099.51

percentiles: 10% 25% 50% 75% 90%

-33340 -26764 -21482 -17621 -16445 19sep1868 21sep1886 09mar1901 04oct1911 23dec1914

type: numeric (float)

range: [1856,1917] units: 1

unique values: 62 missing .: 31/7,479

mean: 1897.09 std. dev: 17.3406

percentiles: 10% 25% 50% 75% 90% 1867 1887 1902 1911 1915

admitmonth Month of admission

type: numeric (float)

label: month

range: [1,12] units: 1

unique values: 12 missing .: 31/7,479

examples: 3 M

5 M 8 A 10 O

dayofweek Day of the week of admission date 0=Sunday

type: numeric (float)

label: week

range: [0,6] units: 1

unique values: 7 missing .: 31/7,479

tabulation: Freq. Numeric Label

395 0 Sun 1,023 1 Mon 1,423 2 Tue 1,364 3 Wed 1,147 4 Thu 1,141 5 Fri 955 6 Sat 31 .-----

gender (unlabeled)

type: string (str1)

unique values: 2 missing "": 123/7,479

tabulation: Freq. Value

123 ""
3,525 "F"
3,831 "M"

sex 0=female

type: numeric (float)

label: mf

range: [0,1] units: 1

unique values: 2 missing .: 123/7,479

tabulation: Freq. Numeric Label 3,525 0 female

3,831 0 femal 1 male

123

age Age at admission in years (cleaned)

type: numeric (double)

range: [0,90] units: .1

unique values: 89 missing .: 248/7,479

mean: 38.3751 std. dev: 14.2883 percentiles: 10% 25% 50% 75% 90% 21 27 36 48 59

maritalstatus Marital Status

type: string (str16)

unique values: 7 missing "": 181/7,479

tabulation: Freq. Value

181 ""

4 "Divorced" 3,380 "Married"

7 "Married; Widowed"

1 "Separated"
3,224 "Single"

4 "Single; Married"

678 "Widowed"

warning: variable has embedded blanks

numberofpreviousattacks

Number of Previous Attacks

type: string (str7)

unique values: 30 missing "": 922/7,479

examples: "1"

"1"

"1"

"2"

supposedcauseofattackastranscrib

Supposed Cause of Attack as Transcribed

type: string (str53)

unique values: 1,415 missing "": 199/7,479

examples: "Exposure"

"Irregular Monthly Periods"
"Religious Excitement"

"Unknown"

warning: variable has embedded blanks

supposedcausecleaned1 Supposed Cause Cleaned #1

type: string (str32)

unique values: 101 missing "": 199/7,479

examples: "Epilepsy"

"Ill Health"
"Overwork"
"Unknown"

warning: variable has embedded blanks

supposedcausecategory1 Supposed Cause Category #1

type: string (strl1)

unique values: 3 missing "": 2,439/7,479

tabulation: Freq. Value

2,439 ""

3,356 "Physical"
1 "SItuational"
1,683 "Situational"

type: string (str26)

unique values: 52 missing "": 7,146/7,479

examples: ""

""

warning: variable has embedded blanks

supposedcausecategory2

Supposed Cause Category #2

type: string (strl1)

unique values: 2 missing "": 7,149/7,479

tabulation: Freq. Value

7,149 ""

154 "Physical" 176 "Situational"

durationofillnesspriortoadmissio

Duration of Illness Prior to Admission (free text)

duration of filliess fill to namission (free text)

type: string (str20)

unique values: 263 missing "": 190/7,479

examples: "10 weeks"

"2 years"
"30 years"
"6 weeks"

warning: variable has embedded blanks

.-----

formastranscribed

Form as Transcribed

type: string (str36)

unique values: 608

missing "": 524/7,479

examples: "Dementia"

"Mania"

"Mania, Chronic"
"Not Insane"

warning: variable has embedded blanks

formcleaned Form Cleaned

type: string (str42)

unique values: 113 missing "": 524/7,479

examples: "Epilepsy"

"Mania"

"Mania; Chronic"
"Manic Depressive"

warning: variable has embedded blanks

ageatfirstattack Age at First Attack

type: string (str5)

unique values: 100 missing "": 3,451/7,479

examples: ""

"24"

intakecondition Intake Condition type: string (str31) unique values: 7 missing "": 5,144/7,479tabulation: Freq. Value 5,144 "" 739 "Hereditary" 13 "Hereditary; Puerperal" 7 "Hereditary; Puerperal; Suicidal" 296 "Hereditary; Suicidal" 70 "Puerperal" 33 "Puerperal; Suicidal" 1,177 "Suicidal" warning: variable has embedded blanks type: string (str11) unique values: 43 missing "": 373/7,479 examples: "NC" "NC" "NC" "NC"

type: string (str19)

unique values: 110 missing "": 14/7,479

examples: "Cumberland County"

"Halifax County"

"New Hanover County"

"Vance County"

warning: variable has embedded blanks

numberofpreviousadmissions

Number of Previous Admissions

type: string (str10)

unique values: 7 missing "": 6,019/7,479

tabulation: Freq. Value

6,019 "" 1,318 "1"

1 "12/31/1899"

116 "2" 17 "3"

4 "4"

3 "5" 1 "6"

dateofdischarge Date of Discharge

type: string (str10)

unique values: 3,373 missing "": 1,254/7,479

examples: "1860-12-31"

"1889-08-14" "1901-11-30" "1912-02-13"

lengthofstay Length of Stay

type: string (str11)

unique values: 2,138 missing "": 1,925/7,479

examples: ""

"0y;3m;0d"
"19y;8m;11d"
"29y;0m;1d"

warning: variable has embedded blanks

dead Infer dead

type: numeric (float)

range: [0,1] units: 1

unique values: 2 missing .: 0/7,479

tabulation: Freq. Value

5,778 0 1,701 1

better (unlabeled)

type: numeric (float)

range: [0,1] units: 1

unique values: 2 missing .: 0/7,479

tabulation: Freq. Value

3,533 0 3,946 1

final condition Final Condition

type: string (str29)

unique values: 33 missing "": 1,736/7,479

examples: ""

"Cured"
"Cured"
"Died"

warning: variable has embedded blanks

remarksfreetext Remarks (free text)

type: string (strL)

unique values: 1,490 missing "": 3,044/7,479

examples: ""

"Discharged"

"Exhaustion Tozemia of Pellagra"

warning: variable has embedded blanks

indicatedrace Indicated Race

type: string (str16)

unique values: 2 missing "": 10/7,479

tabulation: Freq. Value

47 "African American" 7,422 "Assumed White"

warning: variable has embedded blanks

Equals one for each row observation

type: numeric (float)

range: [1,1] units: 1

unique values: 1 missing .: 0/7,479

tabulation: Freq. Value

7,479 1

Marital status at admission (recoded)

type: numeric (float)

label: marlabel

units: 1 range: [1,4]

unique values: 4 missing .: 185/7,479

tabulation: Freq. Numeric Label

3,224 1 Single 3,380 2 Married 685 3 Widowed

4 Separated or Divorced

185

infer farmer occupation

type: numeric (float)

units: 1 range: [0,1]

unique values: 2 missing .: 0/7,479 tabulation: Freq. Value

5,915 0 1,564 1

farmer:

1. regex from occupationcleaned = farm

healthpro inferred health professional occupation

type: numeric (float)

range: [0,1] units: 1

unique values: 2 missing .: 0/7,479

tabulation: Freq. Value

7,412 0 67 1

healthpro:

1. regex from occupationcleaned = doct|pharm|nurse|surg|physician|dentist

transfer

type: numeric (float)

range: [0,1] units: 1

unique values: 2 missing .: 0/7,479

tabulation: Freq. Value

7,130 0

349 1

type: numeric (float)

range: [0,1] units: 1

unique values: 2 missing .: 0/7,479

tabulation: Freq. Value

7,474 0 5 1

pellagra (unlabeled)

type: numeric (float)

range: [0,1] units: 1

unique values: 2 missing .: 0/7,479

tabulation: Freq. Value

7,318 0 161 1

war (unlabeled)

type: numeric (float)

label: yesno

range: [0,1] units: 1

unique values: 2 missing .: 0/7,479

tabulation: Freq. Numeric Label

7,439 0 No 40 1 Yes

war:

1. Dichotomous flag derived from regular expression search of cause of attack as transcribed or recoded fields.

opiates (unlabeled)

type: numeric (float)

label: yesno

range: [0,1] units: 1

unique values: 2 missing .: 0/7,479

tabulation: Freq. Numeric Label 7,357 0 No

122 1 Yes

opiates:

1. Dichotomous flag derived from regular expression search of cause of attack as transcribed or recoded fields.

alcohol (unlabeled)

type: numeric (float)

label: yesno

range: [0,1] units: 1

unique values: 2 missing .: 0/7,479

tabulation: Freq. Numeric Label 7,175 0 No

304 1 Yes

alcohol:

1. Dichotomous flag derived from regular expression search of cause of attack as transcribed or recoded fields.

cocaine (unlabeled)

type: numeric (float)

label: yesno

range: [0,1] units: 1

missing .: 0/7,479unique values: 2

tabulation: Freq. Numeric Label

7,469 0 No 10 1 Yes

cocaine:

1. Dichotomous flag derived from regular expression search of cause of attack as transcribed or recoded fields.

masturbation

type: numeric (float)

label: yesno

units: 1 range: [0,1]

unique values: 2 missing .: 0/7,479

tabulation: Freq. Numeric Label

7,239 0 No 240 1 Yes

masturbation:

1. Dichotomous flag derived from regular expression search of cause of attack as transcribed or recoded fields.

type: numeric (float)

label: yesno

range: [0,1] units: 1

units: 1 missing .: 0/7,479 unique values: 2

tabulation: Freq. Numeric Label

7,348 0 No

131 1 Yes

overwork:

1. Dichotomous flag derived from regular expression search of cause of attack as transcribed or recoded fields.

type: numeric (float)

label: yesno

units: 1 range: [0,1]

unique values: 2 missing .: 0/7,479

tabulation: Freq. Numeric Label

7,328 0 No 151 1 Yes

pregnancy:

1. Dichotomous flag derived from regular expression search of cause of attack as transcribed or recoded fields.

syphilis (unlabeled)

type: numeric (float)

label: yesno

units: 1 range: [0,1]

unique values: 2 missing .: 0/7,479

tabulation: Freq. Numeric Label

7,435 0 No 44 1 Yes

syphilis:

1. Dichotomous flag derived from regular expression search of cause of attack as transcribed or recoded fields.

menopause (unlabeled)

type: numeric (float)

label: yesno

range: [0,1] units: 1

unique values: 2 missing .: 0/7,479

tabulation: Freq. Numeric Label 7,402 0 No

77 1 Yes

menopause:

1. Dichotomous flag derived from regular expression search of cause of attack as transcribed or recoded fields.

.-----

hereditary (unlabeled)

type: numeric (float)

label: yesno

range: [0,1] units: 1

unique values: 2 missing .: 0/7,479

tabulation: Freq. Numeric Label 7,325 0 No

154 1 Yes

hereditary:

1. Dichotomous flag derived from regular expression search of cause of attack as transcribed or recoded fields.

revisedlos (unlabeled)

type: string (str11)

unique values: 1,982 missing "": 1,925/7,479

examples: ""

"0y;2m;27d"
"12y;5m;14d"
"1y;9m;20d"

decade Decade of admission

type: numeric (float)
label: decadelabel

range: [1,7] units: 1

unique values: 7 missing .: 31/7,479

tabulation: Freq. Numeric Label 340 1 1850s 541 2 1860s 430 3 1870s 762 4 1880s 1,274 5 1890s 1,708 6 1900s 2,393 7 1910s 31

disdecade Decade of discharge

type: numeric (float)
label: decadelabel

range: [1,8] units: 1

unique values: 8 missing .: 1,260/7,479

tabulation: Freq. Numeric Label 167 1 1850s

484	2	1860s
378	3	1870s
736	4	1880s
1,172	5	1890s
1,404	6	1900s
1,875	7	1910s
3	8	1920s
1,260		

weiaht

Constructed per-patient-visit weight by calendar DECADE

type: numeric (float)

range: [.04178855,.29411766] units: 1.000e-08 unique values: 7 missing :: 31/7,479

tabulation: Freq. Value

2,393 .04178855 1,708 .05854801 1,274 .07849293 762 .1312336 541 .18484288 430 .23255815 340 .29411766 31 .

log close

name: <unnamed>

log: /Users/nabarun/Dropbox/Projects/Dix Park Intake/DixIntakeLedgerCodebook.txt

log type: text

closed on: 28 Jan 2020, 13:56:45
